

Helsinki, 10 August 2023

Addressee(s)

Registrant(s) of TMPTA_JS as listed in Appendix 3 of this decision

Date of submission of the dossier subject to this decision 28/07/2022

Registered substance subject to this decision ("the Substance")

Substance name: 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate; 2,2-

bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate

EC/List number: 239-701-3

DECISION ON TESTING PROPOSAL(S)

Under Article 40 of Regulation (EC) No 1907/2006 (REACH), you must submit the information listed below by **16 November 2026**.

Requested information must be generated using the Substance unless otherwise specified.

Information required from all the Registrants subject to Annex X of REACH

- 1. Extended one-generation reproductive toxicity study (Annex X, Section 8.7.3.; test method: EU B.56./OECD TG 443) by oral route, in rats, specified as follows:
- Ten weeks premating exposure duration for the parental (P0) generation;
- The highest dose level in P0 animals must be determined based on clear evidence
 of an adverse effect on sexual function and fertility without severe suffering or
 deaths in P0 animals as specified further in Appendix 1 (section 1.2.3.), or follow
 the limit dose concept. The reporting of the study must provide the justification
 for the setting of the dose levels;
- Cohort 1A (Reproductive toxicity); and
- Cohort 1B (Reproductive toxicity) without extension to mate the Cohort 1B animals to produce the F2 generation.

You must report the study performed according to the above specifications. Any expansion of the study must be scientifically justified.

The reasons for the decision(s) are explained in Appendix 1.

Information required depends on your tonnage band

You must provide the information listed above for all REACH Annexes applicable to you in accordance with Articles 10(a) and 12(1) of REACH. The addressee(s) of the decision and their corresponding information requirements based on registered tonnage band are listed in Appendix 3.

You are only required to share the costs of information that you must submit to fulfil your information requirements.



How to comply with your information requirements

To comply with your information requirements, you must submit the information requested by this decision in an updated registration dossier by the deadline indicated above. You must also **update the chemical safety report**, where relevant, including any changes to classification and labelling, based on the newly generated information.

You must follow the general requirements for testing and reporting new tests under REACH, see Appendix 4.

Appeal

This decision, when adopted under Article 51 of REACH, may be appealed to the Board of Appeal of ECHA within three months of its notification to you. Please refer to http://echa.europa.eu/regulations/appeals for further information.

Failure to comply

If you do not comply with the information required by this decision by the deadline indicated above, ECHA will notify the enforcement authorities of your Member State.

Authorised¹ under the authority of Mike Rasenberg, Director of Hazard Assessment

Appendix 1: Reasons for the decision

Appendix 2: Procedure

Appendix 3: Addressees of the decision and their individual information requirements

Appendix 4: Conducting and reporting new tests under REACH

_

¹ As this is an electronic document, it is not physically signed. This communication has been approved according to ECHA's internal decision-approval process.

Confidential



Appendix 1: Reasons for the decision

Contents

Reasons for the decision(s) related to the information under Annex X of REACH				
	4			
1.	Extended one-generation reproductive toxicity study			
Ref	ferences			



Reasons for the decision(s) related to the information under Annex X of REACH

1. Extended one-generation reproductive toxicity study

- The basic test design of an extended one-generation reproductive toxicity study (EOGRTS) is a standard information requirement under Annex X to the REACH Regulation. Furthermore, column 2 of Section 8.7.3. defines when the study design needs to be expanded.
 - 1.1. Information provided to fulfil the information requirement
- 2 You have submitted a testing proposal for an EOGRTS according to OECD TG 443 with the Substance.
- 3 ECHA requested your considerations for alternative methods to fulfil the information requirement for Toxicity to reproduction. You provided your considerations concluding that there were no alternative methods which could be used to adapt the information requirement(s) for which testing is proposed. ECHA has taken these considerations into account.
- 4 ECHA agrees that an EOGRTS is necessary.
 - 1.2. Specification of the study design
 - 1.2.1. Species and route selection
- You did not specify the species to be used for testing. According to the test method OECD TG 443, the rat is the preferred species. Therefore, the study must be conducted in the rat.
- 6 You proposed testing by oral route. ECHA agrees with your proposal.
- 7 In your comments you agree to perform the study in rats using oral route of exposure.

1.2.2. Pre-mating exposure duration

- For the pre-mating exposure duration, you state 'no deviation from guideline considered relevant (OECD 443)'. ECHA understands that you refer to OECD TG 443, paragraph 27, which states that 'A 2-week pre-mating treatment for both sexes is considered adequate in most cases.'
- 9 ECHA disagrees with your proposal. The length of the pre-mating exposure period must be ten weeks to cover the full spermatogenesis and folliculogenesis before the mating, allowing meaningful assessment of the effects on fertility.
- Ten weeks pre-mating exposure duration is required to obtain results adequate for classification and labelling and/or risk assessment. There is no substance specific information in the dossier supporting shorter pre-mating exposure duration (Guidance on IRs & CSA, Appendix R.7.6-3).
- 11 In your comments you agree to include a ten-week pre-mating exposure duration.

1.2.3. Dose-level setting

For dose-level selection, you initially provided the following consideration: 'the final dose levels will be decided upon when data are available from the 90-day repeated dose toxicity (OECD 408) with support of the OECD 422 study.' ECHA agrees that all available and relevant information should be taken into account when setting dose levels for the OECD TG 443 study.



- The aim of the requested test must be to demonstrate whether the classification criteria of the most severe hazard category for sexual function and fertility (Repr. 1B; H360F) and developmental toxicity (Repr. 1B; H360D) under the CLP Regulation apply for the Substance (OECD TG 443, para. 22; OECD GD 151, para. 28; Annex I Section 1.0.1. of REACH and Recital 7, Regulation 2015/282), and whether the Substance meets the criteria for a Substance of very high concern regarding endocrine disruption according to Art.57(f) of REACH as well as supporting the identification of appropriate risk management measures in the chemical safety assessment.
- To investigate the properties of the Substance for these purposes, the highest dose level must be set on the basis of clear evidence of an adverse effect on sexual function and fertility, but no deaths (i.e., no more than 10% mortality; Section 3.7.2.4.4 of Annex I to the CLP Regulation) or severe suffering such as persistent pain and distress (OECD GD 19, para. 18) in the PO animals.
- In case there are no clear evidence of an adverse effect on sexual function and fertility, the limit dose of at least 1000 mg/kg bw/day or the highest possible dose level not causing severe suffering or deaths in P0 must be used as the highest dose level. A descending sequence of dose levels should be selected to demonstrate any dose-related effect and aiming to establish the lowest dose level as a NOAEL.
- In summary: Unless limited by the physical/chemical nature of the Substance, the highest dose level in P0 animals must be as follows:
 - (1) in case of clear evidence of an adverse effect on sexual function and fertility without severe suffering or deaths in P0 animals, the highest dose level in P0 animals must be determined based on such clear evidence, or
 - in the absence of such clear evidence, the highest dose level in P0 animals must be set to be the highest possible dose not causing severe suffering or death, or
 - (3) if there is such clear evidence but the highest dose level set on that basis would cause severe suffering or death, the highest dose level in P0 animals must be set to be the highest possible dose not causing severe suffering or death, or
 - (4) the highest dose level in P0 animals must follow the limit dose concept.
- In your comments on the draft decision you highlight that within the available data set (OECD TG 408 and 422 studies), there is no evidence of any adverse effects on sexual function and fertility that could impact the dose level setting for the OECD TG 443 study. You note that the limiting factor will be the Substance's irritative properties. You request feedback from ECHA regarding the preferred choice of dosing method, i.e. oral exposure route using either gavage or dietary administration because you consider that the choice will have an impact on the highest achievable dose level.
- ECHA notes that in the OECD TG 408 study (duration 90 days), the Substance was administered via diet, up to 2500 ppm which corresponds to ca. 170-190 mg/kg bw/day. At this dose level, test item-related microscopic findings indicating local irritation were present in the non-glandular stomach of all males and females. In the OECD TG 422 study (duration 29 days for males, 41-55 days for females), the Substance was administered via gavage, up to 300 mg/kg bw/day. Test item-related microscopic effects were observed in the non-glandular stomach in all examined animals at 100 and 300 mg/kg bw/day, with increasing severity at 300 mg/kg bw/day.
- Based on the available data, ECHA agrees that the Substance causes local irritation. Despite the different durations of exposure and different dosing methods in these studies, local irritation was observed at similar dose levels. Based on the available data there is thus no preferred choice of dosing method. ECHA advises you to consult with the study director on the most optimal dosing method, bearing in mind the considerations above.



- You have to provide a justification with your study results demonstrating that the dose level selection meets the conditions described above.
- Numerical results (i.e. incidences and magnitudes) and description of the severity of effects at all dose levels from the dose range-finding study/ies must be reported to facilitate the assessment of the dose level section and interpretation of the results of the main study.

1.2.4. Cohorts 1A and 1B

22 Cohorts 1A and 1B belong to the basic study design and must be included.

Histopathological investigations in Cohorts 1A and 1B

- In addition to histopathological investigations of cohorts 1A, organs and tissues of Cohort 1B animals processed to block stage, including those of identified target organs, must be subjected to histopathological investigations (according to OECD TG 443, para. 67 and 72) if
 - the results from Cohort 1A are equivocal,
 - the test substance is a suspected reproductive toxicant or
 - the test substance is a suspected endocrine toxicant.

Splenic lymphocyte subpopulation analysis

24 Splenic lymphocyte subpopulation analysis must be conducted in Cohort 1A (OECD TG 443, para. 66; OECD GD 151, Annex Table 1.3).

<u>Investigations of sexual maturation</u>

- To improve the ability to detect rare or low-incidence effects, all F1 animals must be maintained until sexual maturation to ensure that sufficient animals (3/sex/litter/dose) are available for evaluation of balano-preputial separation or vaginal patency (OECD GD 151, para. 12 in conjunction with OECD TG 443, para. 47). For statistical analyses, data on sexual maturation from all evaluated animals/sex/dose must be combined to maximise the statistical power of the study.
- In your comments you agree with the histopathological investigations in Cohorts 1A and 1B, the splenic lymphocyte subpopulation analysis as well as investigations on sexual maturation, as these are in accordance with OECD TG 443.

1.3. Outcome

27 Under Article 40(3)(b) your testing proposal is accepted under modified conditions, and you are requested to conduct the test with the Substance, as specified above.

1.3.1. Further expansion of the study design

- The conditions to include the extension of Cohort 1B are currently not met. Furthermore, no triggers for the inclusion of Cohorts 2A and 2B (developmental neurotoxicity) and Cohort 3 (developmental immunotoxicity) were identified. However, you may expand the study by including the extension of Cohort 1B, Cohorts 2A and 2B and/or Cohort 3 if relevant information becomes available from other studies or during conduct of this study. Inclusion is justified if the available information meets the criteria and conditions which are described in Column 2, Section 8.7.3., Annex IX/X. You may also expand the study due to other scientific reasons in order to avoid a conduct of a new study. The study design, including any added expansions, must be fully justified and documented. Further detailed guidance on study design and triggers is provided in Guidance on IRs & CSA, Section R.7.6.
- 29 In your comments you agree that no triggers for additional cohorts are available.



References

The following documents may have been cited in the decision.

Guidance on information requirements and chemical safety assessment (Guidance on IRs & CSA)

Chapter R.4 Evaluation of available information; ECHA (2011). Chapter R.6 QSARs, read-across and grouping; ECHA (2008).

Appendix to Chapter R.6 for nanoforms; ECHA (2019).

Chapter R.7a Endpoint specific guidance, Sections R.7.1 – R.7.7; ECHA (2017).

Appendix to Chapter R.7a for nanomaterials; ECHA (2017).

Chapter R.7b Endpoint specific guidance, Sections R.7.8 – R.7.9; ECHA (2017).

Appendix to Chapter R.7b for nanomaterials; ECHA (2017).

Chapter R.7c Endpoint specific guidance, Sections R.7.10 – R.7.13; ECHA (2017).

Appendix to Chapter R.7a for nanomaterials; ECHA (2017).

Appendix R.7.13-2 Environmental risk assessment for metals and metal

compounds; ECHA (2008).

Chapter R.11 PBT/vPvB assessment; ECHA (2017).

Chapter R.16 Environmental exposure assessment; ECHA (2016).

Guidance on data-sharing; ECHA (2017).

Guidance for monomers and polymers; ECHA (2012).

Guidance on intermediates; ECHA (2010).

All guidance documents are available online: https://echa.europa.eu/guidance-documents/guidance-on-reach

Read-across assessment framework (RAAF)

RAAF, 2017 Read-across assessment framework (RAAF); ECHA (2017)
RAAF UVCB, 2017 Read-across assessment framework (RAAF) – considerations on multi- constituent substances and UVCBs); ECHA (2017).

The RAAF and related documents are available online:

https://echa.europa.eu/support/registration/how-to-avoid-unnecessary-testing-on-animals/grouping-of-substances-and-read-across

OECD Guidance documents (OECD GDs)

OECD GD 23	Guidance document on aquatic toxicity testing of difficult
	substances and mixtures; No. 23 in the OECD series on testing and
	assessment, OECD (2019).
OECD GD 29	Guidance document on transformation/dissolution of metals and
	metal compounds in aqueous media; No. 29 in the OECD series on
	testing and assessment, OECD (2002).
OECD GD 150	Revised guidance document 150 on standardised test guidelines for
	evaluating chemicals for endocrine disruption; No. 150 in the OECD
	series on testing and assessment, OECD (2018).
OECD GD 151	Guidance document supporting OECD test guideline 443 on the
	extended one-generation reproductive toxicity test; No. 151 in the
	OECD series on testing and assessment, OECD (2013).



Appendix 2: Procedure

ECHA started the testing proposal evaluation in accordance with Article 40(1) on 25 August 2022, following the necessary clarifications concerning your registration, namely the submission of the sub-chronic toxicity study (90-day) results requested in a compliance check decision issued on 25 June 2020.

ECHA held a third-party consultation for the testing proposal(s) from 26 October 2022 until 12 December 2022. ECHA did not receive information from third parties.

ECHA followed the procedure detailed in Articles 50 and 51 of REACH.

The deadline of the decision is set based on standard practice for carrying out OECD TG tests. It has been exceptionally extended by 12 months from the standard deadline granted by ECHA to take into account currently longer lead times in contract research organisations.

ECHA notified you of the draft decision and invited you to provide comments.

ECHA took into account your comments and did not amend the request(s).

ECHA notified the draft decision to the competent authorities of the Member States for proposals for amendment.

As no amendments were proposed, ECHA adopted the decision under Article 51(3) of REACH.



Appendix 3: Addressee(s) of this decision and their corresponding information requirements

In accordance with Articles 10(a) and 12(1) of REACH, the information requirements for individual registrations are defined as follows:

• the information specified in Annexes VII to X to REACH, for registration at more than 1000 tpa.

Registrant Name	Registration number	Highest REACH Annex applicable to you

Where applicable, the name of a third-party representative (TPR) may be displayed in the list of recipients whereas ECHA will send the decision to the actual registrant.



Appendix 4: Conducting and reporting new tests for REACH purposes

1. Requirements when conducting and reporting new tests for REACH purposes

1.1. Test methods, GLP requirements and reporting

- (1) Under Article 13(3) of REACH, all new data generated as a result of this decision must be conducted according to the test methods laid down in a European Commission Regulation or to international test methods recognised by the Commission or ECHA as being appropriate.
- (2) Under Article 13(4) of REACH, ecotoxicological and toxicological tests and analyses must be carried out according to the GLP principles (Directive 2004/10/EC) or other international standards recognised by the Commission or ECHA.
- (3) Under Article 10(a)(vi) and (vii) of REACH, all new data generated as a result of this decision must be reported as study summaries, or as robust study summaries, if required under Annex I of REACH. See ECHA Practical Guide on How to report robust study summaries².
- (4) Under the introductory part of Annexes VII/VIII/IX/X to REACH, where a test method offers flexibility in the study design, for example in relation to the choice of dose levels or concentrations, the chosen study design must ensure that the data generated are adequate for hazard identification and risk assessment.

1.2. Test material

Before generating new data, you must agree within the joint submission on the chemical composition of the material to be tested (Test Material) which must be relevant for all the registrants of the Substance.

(1) Selection of the Test material(s)

The Test Material used to generate the new data must be selected taking into account the following:

- the variation in compositions reported by all members of the joint submission,
- the boundary composition(s) of the Substance,
- the impact of each constituent/ impurity on the test results for the endpoint to be assessed. For example, if a constituent/ impurity of the Substance is known to have an impact on (eco)toxicity, the selected Test Material must contain that constituent/ impurity.
- (2) Information on the Test Material needed in the updated dossier
 - You must report the composition of the Test Material selected for each study, under the "Test material information" section, for each respective endpoint study record in IUCLID.
 - The reported composition must include all constituents of each Test Material and their concentration values and other parameters relevant for the property to be tested.

² <u>https://echa.europa.eu/practical-guides</u>



This information is needed to assess whether the Test Material is relevant for the Substance and whether it is suitable for use by all members of the joint submission.

Technical instructions on how to report the above is available in the manual on How to prepare registration and PPORD dossiers³.

2. General recommendations for conducting and reporting new tests

References to Guidance on REACH and other supporting documents can be found in Appendix 1.

³ https://echa.europa.eu/manuals