Summary of product characteristics for a biocidal product

Product name: 5.2 lodo SD PVP

Product type(s): PT03 - Veterinary hygiene (Disinfectants)

Authorisation number: EU-0022265-0000

R4BP 3 asset reference number: EU-0022265-0008

Table Of Contents

Administrative information	
Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	4
5. General directions for use	5
5.1. Instructions for use	3
	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

Administrative information

1.1. Trade names of the product

lodo SD PVP
Iodin Teat Spray & Dip 3000 PVP

1.2. Authorisation holder

Name and address of the authorisation holder

Name	CID LINES NV
Address	Waterpoortstraat 2 8900 leper Belgium

Authorisation number

EU-0022265-0000 1-5

R4BP 3 asset reference number

EU-0022265-0008

Date of the authorisation

03/09/2020

Expiry date of the authorisation

31/08/2030

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

Address of the manufacturer

Location of manufacturing sites

CID LINES NV

Waterpoortstraat 2 8900 leper Belgium

Waterpoortstraat 2 8900 leper Belgium

1.4. Manufacturer(s) of the active substance(s)

Active substance	1319 - Iodine	
Name of the manufacturer	SQM S.A.	
Address of the manufacturer		
Address of the mandiacturer	Los Militares, Piso 4 4290 Santiago Chile	
Location of manufacturing sites	Nueva Victoria plant 00 Pedro de Valdivia Chile	
Active substance	1319 - Iodine	
Active substance	1013 Tourit	
Name of the manufacturer	Cosayach Nitratos S.A.	
Address of the manufacturer	Amunategui 178 00 Santiago Chile	
Location of manufacturing sites	Cala Cala 00 Pozo Almonte Chile	
Active substance	1319 - Iodine	
Name of the manufacturer	ACF Minera S.A.	
Address of the manufacturer	San Martin No 499 00 Iquique Chile	
Location of manufacturing sites	Lagunas mine 00 Pozo Almonte Chile	
Active substance	1319 - Iodine	
Name of the manufacturer	ISE Chemicals Corporation	
Address of the manufacturer	3-1, Kyobashi 1-Chome 104-0031 Tokyo Japan	
Location of manufacturing sites	3695 Kitaimaizumi 299-3201 Oamishirasato city Japan	
Active substance	1349 - Polyvinylpyrrolidone iodine	
Name of the manufacturer	ISP Chemicals LLC, Afiliate of Ashland Inc	
Address of the manufacturer	455 N. main st (HWY 95) KY 42029 Calvert City United States	
Location of manufacturing sites	455 N. main st (HWY 95) KY 42029 Calvert City United States	

Active substance	1349 - Polyvinylpyrrolidone iodine
Name of the manufacturer	Pantheon FZE (DMCC branch)
Address of the manufacturer	403, Reef Tower, Jumeira Lake Tower Shaikh Zayed Road 00 Dubai United Arab Emirates
Location of manufacturing sites	Cala Cala 00 Pozo Almonte Chile

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
lodine		Active Substance	7553-56-2	231-442-4	0
Polyvinylpyrrolidone iodine		Active Substance	25655-41-8		3
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated		68131-39-5	500-195-7	2,5
Phosphoric acid	Phosphoric acid		7664-38-2	231-633-2	0
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO		68439-46-3		0

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements	Harmful to aquatic life with long lasting effects.
Precautionary statements	Avoid release to the environment. Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Dispose of container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

4. Authorised use(s)

4.1 Use description

Use 1 - PT3- RTU Teat disinfectant, post milking, PVP-lodine

Product type	PT03 - Veterinary hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
Field(s) of use	Indoor
	Post-milking disinfection on teats of milk producing animals
Application method(s)	Dipping or spraying -
Application rate(s) and frequencies	The product is ready to use Apply 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot.
Category(ies) of users	Professional
Pack sizes and packaging material	1L, 5L, 10L, 20L, 25L, 30L, 60L, 200L, 600L, 1000L HDPE

4.1.1 Use-specific instructions for use

See general directions for use.

4.1.2 Use-specific risk mitigation measures

See general directions for use.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. General directions for use

5.1. Instructions for use

The product must be brought to a temperature above 20°C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

Apply the product by dipping or by spraying:

-By dipping: Apply the product with a dip cup. Wash the dip cup with water after use.

-By spraying: Apply the product with a manual sprayer or with an automatic sprayer.

Do not prepare more fluid than necessary. Assume 5 mL solution per cow per treatment.

The product should be used immediately after each milking, two times per day for manual spraying and 3 times per day for manual dipping and spraying with robot. Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. Risk mitigation measures

- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information.
- For manual dipping application: no PPE is necessary for safe use.
 If a combination of pre- and post-milking disinfection is necessary, using another biocidal product not containing iodine has to be considered for pre-milking disinfection.
 - · Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency

measures to protect the environment
After eye contact: Rinse immediately with water.
After ingestion: Rinse mouth. Spit.
5.4. Instructions for safe disposal of the product and its packaging
At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use. Protect from frost. Do not expose to temperatures >40°C. The shelf-life of the products is 18 months.
6. Other information