


Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products

**PRODUCT ASSESSMENT REPORT OF A  
BIOCIDAL PRODUCT FAMILY FOR  
SIMPLIFIED AUTHORISATION  
APPLICATIONS**

(submitted by the evaluating Competent Authority)



BYEPEST1

Product type(s) 19

Peppermint oil and Lavender oil

Case Number in R4BP: BC-GU027195-22

Evaluating Competent Authority: SPAIN

Date: November 2020

# Table of Contents

- 1 CONCLUSION..... 5
- 2 ASSESSMENT REPORT ..... 6
  - 2.1 SUMMARY OF THE PRODUCT ASSESSMENT ..... 6
    - 2.1.4. *Administrative information*..... 6
      - 2.1.4.1. Identifier of the product family..... 6
      - 2.1.4.2. Authorisation holder..... 6
      - 2.1.4.3. Manufacturer(s) of the products of the family ..... 6
      - 2.1.4.4. Manufacturer(s) of the active substance(s) ..... 6
    - 2.1.5. *Product FAMILY composition and formulation* ..... 6
      - 2.1.5.1. Identity of the active substance ..... 7
      - 2.1.5.2. Candidate(s) for substitution ..... 7
      - 2.1.5.3. Qualitative and quantitative information on the composition of the biocidal product family ..... 8
      - The full formulation composition details are contained within the ConfidentialAnnex..... 8
      - 2.1.5.4. Information on technical equivalence ..... 8
      - 2.1.5.5. Information on the substance(s) of concern..... 8
      - 2.1.5.6. Type of formulation ..... 8
    - 2.1.6. *Hazard and precautionary statements* ..... 8
    - 2.1.7. *Authorised use(s)* ..... 9
      - Use description..... 9
      - 2.1.7.1. Use-specific instructions for use ..... 9
      - 2.1.7.2. Use-specific risk mitigation measures..... 9
      - 2.1.7.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment..... 10
      - 2.1.7.4. Where specific to the use, the instructions for safe disposal of the product and its packaging..... 10
      - 2.1.7.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage 10
      - 2.1.7.6. Use-specific instructions for use ..... 11
      - 2.1.7.7. Use-specific risk mitigation measures..... 11
      - 2.1.7.8. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment..... 11
      - 2.1.7.9. Where specific to the use, the instructions for safe disposal of the product and its packaging..... 11
      - 2.1.7.10. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage ..... 11
    - 2.1.8. *General directions for use* ..... 11
      - 2.1.8.1. Instructions for use ..... 11
      - 2.1.8.2. Risk mitigation measures ..... 12
      - 2.1.8.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment..... 12
      - 2.1.8.4. Instructions for safe disposal of the product and its packaging..... 12
      - 2.1.8.5. Conditions of storage and shelf-life of the product under normal conditions of storage..... 13
    - 2.1.9. *Other information* ..... **iError! Marcador no definido.**
    - 2.1.10. *Packaging of the biocidal product* ..... 13
    - 2.1.11. *Documentation* ..... 14
      - 2.1.11.1. Data submitted in relation to product application ..... 14
      - 2.1.11.2. Access to documentation ..... 14
  - 2.2. ASSESSMENT OF THE BIOCIDAL PRODUCT FAMILY ..... 14
    - 2.2.4. *Intended use(s) as applied for by the applicant*..... 14
    - 2.2.5. *Physical, chemical and technical properties* ..... 20
    - 2.2.6. *Physical hazards and respective characteristics* ..... 21
    - 2.2.7. *Methods for detection and identification* ..... 22
    - 2.2.8. *Efficacy against target organisms* ..... 22
      - 2.2.8.1. Function and field of use..... 22

2.2.8.2.	Organisms to be controlled and products, organisms or objects to be protected .....	22
2.2.8.3.	Effects on target organisms, including unacceptable suffering .....	22
2.2.8.4.	Mode of action, including time delay .....	22
2.2.8.5.	Efficacy data.....	22
2.2.8.6.	Occurrence of resistance and resistance management .....	28
2.2.8.7.	Known limitations .....	28
2.2.8.8.	Evaluation of the label claims .....	28
2.2.8.9.	Relevant information if the product is intended to be authorised for use with other biocidal product(s)...	29
2.2.9.	<i>Risk assessment for human health</i> .....	29
2.2.10.	<i>Risk assessment for animal health</i> .....	29
2.2.11.	<i>Risk assessment for the environment</i> .....	29
2.2.12.	<i>Measures to protect man, animals and the environment</i> .....	29
2.2.13.	<i>Assessment of a combination of biocidal products</i> .....	30
<b>3.</b>	<b>ANNEXES</b> .....	¡ERROR! MARCADOR NO DEFINIDO.
3.1.	OUTPUT TABLES FROM EXPOSURE ASSESSMENT TOOLS .....	¡ERROR! MARCADOR NO DEFINIDO.
3.2.	NEW INFORMATION ON THE ACTIVE SUBSTANCE .....	¡ERROR! MARCADOR NO DEFINIDO.
3.3.	RESIDUE BEHAVIOUR .....	¡ERROR! MARCADOR NO DEFINIDO.
3.4.	SUMMARIES OF THE EFFICACY STUDIES (B.5.10.1-xx) .....	¡ERROR! MARCADOR NO DEFINIDO.
3.5.	OTHER.....	¡ERROR! MARCADOR NO DEFINIDO.

## **Overview of applications**

<b>Application type</b>	<b>Ref MS</b>	<b>Case number/Asset number in the ref MS</b>	<b>Decision date</b>	<b>Assessment carried out (i.e. first authorisation / amendment /renewal)</b>
SA-APP	ES	EU-0015316-0000	December 2018	Initial assessment
NA-AAT	ES	BC-KY062701-12	November 2020	Ammendment

The information added or modified is marked in gray.

## 1 CONCLUSION

The assessment presented in this report is in relation to the application submitted by the applicant for the authorisation of a biocidal product family contained lavender oil and peppermint oil as active substances, both of them listed in the Annex I of Regulation (EU) n° 528/2012, as PT19 (repellent of birds).

This application has been submitted according to the article 26 of Regulation (EU) n°528/2012. According to the applicant the conditions established in article 25 are met:

- the active substances contained in the family are listed in the Annex I of BPR,
- does not contain any substance of concern,
- does not contain any nanomaterials,
- is sufficiently effective
- the handling of the biocidal product and its intended use do not require personal protective equipment.

The ES CA has detected during the evaluation the presence of a substance which is now notified as an active substance in relation to food and feed derogation. At the time of the dossier submission, this substance is not included in the Review Programme and the function in the biocidal product is as a colorant and the applicant has submitted a scientific justification. The ES CA has checked the information and it has been accepted. Therefore, the biocidal product family met the conditions of article 25.

## 2 ASSESSMENT REPORT

### 2.1 Summary of the product assessment

#### 2.1.1 Administrative information

##### 2.1.1.1 Identifier of the product family

<b>Identifier</b>	<b>Country (if relevant)</b>
BYPEST1	SPAIN

##### 2.1.1.2 Authorisation holder

<b>Name and address of the authorisation holder</b>	<b>Name</b>	BYPEST ECOLABORATORIES SL
	<b>Address</b>	EL INGENIO 1, 3A, 39012, SANTANDER, SPAIN
<b>Authorisation number</b>	EU-0015316-0000	
<b>Date of the authorisation</b>	14/12/2018	
<b>Expiry date of the authorisation</b>	14/12/2028	

##### 2.1.1.3 Manufacturer(s) of the products of the family

<b>Name of manufacturer</b>	BYPEST ECOLABORATORIES SL
<b>Address of manufacturer</b>	EL INGENIO 1, 3A, 39012, SANTANDER, SPAIN
<b>Location of manufacturing sites</b>	POL. INDUSTRIAL DE GUARNIZO, CENTRO DE NEGOCIOS, NAVE 3, 39611, GUARNIZO, CANTABRIA, SPAIN

##### 2.1.1.4 Manufacturer(s) of the active substance(s)

<b>Active substance</b>	PEPPERMINT OIL (NATURAL OIL)
<b>Name of manufacturer</b>	ESENCIAS MARTINEZ LOZANO SA
<b>Address of manufacturer</b>	CTRA. LORCA KM 7, 30400, CARAVACA DE LA CRUZ, MURCIA, SPAIN
<b>Location of manufacturing sites</b>	CTRA. LORCA KM 7, 30400, CARAVACA DE LA CRUZ, MURCIA, SPAIN

#### 2.1.2 Product FAMILY composition and formulation

<b>Active substance</b>	LAVENDER OIL (NATURAL OIL)
<b>Name of manufacturer</b>	ESENCIAS MARTINEZ LOZANO SA
<b>Address of manufacturer</b>	CTRA. LORCA KM 7, 30400, CARAVACA DE LA CRUZ, MURCIA, SPAIN
<b>Location of manufacturing sites</b>	CTRA. LORCA KM 7, 30400, CARAVACA DE LA CRUZ, MURCIA, SPAIN

NB: the full composition of the product according to Annex III Title 1 should be provided in the confidential annex.

Does the product have the same identity and composition as the product evaluated in connection with the approval for listing of the active substance(s) on the Union list of approved active substances under Regulation No. 528/2012?

Yes

No

### 2.1.2.1 Identity of the active substance

Main constituent(s)	
<b>ISO name</b>	Peppermint oil
<b>IUPAC or EC name</b>	(1R,2S,5R)-5-methyl-2-(propan-2-yl)cyclohexan-1-ol; (2R,5S)-5-methyl-2-(propan-2-yl)cyclohexan-1-one
<b>EC number</b>	282-015-4
<b>CAS number</b>	8006-90-4
<b>Index number in Annex VI of CLP</b>	-
<b>Minimum purity / content</b>	-
<b>Structural formula</b>	
Main constituent(s)	
<b>ISO name</b>	Lavender oil.
<b>IUPAC or EC name</b>	-
<b>EC number</b>	289-995-2
<b>CAS number</b>	8000-28-0
<b>Index number in Annex VI of CLP</b>	-
<b>Minimum purity / content</b>	-
<b>Structural formula</b>	N/A

### 2.1.2.2 Candidate(s) for substitution

Peppermint oil and Lavender oil are not candidate for substitution in accordance with Article 10(1) of Regulation 528/2012.

Peppermint oil and Lavender oil are listed in Annex I of Regulation (EU) No 528/2012 under Category 4 – Traditionally used substances of natural origin.

### 2.1.2.3 Qualitative and quantitative information on the composition of the biocidal product family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
					Min	Max
Peppermint oil	(1R,2S,5R)-5-methyl-2-(propan-2-yl)cyclohexan-1-ol; (2R,5S)-5-methyl-2-(propan-2-yl)cyclohexan-1-one	Active substance	8006-90-4	282-015-4	0,01	0,4
Lavender oil	-	Active substance	8000-28-0	289-995-2	0,01	0,2
-	-	Non-active substance	-	-	-	-

The full formulation composition details are contained within the Confidential Annex

### 2.1.2.4 Information on technical equivalence

Peppermint oil and Lavender oil are listed in Annex I of Regulation (EU) No 528/2012 and therefore technical equivalence is not required at this time.

### 2.1.2.5. Information on the substance(s) of concern

No substances of concern have been identified in the family formulation.

### 2.1.2.6. Type of formulation

GS - Grease
-------------

## 2.1.3. Hazard and precautionary statements

### Classification and labelling of the products of the family according to the Regulation (EC) 1272/2008

Classification	
Hazard category	n/a
Hazard statement	n/a
Labelling	
Signal words	n/a
Hazard statements	n/a
Precautionary statements	n/a
Note	-



## 2.1.4. Authorised use(s)

### 2.1.4.1. Use description

Table 1. Use # 1 – Bird repellent – Outdoor.

<b>Product Type</b>	19 - bird repellent.
<b>Where relevant, an exact description of the authorised use</b>	This product should be used on buildings and adjacent structures such as: windows, roof lines, roof tops, cornices, protusions, facades, surfaces and similar structures on terraces, houses, signs, lights guardrails, handle bars, billboards, bridges, churches, monuments, etc.. to repel or deter away birds.
<b>Target organism (including development stage)</b>	<ul style="list-style-type: none"> <li>- Common Pigeons (<i>Columba livia</i>).</li> <li>- Common seagull (<i>Larus canus</i>)</li> </ul>
<b>Field of use</b>	Outdoor
<b>Application method(s)</b>	The product is applied on trays on surfaces to be treated.
<b>Application rate(s) and frequency</b>	<p>According to the level of infestation:</p> <p>Common pigeons:</p> <ul style="list-style-type: none"> <li>- Area with nest: 20-30 g each 15 cm.</li> <li>- High infestation: 20-25 g each 15 cm.</li> <li>- Medium infestation: 20 g each 20-25cm.</li> <li>- Low infestation: 20 g each 25-30cm.</li> </ul> <p>Commo seagull:</p> <ul style="list-style-type: none"> <li>- Low infestation: 20 g each 25-30cm.</li> </ul> <p>No periodic application is required, once the pest has been controlled, removed the trays afeter a period of 6 months.</p>
<b>Category(ies) of users-</b>	<p>General public.</p> <p>Professional.</p> <p>Trained professional.</p>
<b>Pack sizes and packaging material</b>	<p>Plastic (HDPE) cartridge of 280 g.</p> <p>Plastic (PP) cartridge of 400 g.</p> <p>Pre-filled tray (PA) with 20g of product: box of 8 or 32 prefilled tray. The trays are closed. Two trays close together one against the other, so there are no disposable parts. The boxes are made of carton SBS 380g</p>

#### 2.1.4.1.1. Use-specific instructions for use

See section 2.1.5.1.

#### 2.1.4.1.2. Use-specific risk mitigation measures

See section 2.1.5.2.

2.1.4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See section 2.1.5.3.

2.1.4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See section 2.1.5.4.

2.1.4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section 2.1.5.5.

2.1.4.2. Use description

Table 2. Use # 2 – Bird repellent – Indoor.

<b>Product Type</b>	19 - bird repellent.
<b>Where relevant, an exact description of the authorised use</b>	This product should be used in covered structures such as: structures under roofs or terraces, cornices or covered windows, interior structures underneath roofs or open decks such as train stations, parking lots, bus stops, airports, metro stations, warehouses, factories, stadiums, etc.. to repel or deter away birds.
<b>Target organism (including development stage)</b>	<ul style="list-style-type: none"> <li>- Common Pigeons (<i>Columba livia</i>).</li> <li>- Common seagull (<i>Larus canus</i>)</li> </ul>
<b>Field of use</b>	Indoor (for covered areas with bird infestation problems)
<b>Application method(s)</b>	The product is applied on trays on surfaces to be treated.
<b>Application rate(s) and frequency</b>	<p>According to the level of infestation:</p> <p>Common pigeon:</p> <ul style="list-style-type: none"> <li>- Area with nest: 20-30 g each 15 cm.</li> <li>- High infestation: 20-25 g each 15 cm.</li> <li>- Medium infestation: 20 g each 20-25cm.</li> <li>- Low infestation: 20 g each 25-30cm.</li> </ul> <p>Common seagull:</p> <ul style="list-style-type: none"> <li>- -Low infestation: 20 g each 25-30cm.</li> </ul> <p>No periodic application is required, once the pest has been controlled, removed the trays after a period of 6 months.</p>
<b>Category(ies) of users</b>	General public. Professional. Trained professional.
<b>Pack sizes and</b>	Plastic (HDPE) cartridge of 280 g.

<b>packaging material</b>	Plastic (PP) cartridge of 400 g. Pre-filled tray (PA) with 20g of product: box of 8 or 32 prefilled tray. The trays are closed. Two trays close together one against the other, so there are no disposable parts. The boxes are made of carton SBS 380g
---------------------------	---

2.1.4.2.1. Use-specific instructions for use

See section 2.1.5.1.

2.1.4.2.2. Use-specific risk mitigation measures

See section 2.1.5.2.

2.1.4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See section 2.1.5.3.

2.1.4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See section 2.1.5.4.

2.1.4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section 2.1.5.5.

**2.1.5. General directions for use**

2.1.5.1. Instructions for use

Keep out of reach of children and pets.

Read label before use.

Prior the treatment establish the level of infestation:

- Low / Small: 1-10 birds and 0 nests.
- Medium: 1-10 birds and 1-2 nests.
- High / Severe: more than 10 birds and 1 or more nests.

Apply the product only against seagulls when the first signs of infestation or few individuals appear and only using low doses.

It is important to consider the size of the site as this is also decisive for establishing the level of infestation. A small place with a low bird population may actually be a severe problem.

The application method is based on the installation of trays. They are of 6cm of diameter and are adhered to the surface to be treated with silicone glue at the recommended distance. Then they are filled with product.

If trays get emptied, replace them with new ones.

Add a second line for severe cases.

If after 2 weeks from the installation, some birds remain in the treated area, add more quantity in those affected areas. This is due to insufficient amount of product or unattached trays.

No periodic application is required. Once the birds relocate, they do not need to return to the place treated with the product, being able to remove the remains of product after security period of at least 6 months.

For non-professional users: if the pest persists after 6 months that the product has been properly installed, contact with PCO.

#### 2.1.5.2. Risk mitigation measures

The surface must be clean and dry before the application.

Do not apply the product in rainy days to avoid problems of adhesion of the silicone with the surface.

#### 2.1.5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

##### First aid measures:

- In case of eye exposure; check for and remove contact lenses, wash eyes with plenty of water maintaining eye lids open for at least 15 minutes.
- Skin contact; wash affected area with plenty of water and soap, without scrubbing.

##### Advice for medical and healthcare personnel:

- Provide symptomatic and supportive treatment.

WHEN ASKING FOR MEDICAL ADVICE KEEP PACKAGING OR LABEL AT HAND AND CALL YOUR LOCAL POISON CONTROL CENTER ☎ [INSERT LOCAL NUMBER HERE].

#### 2.1.5.4. Instructions for safe disposal of the product and its packaging

##### Trained professional:

Deliver empty containers, unused product and other waste generated during the treatment to a registered establishment or undertaking, in accordance with current

regulations

Code the waste according to Decision 2014/955 / EU.

General public and professional:

Empty containers should be deposited in separate collection containers according to the material of the containers.

Unused product and other waste generated during the treatment must be deposited in the residual fraction or in the collecting facilities.

**2.1.5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep container closed when not in use.

Store in original container, out of reach of food.

Keep in a cool, dry, well ventilated place, at room temperature, and out of the reach of children and pets.

Shelf life: 2 years.

**2.1.6. Other information**

A new test against seagulls with high infestation should be provided at the renewal.

Definitions:

Trained professional: pest control operators, having received specific training in insecticide control according to the national legislation in force.

Professional: User applying biocidal products in the workplace. This user has some knowledge and skills in the handling of chemicals, and is able to correctly use personal protective equipment (PPE) if necessary.

General public (non-professional user): Users who are not professionals and who apply the product in the context of their private life.

**2.1.7. Packaging of the biocidal product**

Type of packaging	Size/volume of the packaging	Material of the packaging	Type and material of closure(s)	Intended user (e.g. professional, non-professional)	Compatibility of the product with the proposed packaging materials (Yes/No)
-------------------	------------------------------	---------------------------	---------------------------------	---	---

Cartridge	400g	PP	n/a	Trained professional/ Professional/ General public	n/a
Cartridge	280g	HDPE	n/a	Trained professional/ Professional/ General public	n/a
Pre-filled trays	20g	PA	n/a	Trained professional/ Professional/ General public	n/a

*NOTE: The trays are closed. Two trays close together one against the other, so there are no disposable parts. The boxes are made of carton SBS 380g.*

## 2.1.8. Documentation

### 2.1.8.1. Data submitted in relation to product application

No new data has been submitted as part of this product application. Please see Annex 3.1 for the list of studies used.

### 2.1.8.2. Access to documentation

Peppermint, ext and Lavender, *Lavandula angustifolia*, ext are listed in Annex I of Regulation (EU) No 528/2012 and no active substance dossiers are available, therefore no letter of access is required.

## 2.2. Assessment of the biocidal product FAMILY

### 2.2.1. Intended use(s) as applied for by the applicant

Table 2. Intended use # 1 – BIRD REPELLENT OUTDOOR

Product Type(s)	PT19 - Repellents and attractants (Pest control)
Where relevant, an exact description of the authorised use	This product should be used on buildings and adjacent structures such as windows, roof lines, sewage pipes/edges, roof tops, cornices, protrusions, facades and similar structures on terraces, gardens, houses, signs, guardrails, billboards, bridges, churches, monuments, etc. to repel or deter away birds.
Target organism (including development stage)	Columba livia - Feral pigeon Passer domesticus - House sparrow Sturnus vulgaris - Starling Larus canus - Common gull Birds- Birds
Field of use	Outdoor
Application method(s)	Own - Profesional:

	<p>The application method is based on the installation of 6cm trays that adhere to the surface to be treated with silicone glue and that are filled with product when they are used in cartridges of 280g or of 400g and using a common caulking gun for the dosage.</p> <p>When they are used in pre-filled dishes/trays of 20g, these will be adhered with silicone glue directly to the surface.</p> <p>The placing distance between trays depends on the population density of the birds, the nest and perching sites, and the specific characteristics of the place to treat.</p> <p>Own - No Profesional/ General Public</p> <p>The application method is based on the installation of 6 cm trays that adhere to the surface to be treated with silicone glue and that are filled with product when they are used in cartridges of 280g or of 400g and using a common caulking gun for the dosage.</p> <p>When they are used in pre-filled dishes/trays of 20g, these will be adhered with silicone glue directly to the surface.</p> <p>The placing distance between trays depends on the population density of the birds, the nest and perching sites, and the specific characteristics of the place to treat.</p>
Application rate(s) and frequency	<p>Other - Not required -</p> <p>- To determine the type of problem it is recommended to establish the degree of infestation:</p> <ul style="list-style-type: none"><li>• Low / Small: 1-10 birds and 0 nests</li><li>• Medium: 1-10 birds and 1-2 nests</li><li>• High / Severe: More than 10 birds and 1 or more nests</li></ul> <p>* Note: it is very important to consider the size of the site as this is also decisive for classification. A small place with a low bird population may actually be a severe problem. Hence, good judgment and experience for interpretation are important in classifying the problem.</p> <p>- The distance between trays should be:</p> <p>400g and 280g Cartridges:</p> <p>Place about 20g(±4g) at a distance of:</p> <ul style="list-style-type: none"><li>• Nest places: ~10-15cm</li><li>• High problem areas: ~15cm</li><li>• Medium problem areas: ~20-25cm</li><li>• Low problem areas: ~25-30cm</li></ul>

20g Pre-filled Trays

- Nest places: ~10-15cm
  - High problem areas: at a distance of ~15cm
  - Medium problem areas: at a distance of ~20-25cm
  - Low problem areas: at a distance of ~25-30cm
- If necessary; the product dose can be increased by adding more product per tray or reducing the distance between trays according to the case.
- No periodic application is required, once the pest has been controlled, the trays can be removed after a period of at least 6 months.
- Each installation site is different and needs to be considered and studied taking into account all environmental and structural conditions.
- The distance between trays can be increased or decreased accordingly.
- For larger surfaces sometimes it may be necessary to add more lines for severe cases.
- To treat problems with small birds such as sparrows, it is recommended to make a strip/line shape of about ~ 1cm of product thickness instead of the use with trays. Support materials such as plastic gutters can be used to adhere on the structure.

\* Notes for Professionals

Follow-ups are recommended for installations where the problem persists after 2 weeks of placement to determine the cause. This may be due to:

- Insufficient quantity per m<sup>2</sup>. Solution: Add more trays with product.
- Incorrect estimation of the number of birds (less than the actual). Solution: Reduce the distance between trays by adding more.
- Inefficient adhesion of the tray. Solution: fix trays again with good quality silicon.
- Larger birds: add more quantity per tray using the cartridge.
- Incorrect estimation of nests. Solution: Add trays with product at a shorter distance.

\* Note for Non-Professionals

- If trays get emptied, replace them with new ones.
- Add a second line for severe cases.
- In the case that the plague persists after 2 weeks of



	<p>placement, add more trays, it is due to an insufficient amount per m2.</p> <ul style="list-style-type: none"> <li>- If the pest persists after 6 months that the product has been properly installed, contact a professional.</li> <li>- For larger surfaces or with difficult access contact a professional.</li> </ul>
Category(ies) of user(s)	PT19 - Repellents and attractants (Pest control)
Pack sizes and packaging material	This product should be used on buildings and adjacent structures such as windows, roof lines, sewage pipes/edges, roof tops, cornices, protrusions, facades and similar structures on terraces, gardens, houses, signs, guardrails, billboards, bridges, churches, monuments, etc. to repel or deter away birds.

Table 2. Intended use # 2 – BIRD REPELLENT INDOOR

<b>Product Type</b>	PT19 - Repellents and attractants (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	This product should be used in covered structures such as: structures under roofs or terraces, cornices or covered windows, interior structures underneath roofs or open decks such as train stations, parking lots, bus stops, barns, warehouses, factories, ports, industrial warehouses, stadiums, airports, metro stations, etc. To repel or deter away birds.
<b>Target organism (including development stage)</b>	<p>Columba livia - Feral pigeon                  Passer domesticus - House sparrow                  Sturnus vulgaris - Starling                  Larus canus - Common gull                  Birds- Birds</p>
<b>Field of use</b>	Indoor
<b>Application method(s)</b>	<p>Own -                  Profesional:</p> <p>The application method is based on the installation of 6cm trays that adhere to the surface to be treated with silicone glue and that are filled with product when they are used in cartridges of 280g or of 400g and using a common caulking gun for the dosage.</p> <p>When they are used in pre-filled dishes/trays of 20g, these will be adhered with silicone glue directly to the surface.</p> <p>The placing distance between trays depends on the population density of the birds, the nest and perching sites, and the specific characteristics of the place to treat.</p> <p>Own -                  No Profesional/ General Public</p> <p>The application method is based on the installation of 6 cm trays that adhere to the surface to be treated with silicone</p>

	<p>glue and that are filled with product when they are used in cartridges of 280g or of 400g and using a common caulking gun for the dosage.</p> <p>When they are used in pre-filled dishes/trays of 20g, these will be adhered with silicone glue directly to the surface.</p> <p>The placing distance between trays depends on the population density of the birds, the nest and perching sites, and the specific characteristics of the place to treat.</p>
<b>Application rate(s) and frequency</b>	<p>Other - Not required –</p> <p><b>- To determine the type of problem it is recommended to establish the degree of infestation:</b></p> <ul style="list-style-type: none"><li>• Low / Small: 1-10 birds and 0 nests</li><li>• Medium: 1-10 birds and 1-2 nests</li><li>• High / Severe: More than 10 birds and 1 or more nests</li></ul> <p>* Note: it is very important to consider the size of the site as this is also decisive for classification. A small place with a low bird population may actually be a severe problem. Hence, good judgment and experience for interpretation are important in classifying the problem.</p> <p><b>- The distance between trays should be:</b></p> <p><u>400g and 280g Cartridges:</u></p> <p>Place about 20g(±4g) at a distance of:</p> <ul style="list-style-type: none"><li>• Nest places: ~10-15cm</li><li>• High problem areas: ~15cm</li><li>• Medium problem areas: ~20-25cm</li><li>• Low problem areas: ~25-30cm</li></ul> <p><u>20g Pre-filled Trays</u></p> <ul style="list-style-type: none"><li>• Nest places: ~10-15cm</li><li>• High problem areas: at a distance of ~15cm</li><li>• Medium problem areas: at a distance of ~20-25cm</li><li>• Low problem areas: at a distance of ~25-30cm</li></ul> <p>- If necessary; the product dose can be increased by adding more product per tray or reducing the distance between trays according to the case.</p> <p>- No periodic application is required, once the pest has been controlled, the trays can be removed after a period of at least 6 months.</p> <p>- Each installation site is different and needs to be considered and studied taking into account all environmental and structural conditions.</p>

	<p>- The distance between trays can be increased or decreased accordingly.</p> <p>- For larger surfaces sometimes it may be necessary to add more lines for severe cases.</p> <p>- To treat problems with small birds such as sparrows, it is recommended to make a strip/line shape of about ~ 1cm of product thickness instead of the use with trays. Support materials such as plastic gutters can be used to adhere on the structure.</p> <p><u>* Notes for Professionals</u></p> <p>Follow-ups are recommended for instalations where the problem persists after 2 weeks of placement to determine the cause. This may be due to:</p> <ul style="list-style-type: none"><li>• Insufficient quantity per m<sup>2</sup>. Solution: Add more trays with product.</li><li>• Incorrect estimation of the number of birds (less than the actual). Solution: Reduce the distance between trays by adding more.</li><li>• Inefficient adhesion of the tray. Solution: fix trays again with good quality silicon.</li><li>• Larger birds: add more quantity per tray.</li><li>• Incorrect estimation of nests. Solution: Add trays with product at a shorter distance.</li></ul> <p><u>* Note for Non-Professionals</u></p> <p>- If trays get emptied, replace them with new ones.</p> <p>- Add a second line for severe cases.</p> <p>- In the case that the plague persists after 2 weeks of placement, add more trays, it is due to an insufficient amount per m<sup>2</sup>.</p> <p>- If the pest persists after 6 months that the product has been properly installed, contact a professional.</p> <p>- For larger surfaces or with difficult access contact a professional.</p>
<b>Category(ies) of users</b>	Industrial  Trained profesional  Professional  General public (non-professional)

<b>Pack sizes and packaging material</b>	<ul style="list-style-type: none"> <li>- 280g Cartridges, HDPE</li> <li>- 400g Cartridges, PP</li> <li>- 20g pre-filled trays, PA (2 trays closed together forming a capsule) <ul style="list-style-type: none"> <li>• Box of 8 pre-filled trays (4 capsules)</li> <li>• Box of 16 pre-filled trays (8 capsules)</li> <li>• Box of 32 pre-filled trays (16 capsules)</li> </ul> </li> </ul>
--	---

### 2.2.2. Physical, chemical and technical properties

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Physical state at 20 °C and 101.3 kPa	n/a	n/a	n/a	n/a
Colour at 20 °C and 101.3 kPa	n/a	n/a	n/a	n/a
Odour at 20 °C and 101.3 kPa	n/a	n/a	n/a	n/a
Acidity / alkalinity	n/a	n/a	n/a	n/a
Relative density / bulk density	n/a	n/a	n/a	n/a
Storage stability test – <b>accelerated storage</b>	CIPAC 4956/m MT 46.3 (54°C for 14 days)  Gravimetric Analysis (internal procedure)	Active substances:  Pepermint oil (0.37%)  Lavender oil (0.12%)  Rest: Inactive Components	Satisfactory  Loss of active components < 10%	Report 17C001
Storage stability test – <b>long term storage at ambient temperature</b>	n/a	n/a	n/a	n/a
Storage stability test – <b>low temperature stability test for liquids</b>	n/a	n/a	n/a	n/a
Effects on content of the active substance and technical characteristics of the biocidal product - <b>light</b>	n/a	n/a	n/a	n/a
Effects on content of the active substance and technical characteristics of the biocidal product – <b>temperature and humidity</b>	n/a	n/a	n/a	n/a
Effects on content of the active substance and	n/a	n/a	n/a	n/a

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
technical characteristics of the biocidal product - <b>reactivity towards container material</b>				
Wettability	n/a	n/a	n/a	n/a
Suspensibility, spontaneity and dispersion stability	n/a	n/a	n/a	n/a
Wet sieve analysis and dry sieve test	n/a	n/a	n/a	n/a
Emulsifiability, re-emulsifiability and emulsion stability	n/a	n/a	n/a	n/a
Disintegration time	n/a	n/a	n/a	n/a
Particle size distribution, content of dust/fines, attrition, friability	n/a	n/a	n/a	n/a
Persistent foaming	n/a	n/a	n/a	n/a
Flowability/Pourability/Dustability	n/a	n/a	n/a	n/a
Burning rate – smoke generators	n/a	n/a	n/a	n/a
Burning completeness – smoke generators	n/a	n/a	n/a	n/a
Composition of smoke – smoke generators	n/a	n/a	n/a	n/a
Spraying pattern – aerosols	n/a	n/a	n/a	n/a
Physical compatibility	n/a	n/a	n/a	n/a
Chemical compatibility	n/a	n/a	n/a	n/a
Degree of dissolution and dilution stability	n/a	n/a	n/a	n/a
Surface tension	n/a	n/a	n/a	n/a
Viscosity	-	-	42 cSt (40°C)	Technical Data Sheet Matrix Specialty Lubricants

### Conclusion on the physical, chemical and technical properties of the product

The applicant has submitted a technical data sheet of the Foodmax Grease White PCA 3 used in the composition of the biocidal product. The viscosity is 42 cSt (40°C) and therefore is not necessary to classify the product as H304, Cat. 1

The long term stability test is ongoing. A post-authorisation condition is included in the terms and conditions of the authorization certificate.

### 2.2.3. Physical hazards and respective characteristics

#### Conclusion on the physical hazards and respective characteristics of the product

No data were submitted regarding the physical hazards and respective characteristics of

the product.

The active substance was not found to be explosive, oxidising or flammable. In the SDS provided by the applicant, neither BYEPEST1, nor any of the coformulants were described as being explosive, oxidising or flammable.

#### **2.2.4. Methods for detection and identification**

##### **Conclusion on the methods for detection and identification of the product**

No data were submitted regarding the methods for detection and identification of the product.

#### **2.2.5. Efficacy against target organisms**

##### 2.2.5.1. Function and field of use

ByePest 1 is a repellent (PT19) to be used against birds.

##### 2.2.5.2. Organisms to be controlled and products, organisms or objects to be protected

ByePest1 is used to control mainly urban pigeons (*Columba livia*) although other kind of birds can also be controlled like seagulls (*Larus carnus*).

The product is used to protect building or structures, indoor and outdoor, such as: windows, roof lines, roof tops, cornices, protrusions, facades, surfaces and similar structures on terraces, houses, signs, lights guardrail, handle bars, billboards, bridges, churches, monuments, train stations, parking lots, bus stops, barns, warehouses, factories, industrial warehouses, stadiums, airports, metro stations, etc.

##### 2.2.5.3. Effects on target organisms, including unacceptable suffering

The product is a repellent which prevents the nesting and roosting behaviour of birds in affected locations.

##### 2.2.5.4. Mode of action, including time delay

The mode of action is an olfactory repellent due to natural oils.

According to the applicant: "*The product acts as a deterrent and habits modifier in birds, intimidating them by means of the smell and the freshness that the active substances produce. The freshness produced by peppermint, temporarily disturbs the orientation ability of the bird. The product has an immediate effect on birds. After the placement, birds will try to approach the place but will be deterred by the smell and the look of the product. During the following days some birds make various attempts to return to the place treated, but they feel surrounded by an uncomfortable sensation that displaces them, and they end up leaving the place, looking for a new one where they can continue with their lives without being harassed. Once they get used to the new place, they do not return to the place treated, since they do not feel the need anymore.*"

##### 2.2.5.5. Efficacy data

The following table summarizes the efficacy tests submitted by the applicant:

Function and field of use envisaged	Test substance	Test organism(s)	Test method / Test system / concentrations applied / exposure time	Test results: effects				Reference																																																								
PT 19 Repellent against nuisance birds	Byebirds	<i>Columbia Livia</i> (common pigeon)	<p>Field test conducted in a flour company in Colombia.</p> <p>Two areas are compared in the same building: one to be treated with tested product and a second one with no treatment.</p> <p>Preatment: visually determination during 2 week. Number of birds: 10. The level of infestation is classified as low.</p> <p>Test period: 20 g of product are applied every 25 cm.</p>	<p>After 21 days of the application, the treated area is pigeon free.</p> <p>The trays were removed six months after the application and the area remained pigeons free.</p>				Colombia																																																								
	Byebirds IVORY	<i>Columbia Livia</i> (common pigeon)  Seagull	<p>Field test conducted in advertising signs in an office building, Santander, Spain.</p> <p>Three areas are compared: one to be treated with the tested product, a second one with product without active substances and another one with no treatment.</p> <p>Pretreatment: visual determination during 2 weeks. Number of birds: 6 pigeons and 4 seagulls and 2 pigeon nests. The level of infestation is classified as medium.</p> <p>Test period: 20 g of product are applied every 20 cm except in nest sites where the product was applied every 15 cm,</p>	<table border="1"> <thead> <tr> <th data-bbox="1243 762 1453 879"><b>CONTROL – WITH NO ACTIVE SUBSTANCE</b></th> <th data-bbox="1453 762 1608 879">Number of birds in the area</th> <th data-bbox="1608 762 1762 879">Droppings in the area</th> <th data-bbox="1762 762 1852 879">Nest in the area</th> </tr> </thead> <tbody> <tr> <td data-bbox="1243 879 1453 911">1st visit</td> <td data-bbox="1453 879 1608 911">2</td> <td data-bbox="1608 879 1762 911">NO</td> <td data-bbox="1762 879 1852 911">NO</td> </tr> <tr> <td data-bbox="1243 911 1453 943">Weekly visit 1</td> <td data-bbox="1453 911 1608 943">4</td> <td data-bbox="1608 911 1762 943">YES</td> <td data-bbox="1762 911 1852 943">NO</td> </tr> <tr> <td data-bbox="1243 943 1453 975">Weekly visit 2</td> <td data-bbox="1453 943 1608 975">2</td> <td data-bbox="1608 943 1762 975">YES</td> <td data-bbox="1762 943 1852 975">1</td> </tr> <tr> <td data-bbox="1243 975 1453 1007">Monthly visit 1</td> <td data-bbox="1453 975 1608 1007">2</td> <td data-bbox="1608 975 1762 1007">YES</td> <td data-bbox="1762 975 1852 1007">1</td> </tr> <tr> <td data-bbox="1243 1007 1453 1038">Monthly visit 2</td> <td data-bbox="1453 1007 1608 1038">4</td> <td data-bbox="1608 1007 1762 1038">YES</td> <td data-bbox="1762 1007 1852 1038">1</td> </tr> <tr> <td data-bbox="1243 1038 1453 1070">Monthly visit 3</td> <td data-bbox="1453 1038 1608 1070">2</td> <td data-bbox="1608 1038 1762 1070">YES</td> <td data-bbox="1762 1038 1852 1070">1</td> </tr> <tr> <td data-bbox="1243 1070 1453 1102">Monthly visit 4</td> <td data-bbox="1453 1070 1608 1102">2</td> <td data-bbox="1608 1070 1762 1102">YES</td> <td data-bbox="1762 1070 1852 1102">1</td> </tr> <tr> <td data-bbox="1243 1102 1453 1134">Monthly visit 5</td> <td data-bbox="1453 1102 1608 1134">3</td> <td data-bbox="1608 1102 1762 1134">YES</td> <td data-bbox="1762 1102 1852 1134">1</td> </tr> <tr> <td data-bbox="1243 1134 1453 1166">Monthly visit 6</td> <td data-bbox="1453 1134 1608 1166">2</td> <td data-bbox="1608 1134 1762 1166">YES</td> <td data-bbox="1762 1134 1852 1166">1</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th data-bbox="1243 1185 1453 1302"><b>TREATED AREA WITH TESTED PRODUCT</b></th> <th data-bbox="1453 1185 1608 1302">Number of birds in the area</th> <th data-bbox="1608 1185 1762 1302">Droppings in the area</th> <th data-bbox="1762 1185 1852 1302">Nest in the area</th> </tr> </thead> <tbody> <tr> <td data-bbox="1243 1302 1453 1334">1st visit</td> <td data-bbox="1453 1302 1608 1334">0</td> <td data-bbox="1608 1302 1762 1334">NO</td> <td data-bbox="1762 1302 1852 1334">NO</td> </tr> <tr> <td data-bbox="1243 1334 1453 1366">Weekly visit 1</td> <td data-bbox="1453 1334 1608 1366">0</td> <td data-bbox="1608 1334 1762 1366">NO</td> <td data-bbox="1762 1334 1852 1366">NO</td> </tr> <tr> <td data-bbox="1243 1366 1453 1398">Weekly visit 2</td> <td data-bbox="1453 1366 1608 1398">0</td> <td data-bbox="1608 1366 1762 1398">NO</td> <td data-bbox="1762 1366 1852 1398">NO</td> </tr> </tbody> </table>				<b>CONTROL – WITH NO ACTIVE SUBSTANCE</b>	Number of birds in the area	Droppings in the area	Nest in the area	1st visit	2	NO	NO	Weekly visit 1	4	YES	NO	Weekly visit 2	2	YES	1	Monthly visit 1	2	YES	1	Monthly visit 2	4	YES	1	Monthly visit 3	2	YES	1	Monthly visit 4	2	YES	1	Monthly visit 5	3	YES	1	Monthly visit 6	2	YES	1	<b>TREATED AREA WITH TESTED PRODUCT</b>	Number of birds in the area	Droppings in the area	Nest in the area	1st visit	0	NO	NO	Weekly visit 1	0	NO	NO	Weekly visit 2	0	NO	NO	Santander
<b>CONTROL – WITH NO ACTIVE SUBSTANCE</b>	Number of birds in the area	Droppings in the area	Nest in the area																																																													
1st visit	2	NO	NO																																																													
Weekly visit 1	4	YES	NO																																																													
Weekly visit 2	2	YES	1																																																													
Monthly visit 1	2	YES	1																																																													
Monthly visit 2	4	YES	1																																																													
Monthly visit 3	2	YES	1																																																													
Monthly visit 4	2	YES	1																																																													
Monthly visit 5	3	YES	1																																																													
Monthly visit 6	2	YES	1																																																													
<b>TREATED AREA WITH TESTED PRODUCT</b>	Number of birds in the area	Droppings in the area	Nest in the area																																																													
1st visit	0	NO	NO																																																													
Weekly visit 1	0	NO	NO																																																													
Weekly visit 2	0	NO	NO																																																													

			<p>according to the label claim.</p> <p>Post-treatment: sites are checked weekly during the first two weeks and then monthly during the first 6 months.</p>	<table border="1"> <tr><td>Monthly visit 1</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 2</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 3</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 4</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 5</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 6</td><td>0</td><td>NO</td><td>NO</td></tr> </table>	Monthly visit 1	0	NO	NO	Monthly visit 2	0	NO	NO	Monthly visit 3	0	NO	NO	Monthly visit 4	0	NO	NO	Monthly visit 5	0	NO	NO	Monthly visit 6	0	NO	NO																												
Monthly visit 1	0	NO	NO																																																					
Monthly visit 2	0	NO	NO																																																					
Monthly visit 3	0	NO	NO																																																					
Monthly visit 4	0	NO	NO																																																					
Monthly visit 5	0	NO	NO																																																					
Monthly visit 6	0	NO	NO																																																					
	Byebirds	<i>Columbia Livia</i> (common pigeon)	<p>Field test conducted in house of the Eagle and the Vine, Santillana del Mar, Spain.</p> <p>Two areas are compared: one to be treated with the tested product and a second one adjacent with no treatment.</p> <p>Pretreatment: visual determination during 2 weeks. Number of birds: 8 pigeons and 2 pigeon nests. The level of infestation is classified as medium.</p> <p>Test period: 20 g of product are applied every 20 cm except in nest sites where the product was applied every 15 cm,</p>	<table border="1"> <tr><td><b>CONTROL - AREA WITHOUT TREATMENT</b></td><td>Number of birds in the area</td><td>Droppings in the area</td><td>Nest in the area</td></tr> <tr><td>1st visit</td><td>6</td><td>YES</td><td>0</td></tr> <tr><td>Weekly visit 1</td><td>4</td><td>YES</td><td>0</td></tr> <tr><td>Weekly visit 2</td><td>6</td><td>YES</td><td>0</td></tr> <tr><td>Monthly visit 1</td><td>6</td><td>YES</td><td>0</td></tr> <tr><td>Monthly visit 2</td><td>4</td><td>YES</td><td>0</td></tr> <tr><td>Monthly visit 3</td><td>6</td><td>YES</td><td>0</td></tr> <tr><td>Monthly visit 4</td><td>6</td><td>YES</td><td>0</td></tr> <tr><td>Monthly visit 5</td><td>3</td><td>YES</td><td>0</td></tr> <tr><td>Monthly visit 6</td><td>6</td><td>YES</td><td>0</td></tr> </table>	<b>CONTROL - AREA WITHOUT TREATMENT</b>	Number of birds in the area	Droppings in the area	Nest in the area	1st visit	6	YES	0	Weekly visit 1	4	YES	0	Weekly visit 2	6	YES	0	Monthly visit 1	6	YES	0	Monthly visit 2	4	YES	0	Monthly visit 3	6	YES	0	Monthly visit 4	6	YES	0	Monthly visit 5	3	YES	0	Monthly visit 6	6	YES	0				Santillana								
<b>CONTROL - AREA WITHOUT TREATMENT</b>	Number of birds in the area	Droppings in the area	Nest in the area																																																					
1st visit	6	YES	0																																																					
Weekly visit 1	4	YES	0																																																					
Weekly visit 2	6	YES	0																																																					
Monthly visit 1	6	YES	0																																																					
Monthly visit 2	4	YES	0																																																					
Monthly visit 3	6	YES	0																																																					
Monthly visit 4	6	YES	0																																																					
Monthly visit 5	3	YES	0																																																					
Monthly visit 6	6	YES	0																																																					
				<table border="1"> <tr><td><b>TREATED AREA WITH TESTED PRODUCT</b></td><td>Number of birds in the area</td><td>Droppings in the area</td><td>Nest in the area</td></tr> <tr><td>1st visit</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Weekly visit 1</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Weekly visit 2</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 1</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 2</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 3</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 4</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 5</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 6 (removal of the product)</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 7</td><td>0</td><td>NO</td><td>NO</td></tr> <tr><td>Monthly visit 8</td><td>0</td><td>NO</td><td>NO</td></tr> </table>	<b>TREATED AREA WITH TESTED PRODUCT</b>	Number of birds in the area	Droppings in the area	Nest in the area	1st visit	0	NO	NO	Weekly visit 1	0	NO	NO	Weekly visit 2	0	NO	NO	Monthly visit 1	0	NO	NO	Monthly visit 2	0	NO	NO	Monthly visit 3	0	NO	NO	Monthly visit 4	0	NO	NO	Monthly visit 5	0	NO	NO	Monthly visit 6 (removal of the product)	0	NO	NO	Monthly visit 7	0	NO	NO	Monthly visit 8	0	NO	NO				
<b>TREATED AREA WITH TESTED PRODUCT</b>	Number of birds in the area	Droppings in the area	Nest in the area																																																					
1st visit	0	NO	NO																																																					
Weekly visit 1	0	NO	NO																																																					
Weekly visit 2	0	NO	NO																																																					
Monthly visit 1	0	NO	NO																																																					
Monthly visit 2	0	NO	NO																																																					
Monthly visit 3	0	NO	NO																																																					
Monthly visit 4	0	NO	NO																																																					
Monthly visit 5	0	NO	NO																																																					
Monthly visit 6 (removal of the product)	0	NO	NO																																																					
Monthly visit 7	0	NO	NO																																																					
Monthly visit 8	0	NO	NO																																																					
				<table border="1"> <tr><td><b>CONTROL - AREA</b></td><td>Number of birds in</td><td>Droppings in the</td><td>Nest in</td></tr> </table>	<b>CONTROL - AREA</b>	Number of birds in	Droppings in the	Nest in																																																
<b>CONTROL - AREA</b>	Number of birds in	Droppings in the	Nest in																																																					



			<p>according to the label claim.</p> <p>Post treatment: sites are checked weekly during the first two weeks and then monthly during the first 6 months. In addition, two more visits were done after the removal of the product.</p>	<table border="1"> <thead> <tr> <th><b>WITHOUT TREATMENT</b></th> <th>the area</th> <th>area</th> <th>the area</th> </tr> </thead> <tbody> <tr> <td>1st visit</td> <td>5</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Weekly visit 1</td> <td>4</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Weekly visit 2</td> <td>4</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 1</td> <td>5</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 2</td> <td>4</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 3</td> <td>5</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 4</td> <td>4</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 5</td> <td>4</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 6 (removal of the product)</td> <td>4</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 7</td> <td>3</td> <td>YES</td> <td>2</td> </tr> <tr> <td>Monthly visit 8</td> <td>5</td> <td>YES</td> <td>2</td> </tr> </tbody> </table>	<b>WITHOUT TREATMENT</b>	the area	area	the area	1st visit	5	YES	2	Weekly visit 1	4	YES	2	Weekly visit 2	4	YES	2	Monthly visit 1	5	YES	2	Monthly visit 2	4	YES	2	Monthly visit 3	5	YES	2	Monthly visit 4	4	YES	2	Monthly visit 5	4	YES	2	Monthly visit 6 (removal of the product)	4	YES	2	Monthly visit 7	3	YES	2	Monthly visit 8	5	YES	2	
<b>WITHOUT TREATMENT</b>	the area	area	the area																																																		
1st visit	5	YES	2																																																		
Weekly visit 1	4	YES	2																																																		
Weekly visit 2	4	YES	2																																																		
Monthly visit 1	5	YES	2																																																		
Monthly visit 2	4	YES	2																																																		
Monthly visit 3	5	YES	2																																																		
Monthly visit 4	4	YES	2																																																		
Monthly visit 5	4	YES	2																																																		
Monthly visit 6 (removal of the product)	4	YES	2																																																		
Monthly visit 7	3	YES	2																																																		
Monthly visit 8	5	YES	2																																																		
	Byebirds	Sparrow	<p>Field test in private house in Tequisquiapan, Queretaro, Mexico.</p> <p>Pretreatment: visual determination during 2 weeks. Number of birds: 8 sparrows and 2 nests. The level of infestation is classified as medium.</p> <p>Test period: 20 g of product are applied every 20 cm, according to the label claim</p> <p>Post treatment: site was checked weekly during the first two weeks and then monthly during the first 6 months. In addition, two more visits were done after the removal of the product.</p>	<table border="1"> <thead> <tr> <th><b>TREATED AREA WITH TESTED PRODUCT</b></th> <th>Number of birds in the area</th> <th>Droppings in the area</th> <th>Nest in the area</th> </tr> </thead> <tbody> <tr> <td>1st visit</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Weekly visit 1</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Weekly visit 2</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 1</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 2</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 3</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 4</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 5</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 6 (removal of the product)</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 7</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 8</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> </tbody> </table>	<b>TREATED AREA WITH TESTED PRODUCT</b>	Number of birds in the area	Droppings in the area	Nest in the area	1st visit	0	NO	NO	Weekly visit 1	0	NO	NO	Weekly visit 2	0	NO	NO	Monthly visit 1	0	NO	NO	Monthly visit 2	0	NO	NO	Monthly visit 3	0	NO	NO	Monthly visit 4	0	NO	NO	Monthly visit 5	0	NO	NO	Monthly visit 6 (removal of the product)	0	NO	NO	Monthly visit 7	0	NO	NO	Monthly visit 8	0	NO	NO	Tequisquiapan
<b>TREATED AREA WITH TESTED PRODUCT</b>	Number of birds in the area	Droppings in the area	Nest in the area																																																		
1st visit	0	NO	NO																																																		
Weekly visit 1	0	NO	NO																																																		
Weekly visit 2	0	NO	NO																																																		
Monthly visit 1	0	NO	NO																																																		
Monthly visit 2	0	NO	NO																																																		
Monthly visit 3	0	NO	NO																																																		
Monthly visit 4	0	NO	NO																																																		
Monthly visit 5	0	NO	NO																																																		
Monthly visit 6 (removal of the product)	0	NO	NO																																																		
Monthly visit 7	0	NO	NO																																																		
Monthly visit 8	0	NO	NO																																																		
	Byebirds	<i>Columbia Livia</i> (common pigeon)	Field test conducted on the Yoshizuka brigde, Fukuoka, Japan.	<table border="1"> <thead> <tr> <th><b>TREATED AREA WITH</b></th> <th>Number of birds in the</th> <th>New droppings in the</th> <th>New nest in the</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	<b>TREATED AREA WITH</b>	Number of birds in the	New droppings in the	New nest in the					Yoshizuka																																								
<b>TREATED AREA WITH</b>	Number of birds in the	New droppings in the	New nest in the																																																		

			<p>Pretreatment: bird monitoring and census techniques were used during a week for daily visits at dawn. Four nests and 11 pigeons were found. The level of infestation is classified as high.</p> <p>Test period: 20 g of product was applied every 20cm in perching sites and every 15 cm in nesting areas.</p> <p>The application was divided into 3 zones: zone A: abutment; zone B: pillars and zone C: small pillar and wyo stretches of the bridge joist.</p> <p>Post treatment: site was checked weekly during the first two weeks and then monthly during the first 6 months. In addition, two more visits were done after the removal of the product.</p>	<table border="1"> <thead> <tr> <th>TESTED PRODUCT</th> <th>treated zones</th> <th>treated zones?</th> <th>treated zones?</th> </tr> </thead> <tbody> <tr> <td>1st visit</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Weekly visit 1</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Weekly visit 2</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 1</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 2</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 3</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 4</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 5</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 6</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 7</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>Monthly visit 8</td> <td>0</td> <td>NO</td> <td>NO</td> </tr> </tbody> </table>	TESTED PRODUCT	treated zones	treated zones?	treated zones?	1st visit	0	NO	NO	Weekly visit 1	0	NO	NO	Weekly visit 2	0	NO	NO	Monthly visit 1	0	NO	NO	Monthly visit 2	0	NO	NO	Monthly visit 3	0	NO	NO	Monthly visit 4	0	NO	NO	Monthly visit 5	0	NO	NO	Monthly visit 6	0	NO	NO	Monthly visit 7	0	NO	NO	Monthly visit 8	0	NO	NO		
TESTED PRODUCT	treated zones	treated zones?	treated zones?																																																			
1st visit	0	NO	NO																																																			
Weekly visit 1	0	NO	NO																																																			
Weekly visit 2	0	NO	NO																																																			
Monthly visit 1	0	NO	NO																																																			
Monthly visit 2	0	NO	NO																																																			
Monthly visit 3	0	NO	NO																																																			
Monthly visit 4	0	NO	NO																																																			
Monthly visit 5	0	NO	NO																																																			
Monthly visit 6	0	NO	NO																																																			
Monthly visit 7	0	NO	NO																																																			
Monthly visit 8	0	NO	NO																																																			

**Conclusion on the efficacy of the product**

The applicant has submitted 5 field tests in order to proved the efficacy of the product against birds.

The BYEPEST family has two products, the difference between them is the presence of aluminum flakes in the BYEBIRDS product. The main study "SANTANDER" has been made with the BYEBIRS YVORY product.

The applicant has justified that the presence / absence of this co-formulant does not affect efficacy.

*"Aluminum flakes do not have any effect on birds, it is a pigment that just turns the product gray. It does not produce reflections or have any other possible effect on the product besides turning it grey color. Actually, the purpose of using the pigments to turn the product ivory and gray colours is just the opposite effect, to try to make the product more discreet where it is placed to the human eye."*

We accept this justification.

The dosage used in these field trials are related to the infestation level according to the next table provided by the applicant:

<b>Infestation Level</b>	<b>Number of Birds</b>	<b>Number of nests</b>
<b>Low/Small</b>	1 to 10	0
<b>Medium</b>	1 to 10	1-2
<b>High/Severe</b>	More than 10	1 or more nests

And after deciding the infestation level, the application dosage is determine by the following guidelines:

<b>Infestation level</b>	<b>Amount of product</b>	<b>Distance between trays</b>
<b>Nest sites</b>	20g-30g	10cm-15cm
<b>High</b>	20g-25g	15cm-20cm
<b>Medium</b>	16g-20g	20cm-25cm
<b>Low</b>	16g-20g	25cm-30cm

The tested product used in the efficacy studies is a product contained in the family, so ES CA considers acceptable this product as a representative of the product contained within the family.

Although the product contains *Capsicum annum*, ext. as a coformulant, the applicant has submitted a justification in relation to its function in the biocidal product, the ES CA considers this justification acceptable. Please see annex confidential.

The ES CA considers the test reference: Santander as a key study in order to proved the

efficacy of the product. In this field trial three areas are compared: one of them treated with the product, a second one treated with the product without active substances and another one without any treatment. As a standard method for performing this kind of study does not exist, the applicant has followed the general rules for the design of field trial. The pretreatment period during two weeks permits to know the level of infestation and so, during the test period the tested product is applied as the label claim recommendation. After one day of product application, the number of birds in the treated areas is zero while in the other two areas (treated with product without active substances and with any treatment), the birds number is similar to the pretreatment period. This is maintained during the post-treatment until 6 weeks.

Test Reference: Colombia and Santillana are also demonstrated that the product is efficacious when it is applied at the recommended dosage. Both of them included a control site in order to compare the results obtained and the tests reflects that the number of birds in the treated area is zero since the application.

Test Reference: Tequisquiapan and Yoshizuka are considered by ES CA as an additional information in order to support the other studies submitted. In both studies are also showed that the birds number in the treated area is reduced but these studies do not include a control area therefore the effect of the biocidal product cannot be compared.

### **Conclusion**

ES CA considers that the BPF ByePest1 is efficacious as bird repellent according to the information provided.

However, the dosage used in the field trials for low and medium infestation was 20g, therefore the lower dose proposed by the applicant (16 g) has not been demonstrated. ES CA considers that in order to align the dosage of the product with the efficacy studies the lower dosage for low and medium infestation is 20 g.

Overall efficacy against seagulls has only been demonstrated in one trial with 4 adults. That is why we consider that the efficacy has only been demonstrated for low infestations, so the phrase will be included in the SPC: *Apply the product only against seagulls when the first signs of infestation appear and few individuals.*

Likewise, we consider that for renewal a new test against seagulls for high infestation should be provided.

#### 2.2.5.6. Occurrence of resistance and resistance management

Due to the mode of action, the occurrence of resistance is very unlikely. However, if the applicant becomes aware of any potential occurrences of resistance this should be reported to the relevant authority.

#### 2.2.5.7. Known limitations

None.

#### 2.2.5.8. Evaluation of the label claims

The label claims for the product which are supported by the data package are:

- *'For deterring common pigeons and common seagull from buildings and other structures when applied according to instructions'*

- 'Remaining effective for a period of 6 months'

#### 2.2.5.9. Relevant information if the product is intended to be authorised for use with other biocidal product(s)

BYEPEST1 is not intended to be used in combination with other biocidal products.

#### 2.2.6. Risk assessment for human health

This is no data requirement for an application in accordance with Art.25 of Regulation (EU) 528/2012 (simplified procedure) as detailed in Art. 20(1)(b) of EU 528/2012.

According to Article 25 a simplified authorization procedure may be applied where the product does not contain any substance of concern (SoC), and the handling of the biocidal product and its intended use do not require personal protective equipment (PPE).

Material safety data sheets (SDS) have been submitted for each active substance and co-formulant of "BYEPEST1". SDS have been checked for classification.

No classification is required for acute toxicity, irritation or sensitisation. However, according to SDS, the active substances *Lavender oil* and *Peppermint oil* are classified as skin sensitizer (H317) due to the presence of some components which are classified as sensitizer. Thus, the composition certificates of the active substances have been required and submitted by the applicant. According to this, the allergen components are below the 0.1% limit for elicitation. Therefore, the phrase EUH208 should not be included on the product labels.

There are no substances of concern present and the BYEPEST1 family is not classified, therefore the ES CA considers that a detailed exposure assessment is not relevant under the Simplified Authorisation procedure according to Regulation (EU) 528/2012.

#### 2.2.7. Risk assessment for animal health

There are no substances of concern present and the product is not classified, therefore the ES CA considers that a risk assessment for animal health is not relevant under the Simplified Authorisation procedure according to Regulation (EU) 528/2012.

#### 2.2.8. Risk assessment for the environment

The formulation "BYEPEST1" has been considered in relation to the simplified authorisation procedure (under Reg. (EU) 528/2012, chapter V, article 25). An assessment of potential SOC's (Substances of Concern) has been made. The co-formulants are either not classified as hazardous to the environment under Reg. (EC) 1272/2008, or they are not present at sufficient concentrations to trigger hazard classification on their own. Therefore no SOC's are considered to be present in the formulation "BYEPEST1". On this basis approval of "BYEPEST1" can be authorised from an environmental perspective under the simplified authorisation procedure (Reg. (EU) 528/2012, chapter V, article 25).

#### 2.2.9. Measures to protect man, animals and the environment

Please see section 2.1.4.

### **2.2.10. Assessment of a combination of biocidal products**

BYEPEST1 is not intended to be used in combination with other biocidal products.