

Summary of product characteristics for a biocidal product

Product name: Ratron Compact B

Product type(s): PT14 - Rodenticides (Pest control)

Authorisation number: DE-0004602-14

R4BP 3 asset reference number: DE-0004602-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	3
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under	4
4.2.1 Use-specific instructions for use	5
4.2.2 Use-specific risk mitigation measures	5
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	5
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its	5
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under	6
4.3.1 Use-specific instructions for use	7
4.3.2 Use-specific risk mitigation measures	7
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	7
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its	7
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under	7
4.4.1 Use-specific instructions for use	8
4.4.2 Use-specific risk mitigation measures	8
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	9

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its	9
4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under	9
5. General directions for use	9
5.1. Instructions for use	9
5.2. Risk mitigation measures	11
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	11
5.4. Instructions for safe disposal of the product and its packaging	11
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	11
6. Other information	11

Administrative information

1.1. Trade names of the product

Dummy SPC

1.2. Authorisation holder

Name and address of the authorisation holder	Name	frunol delicia GmbH
	Address	Hansastrasse 74 B 59425 Unna Germany
Authorisation number	DE-0004602-14	
R4BP 3 asset reference number	DE-0004602-0000	
Date of the authorisation	04/02/2014	
Expiry date of the authorisation	15/02/2023	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	frunol Delicia GmbH
Address of the manufacturer	Hansastr. 74b 59425 Unna Germany
Location of manufacturing sites	Dübener Str. 145 04509 Delitzsch Germany

1.4. Manufacturer(s) of the active substance(s)

Active substance	11 - Brodifacoum
Name of the manufacturer	PelGar International Limited
Address of the manufacturer	Unit 13, Newman Lane GU34 2QR Alton, Hampshire Dummy SPC Germany
Location of manufacturing sites	Praszka 54 280 02 Kolin Czech Republic

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Brodifacoum	3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin	Active Substance	56073-10-0	259-980-5	0.005

2.2. Type of formulation

Ready-to-use bait: block

3. Hazard and precautionary statements

Hazard statements

May damage the unborn child.
May cause damage to organs blood through prolonged or repeated exposure .

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Store locked up.

4. Authorised use(s)

4.1 Use description

Use 1 - Sewer system

Product type	PT14 - Rodenticides (Pest control)
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Rattus norvegicus-Brown rat-Adults, Juveniles
Field(s) of use	Other Sewers
Application method(s)	Bait application - Ready-to-use bait to be anchored or applied in bait stations preventing the bait from getting into contact with waste water.
Application rate(s) and frequencies	25-200g - - -
Category(ies) of users	Trained professional
Pack sizes and packaging material	1. 1*75g in foil (paper bag coated with LDPE 50/30 (50 g/m2 paper and 30 g/m2 LDPE)) 2. 10*25g in foil 3. 40*25g in foil 4. 100*100g in foil 5. 105*200g in foil 6. 320*25g in foil in bucket 7. 15*25g in bucket (PP) 8. 75*25g in bucket (PP)

4.1.1 Use-specific instructions for use

- 1) Baits must be applied in a way so that they do not come into contact with water and are not washed away.
- 2) Bait points in sewer systems have to be visited for the first time after 14 days and subsequently every 2 to 3 weeks.
- 3) Remove and dispose all baits in accordance with local requirements at the end of the treatment period.

4.1.2 Use-specific risk mitigation measures

Do not use this product as permanent baits or in pulsed baiting treatments.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

None

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

4.2 Use description

Use 2 - Indoor

Product type

PT14 - Rodenticides (Pest control)

Where relevant, an exact description of the authorised use

Not relevant for rodenticides

Target organism(s) (including development stage)

Rattus norvegicus-Brown rat-Adults, Juveniles

Mus musculus-House mouse-Adults, juveniles

Field(s) of use

Indoor

Application method(s)

Bait application -
Ready-to-use bait to be used in tamper-resistant bait stations or in covered and protected bait points as long as they provide the same level of protection for non-target species and children as tamper-resistant bait stations.

Application rate(s) and frequencies

25-200g - -
-

Category(ies) of users

Trained professional

Pack sizes and packaging material

1. 1*75g in foil (paper bag coated with LDPE 50/30 (50 g/m² paper and 30 g/m² LDPE))
2. 10*25g in foil
3. 40*25g in foil
4. 100*100g in foil
5. 105*200g in foil
6. 320*25g in foil in bucket
7. 15*25g in bucket (PP)
8. 75*25g in bucket (PP)

4.2.1 Use-specific instructions for use

Remove and dispose all baits in accordance with local requirements at the end of the treatment period in order to prevent primary poisoning.

4.2.2 Use-specific risk mitigation measures

- 1) At the beginning of the campaign, visit the bait points at the latest after 5 days and at least on a weekly basis afterwards. The same applies to baiting campaigns that last for more than 35 days.
- 2) Search for and dispose dead rodents in the infested area at each visit to prevent secondary poisoning.
- 3) Bait stations have to be used. Only in areas (e.g. closed cable routes, sub-constructions of e.g. electric appliances or high voltage cabinets, cavities in walls and panellings) which are inaccessible for children and non-target animals, baiting without tamper-resistant bait stations is allowed.
- 4) Take the following measures to avoid re-infestation after a successful control:
 - Remove potential sources of food and water for rodents (food- and feeding stuff, rubbish, etc.) or make them inaccessible to rodents as far as possible.
 - Remove debris and waste that might be used as hideouts and harbourages. Vegetation in the immediate vicinity of buildings should be removed as well.
 - As far as possible, all existing entries for rodents to buildings (e.g. cleaving, loopholes, cat flaps, drainages) have to be made inaccessible.
- 5) Do not use the product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.
- 6) Do not use the product in pulsed baiting treatments.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

When placing bait points close to water drainage systems, ensure that bait contact with water is avoided.

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

4.3 Use description

Use 3 - Outdoor around buildings

Product type	PT14 - Rodenticides (Pest control)
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Rattus norvegicus-Brown rat-Adults, Juveniles Mus musculus-House mouse-Adults, juveniles
Field(s) of use	Outdoor Outdoor around buildings
Application method(s)	Bait application - Ready-to-use bait to be used in tamper-resistant bait stations or in covered and protected bait points as long as they provide the same level of protection for non-target species and children as tamper-resistant bait stations.
Application rate(s) and frequencies	25-200g - - -
Category(ies) of users	Trained professional
Pack sizes and packaging material	1. 1*75g in foil (paper bag coated with LDPE 50/30 (50 g/m2 paper and 30 g/m2 LDPE)) 2. 10*25g in foil 3. 40*25g in foil 4. 100*100g in foil 5. 105*200g in foil 6. 320*25g in foil in bucket 7. 15*25g in bucket (PP) 8. 75*25g in bucket (PP)

4.3.1 Use-specific instructions for use

- 1) Protect bait from the weathering (e.g. rain, snow, etc.). Place the baiting points in areas not liable to flooding.
- 2) Replace any bait in baiting points in which bait has been damaged by water or contaminated by dirt.
- 3) Remove and dispose all baits in accordance with local requirements at the end of the treatment period in order to prevent primary poisoning.

4.3.2 Use-specific risk mitigation measures

- 1) At the beginning of the campaign, visit the bait points at the latest after 5 days and at least on a weekly basis afterwards. The same applies to baiting campaigns that last for more than 35 days.
- 2) Search for and dispose dead rodents in the infested area at each visit to prevent secondary poisoning.
- 3) Bait stations have to be used. Only in areas which are inaccessible for children and non-target animals, baiting without tamper-resistant bait stations is allowed.
- 4) Take the following measures to avoid re-infestation after a successful control:
 - Remove potential sources of food and water for rodents (food- and feeding stuff, rubbish, etc.) or make them inaccessible to rodents as far as possible.
 - Remove debris and waste that might be used as hideouts and harbourages. Vegetation in the immediate vicinity of buildings should be removed as well.
 - As far as possible, all existing entries for rodents to buildings (e.g. cleaving, loopholes, cat flaps, drainages) have to be made inaccessible.
- 5) Do not use the product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.
- 6) Do not use the product in pulsed baiting treatments.
- 7) Do not apply this product directly in the burrows.

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

4.4 Use description

Use 4 - Outdoor open areas & waste dumps

Product type

PT14 - Rodenticides (Pest control)

Where relevant, an exact description of the authorised use

Not relevant for rodenticides

Target organism(s) (including development stage)	Rattus norvegicus-Brown rat-Adults, Juveniles
Field(s) of use	Outdoor Outdoor open areas & waste dumps
Application method(s)	Bait application - When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.
Application rate(s) and frequencies	25-200g - - -
Category(ies) of users	Trained professional
Pack sizes and packaging material	<ol style="list-style-type: none"> 1. 1*75g in foil (paper bag coated with LDPE 50/30 (50 g/m2 paper and 30 g/m2 LDPE)) 2. 10*25g in foil 3. 40*25g in foil 4. 100*100g in foil 5. 105*200g in foil 6. 320*25g in foil in bucket 7. 15*25g in bucket (PP) 8. 75*25g in bucket (PP)

4.4.1 Use-specific instructions for use

- 1) Protect bait from the weathering (e.g. rain, snow, etc.). Place the bait stations in areas not liable to flooding.
- 2) Replace any bait in baiting points in which bait has been damaged by water or contaminated by dirt.
- 3) Remove and dispose all baits in accordance with local requirements at the end of the treatment period in order to prevent primary poisoning.

4.4.2 Use-specific risk mitigation measures

- 1) At the beginning of the campaign, visit the bait points at the latest after 5 days and at least on a weekly basis afterwards. The same applies to baiting campaigns that last for more than 35 days.
 - 2) Search for and dispose dead rodents in the infested area at each visit to prevent secondary poisoning.
 - 3) Bait stations have to be used. Only in areas which are inaccessible for children and non-target animals, baiting without tamper-resistant bait stations is allowed. Do not apply this product directly in the burrows.
 - 4) Do not use the product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.
 - 5) Do not use the product in pulsed baiting treatments.
 - 6) Do not apply this product directly in the burrows.
- Outdoor open areas:
- 7) Take the following measures to avoid re-infestation after a successful control:
Remove potential sources of food and water for rodents (food- and feeding stuff, rubbish, etc.) or make them inaccessible to rodents as far as possible.
Remove debris and waste that might be used as hideouts and harbourages. Vegetation in the immediate vicinity of buildings should

be removed as well.

As far as possible, all existing entries for rodents to buildings (e.g. cleaving, loopholes, cat flaps, drainages) have to be made inaccessible.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

5. General directions for use

5.1. Instructions for use

- 1) Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- 2) Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.
- 3) Determine the extent of documentation in agreement with the customer. A site plan of all baiting points and recordings of the regular inspections constitute the minimum requirements for operations that produce, market, store or sell foodstuffs. In any case, the documentation must include the place, purpose, the biocidal products applied (including the specific amounts) and the person in charge of the rodent control. The documentation has to be kept for a minimum of five years.
- 4) The aim of a baiting campaign is to eradicate the target rodents in the infested area/building.
- 5) Remove water sources and food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- 6) The product should only be used as part of an integrated pest management (IPM) system, including, amongst others, hygiene measures and, where possible, physical methods of control.
- 7) The product should be placed in the immediate vicinity of places where rodent activity has been previously explored (e.g. travel paths, nesting sites, feedlots, holes, burrows etc.).
- 8) Where possible, bait stations must be fixed to the ground or other structures.
- 9) Bait stations have to be mechanically stable and tamper-resistant.
- 10) Bait stations have to be designed in a way which prevents the access from non-target organisms as far as possible.
- 11) Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened.
- 12) Label all baiting points and bait stations with appropriate warnings. The client has to be informed about all ongoing control measures. The client is obliged to inform his employees as well as external service providers. If necessary, he has to place additional warnings. The person in charge of the control measure has to supply the client with sufficient information and generally understandable warnings on the risks of primary or secondary poisoning. The client and the person in charge of the control measure have to agree upon the responsibility for putting the warnings in place. As a minimum requirement, the information material or the respective warnings have to include the following details:
 - First measures to be taken in case of poisoning,
 - Measures to be taken in case of spillage of the bait and the discovery of dead rodents,
 - Name of the product and the active substance(s) incl. concentration,
 - Contact information of the person in charge of the rodent control,
 - Telephone number of a poison information centre and the name of the antidote,
 - Date of the beginning of the campaign, i.e. when the baits were deployed first.
- 13) Bait should be secured so that it cannot be dragged away from the bait station.
- 14) Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.
- 15) Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.
- 16) Replace consumed baits at each visit; the uptake of baits has to be documented.
- 17) If bait uptake is low relative to the apparent size of the infestation, consider the replacement of bait points to further places and the possibility to change to another bait formulation.
- 18) If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there are resistant rodent so consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.
- 19) For the label and / or the leaflet, the authorisation holder has to specify how the equipment (e.g. bait boxes) shall be cleaned and how residues of baits have to be collected. The recommended methods shall lead to minimized exposure.

5.2. Risk mitigation measures

- 1) The product information (i.e. label and/or leaflet) shall clearly show that the product shall only be supplied to trained professional users holding certification demonstrating compliance with the applicable training requirements (e.g. "for trained professionals only").
- 2) Do not use in areas where resistance to the active substance can be suspected.
- 3) Products shall not be used beyond 35 days without an evaluation of the state of the infestation and of the efficacy of the treatment [unless authorised for permanent baiting treatments].
- 4) Do not rotate the use of different anticoagulants with comparable or weaker potency for resistance management purposes. For rotational use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant.
- 5) Do not wash the bait stations or utensils used in covered and protected bait points with water between applications.
- 6) Undamaged bait stations and untouched baits may be reused.
- 7) The success of the control measure has to be documented and proven.
- 8) The client has to be informed of possible preventive measures against re-infestation.
- 9) All relevant documents of the control measures have to be provided to the client as well as responsible authorities upon request.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- 1) This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.
- 2) Antidote: Vitamin K1 administered by medical/veterinary personnel only.
- 3) In case of:
 - Dermal exposure, wash skin with water and then with water and soap.
 - Eye exposure, rinse eyes with eyes-rinse liquid or water, keep eyes lids open at least 10 minutes.
 - Oral exposure, rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product's container or label. Contact a veterinary surgeon in case of ingestion by a pet.
- 4) Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name"; "active substance(s)" and "in case of incident, call a poison centre [insert national phone number]"
- 5) Hazardous to wildlife.

5.4. Instructions for safe disposal of the product and its packaging

1. At the end of the treatment, dispose the uneaten bait and the packaging in accordance with local requirements.
2. Avoid skin contact when disposing residues of baits.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- 1) Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.
- 2) Store in places prevented from the access of children, birds, pets and farm animals.
- 3) Keep away from food, beverages and feed.
- 4) Shelf-life: 24 month

6. Other information

- 1) In Germany: If required by Annex I no. 3 of the German Ordinance on Hazardous Substances (version 29.03.2017) to be applied only by professional with competence according to Annex I no. 3 of the German Ordinance on Hazardous Substances (version 29.03.2017). Otherwise, the rodenticide can also be applied by the following professional uses:
 - a) Professional user with competence according to German Ordinance Governing Specialist Qualifications in Plant Protection (Pflanzenschutz-Sachkundeverordnung)
 - b) Professional user with specific experience who can document the participation in a training course providing knowledge on:
 - i. Behaviour, biology and habits of rodents,
 - ii. Legal base for the control of rats and mice,
 - iii. Rodent control (incl. integrated pest management and resistance management),

- iv. Mode of action of rodenticides (anticoagulants in particular),
 - v. Rodenticides as hazardous substances and risks for human health and the environment during application and appropriate risk mitigation measures (especially to avoid primary and secondary poisoning of non-target animals, risks of PBT-/vPvB-substances),
 - vi. Application techniques / Procedure and documentation,
 - vii. Behaviour of rats in sewers
- 2) Because of their delayed mode of action, anticoagulant rodenticides may take from 4 to 10 days to be effective after effective consumption of the bait.
 - 3) Rodents can be disease carriers. Do not touch dead rodents with bare hands, use gloves or use tools such as tongs when disposing them.
 - 4) The product contains a bittering agent and a dye.

Due to technical deficits of the SPC editor I have to list the following points currently at this point of the SPC:

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P308 + 313 IF exposed or concerned: Get medical advice/attention.
- P501 Dispose of contents/container to ...