Summary of product characteristics for a biocidal product family

Family name: Sodium Hypochlorite Products

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT05 - Drinking water (Disinfectants)

Authorisation number: SI-0030931-0000

R4BP 3 asset reference number: SI-0030931-0000

Table Of Contents

Part I First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II Second information level - meta SPC(s)	3
1. Meta SPC administrative information - meta SPC 1	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	3
4. Authorised use(s) of the meta SPC	4
5. General directions for use of the meta SPC	10
6. Other information	10
7. Third information level: individual products in the meta SPC	11
1. Meta SPC administrative information - Meta SPC 2a	15
2. Meta SPC composition	16
3. Hazard and precautionary statements of the meta SPC	16
4. Authorised use(s) of the meta SPC	17
5. General directions for use of the meta SPC	19
6. Other information	20
7. Third information level: individual products in the meta SPC	20
1. Meta SPC administrative information - Meta SPC 2b	22
2. Meta SPC composition	22
3. Hazard and precautionary statements of the meta SPC	23
4. Authorised use(s) of the meta SPC	23
5. General directions for use of the meta SPC	25
6. Other information	26
7. Third information level: individual products in the meta SPC	26
1. Meta SPC administrative information - Meta SPC 3	28
2. Meta SPC composition	29
3. Hazard and precautionary statements of the meta SPC	29
	23

4. Authorised use(s) of the meta SPC	
	30
5. General directions for use of the meta SPC	31
6. Other information	32
7. Third information level: individual products in the meta SPC	32
1. Meta SPC administrative information - Meta SPC 5	36
2. Meta SPC composition	36
3. Hazard and precautionary statements of the meta SPC	37
4. Authorised use(s) of the meta SPC	37
5. General directions for use of the meta SPC	40
6. Other information	41
7. Third information level: individual products in the meta SPC	41
1. Meta SPC administrative information - Meta SPC 6	42
2. Meta SPC composition	42
3. Hazard and precautionary statements of the meta SPC	43
4. Authorised use(s) of the meta SPC	43
5. General directions for use of the meta SPC	
6. Other information	45
	46
7. Third information level: individual products in the meta SPC	46

Part I.- First information level

1. Administrative information

1.1. Family name

Sodium Hypochlorite Products		

1.2. Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT05 - Drinking water (Disinfectants)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	TKI Hrastnik d.d.
Address	Za Savo 6 1430 Hrastnik Slovenia
SI-0030931-0000	

Authorisation number

_

R4BP 3 asset reference number

Date of the authorisation

Expiry date of the authorisation

SI-0030931-0000	
16/05/2023	
	٦

1.4. Manufacturer(s) of the biocidal products

16/05/2033

Name of the manufacturer	TKI Hrastnik, d.d.
Address of the manufacturer	Za Savo 6 1430 Hrastnik Slovenia
Location of manufacturing sites	Cesta 1. maja 33 1430 Hrastnik Slovenia

1.5. Manufacturer(s) of the active substance(s)

Active substance	1391 - Active chlorine released from sodium hypochlorite
Name of the manufacturer	TKI Hrastnik, d.d.
Address of the manufacturer	Za Savo 6 1430 Hrastnik Slovenia
Location of manufacturing sites	Cesta 1. maja 33 1430 Hrastnik Slovenia

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			1,1 - 14,5
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	0 - 1,5
Potassium hydroxide	Potassium hydroxide	Non-active substance	1310-58-3	215-181-3	0 - 5

2.2. Type(s) of formulation

SL - Soluble concentrate	
AL - Any other liquid	

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT05 - Drinking water (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			8 - 14,5

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

Contact with acids liberates toxic gas.

Precautionary statements

Do not breathe vapours.

Do not breathe mist.

Do not breathe spray.

Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/....

Wash contaminated clothing before reuse.

Collect spillage.

Store locked up.

Dispose of contents to in accordance with local regulation.

Dispose of container to in accordance with local regulation.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Swimming pool and spa water disinfection

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: / Common name: Bacteria Development stage:

Scientific name: other Common name: Viruses Development stage: Field(s) of use

Indoor

Outdoor

Swimming pool, spa

Application method(s)

Method: Closed system

Detailed description:

Chlorination of water is fully automated process. Machine is equipped with dosing and measuring systems that regulate concentration of active chlorine in the water.

Application rate(s) and frequencies

Application Rate: Maintenance treatment - continuous application: The set-point range for the concentration during water disinfection should be set at 1 mg available chlorine/L of water

Dilution (%): /

Number and timing of application:

Continuously

Category(ies) of users

Professional

Pack sizes and packaging material

HDPE, IBC, 1000 L HDPE, drum, 60 L HDPE, jerrycan, 25 L

4.1.1 Use-specific instructions for use

Chlorination of water is continuous fully automated process preformed according to standard DIN 19643 - Treatment of water of swimming pools and baths. Machine is equipped with dosing and measuring systems that regulate concentration of active chlorine in the water.

 $The \ set-point \ range \ for \ the \ concentration \ during \ water \ disinfection \ should \ be \ set \ at \ 1 \ mg \ available \ chlorine/L \ of \ water.$

Follow the instructions of the chlorinating machine manufacturer.

4.1.2 Use-specific risk mitigation measures

Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear for mixing and loading and maintenance/cleaning of dosing pumps (glove and coverall material to be specified by the authorisation holder within the product information).

Wear respiratory protective equipment against aerosols during maintenance/cleaning of dosing pumps (filter type (code letter, colour) to be specified by the authorisation holder within the product information).

Application of this product is exclusively allowed in swimming pools with connection to a sewage treatment plant. It is not allowed to

directly discharge swimming pool water to	o the surface water.
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.1.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
I.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
Shelf-life: 3 months	
4.2 Use description Use 2 - Swimming pool water sh	nock disinfection
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	1
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage:
	Scientific name: other Common name: Viruses Development stage:
Field(s) of use	Indoor Outdoor
	Swimming pool
Application method(s)	Method: Closed system Detailed description: Chlorination of water is fully automated process. Machine is equipped with dosing and measuring systems that regulate concentration of active chlorine in the water.

Application rate(s) and frequencies	to reach the concentration max. 30 mg of available chlorine/L of water Dilution (%): / Number and timing of application: Occasionally Contact time: 30 minutes
Category(ies) of users	Professional
Pack sizes and packaging material	HDPE, IBC, 1000 L HDPE, drum, 60 L HDPE, jerrycan, 25 L

4.2.1 Use-specific instructions for use

Shock disinfection of pool water is fully automated process performed when elevated concentrations of microorganisms are present in the water. Machine is equipped with dosing and measuring systems that regulate concentration (max. 30 mg available chlorine/L water) of active chlorine in the water.

4.2.2 Use-specific risk mitigation measures

Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear for mixing and loading and maintenance/cleaning of dosing pumps (glove and coverall material to be specified by the authorisation holder within the product information).

Wear respiratory protective equipment against aerosols during maintenance/cleaning of dosing pumps (filter type (code letter, colour) to be specified by the authorisation holder within the product information).

Treatment must be made in absence of bathers.

Do not allow entrance to the pool until the concentration decreases back to 1.0 mg/L of available chlorine or to national chlorine limit.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, fir	rst aid
instructions and emergency measures to protect the environment	

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-	
4.2.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
Shelf-life: 3 months	
4.3 Use description	
Use 3 - Drinking water disinfect	ion
Product type	PT05 - Drinking water (Disinfectants)
Where relevant, an exact description of the authorised use	
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage:
	Scientific name: other Common name: Viruses Development stage:
Field(s) of use	Indoor Disinfection at the drinking water suppliers and their water distribution systems
Application method(s)	Method: Closed system Detailed description: Chlorination of water is continuous fully automated process. Machine is equipped with dosing and measuring systems that regulate concentration of active chlorine in the water.
Application rate(s) and frequencies	Application Rate: Primary disinfection (maintenance treatment - continuous application): The set-point range for the concentration during drinking water disinfection should be set at 0.5 mg available chlorine/L of water Dilution (%): / Number and timing of application: Continuously
Category(ies) of users	Professional
Pack sizes and packaging material	HDPE, IBC, 1000 L HDPE, drum, 60 L HDPE, jerrycan, 25 L

4.3.1 Use-specific instructions for use
Chlorination of water is continuous fully automated process. Machine is equipped with dosing and measuring systems that regulate concentration of active chlorine in the water.
The set-point range for the concentration during drinking water disinfection should be set at 0.5 mg available chlorine/L water.
4.3.2 Use-specific risk mitigation measures
Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear for mixing and loading and maintenance/cleaning of dosing pumps (glove and coverall material to be specified by the authorisation holder within the product information). Wear respiratory protective equipment against aerosols during maintenance/cleaning of dosing pumps (filter type (code letter, colour) to be specified by the authorisation holder within the product information). Ensure that the concentration of chlorine in the drinking water does not exceed national chlorine limits before consumption. Ensure that the concentration of chlorate present in the drinking water does not exceed the parametric values set in Directive 2020/2184. For food commodities, ensure that the concentration of chlorate present in food does not exceed the MRL values set in Regulation 2020/749.
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
1.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
Shelf-life: 3 months

5. General directions for use of the meta SPC
5.1. Instructions for use
<u>-</u>
5.2. Risk mitigation measures
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
FIRST AID: IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor. IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance. IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid. ENVIRONMENT: Avoid release to the environment. Absorb split chemicals with inert binding material (sand, clay or universal binders).
5.4. Instructions for safe disposal of the product and its packaging
Dispose the product left over to the licensed waste-disposal contractor.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
Store the product in cool (0 - 25 °C) and dry place, protected from sunlight. Shelf-life: 3 months
6. Other information
Please note that some member states including Slovenia, after primary disinfection, request to maintain a residual level of available chlorine in drinking water in the pipes as a precautionary measure. This additional amount, claimed by the applicant as "Secondary disinfection: max. 0.5 mg/L available chlorine (residual)" has been considered as covered by the primary disinfection.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Natrijev hipoklorit 90 g/l	Market area: SI
Nátrium-hipoklorit oldat 90 g/l	Market area: HU
Sodium hypochlorite 90 g/l	Market area: SI
Sodium hypochlorite 90 g/l	Market area: HR
Sodium hypochlorite 90 g/l	Market area: AT
Sodium hypochlorite 90 g/l	Market area: HU
Sodium hypochlorite 90 g/l	Market area: CZ
Sodium hypochlorite 90 g/l	Market area: SK
Natrijev hipoklorit 90 g/l	Market area: HR
Sodium hypochlorite 90 g/l	Market area: IT

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

SI-0030931-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			8

Trade name(s)

Natrijev hipoklorit 150 g/l	Market area: SI
Kristály-klór 150	Market area: HU
Nátrium-hipoklorit oldat 150 g/l	Market area: HU
Sotoklor UF	Market area: SI
Natrijev hipoklorit 150 g/l	Market area: HR
Sodium hypochlorite 150 g/l	Market area: SI
Sodium hypochlorite 150 g/l	Market area: HR
Sodium hypochlorite 150 g/l	Market area: AT
Sodium hypochlorite 150 g/l	Market area: HU
Sodium hypochlorite 150 g/l	Market area: CZ
Sodium hypochlorite 150 g/l	Market area: SK
Sodium hypochlorite 90 g/l	Market area: IT

Natrijev hipoklorit, min 10% raztopina	Market area: SI
SI-0030931-0002 1-1	

IUPAC name **Function CAS** number Content (%) Common name **EC** number Active chlorine released Active Substance 12,5

Trade name(s)

from sodium hypochlorite

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Natrijev hipoklorit 160 g/l	Market area: SI
Belko C	Market area: SI
Belko C	Market area: HR
Belko C	Market area: AT
Belko C	Market area: HU
Belko C	Market area: CZ
Belko C	Market area: SK
Sodium hypochlorite 160 g/l	Market area: SI

Sodium hypochlorite 160 g/l	Market area: HR
Sodium hypochlorite 160 g/l	Market area: AT
Sodium hypochlorite 160 g/l	Market area: HU
Sodium hypochlorite 160 g/l	Market area: CZ
Sodium hypochlorite 160 g/l	Market area: SK
Sodium hypochlorite 160 g/l	Market area: IT
Belko C	Market area: IT
Natrijev hipoklorit 160 g/l	Market area: HR
SI-0030931-0003 1-1	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance	•		13,2

Trade name(s)	Natrijev hipoklorit 180 g/l	Market area: SI

Natrijev hipoklorit 180 g/l	Market area: HR
Sodium hypochlorite 180 g/l	Market area: SI
Sodium hypochlorite 180 g/l	Market area: HR
Sodium hypochlorite 180 g/l	Market area: AT
Sodium hypochlorite 180 g/l	Market area: HU
Sodium hypochlorite 180 g/l	Market area: CZ
Sodium hypochlorite 180 g/l	Market area: SK
Sodium hypochlorite 180 g/l	Market area: IT
SI-0030931-0004 1-1	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			14,5

1. Meta SPC administrative information

1.1. Meta SPC identifier

		_	
Meta	SPC	2a	

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			8,3 - 8,8
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	1,4 - 1,5

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

Contact with acids liberates toxic gas.

Corrosive to the respiratory tract.

Precautionary statements

Do not breathe vapours.

Do not breathe spray.

Do not breathe mist.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/....

Wash contaminated clothing before reuse.

Collect spillage.

Avoid release to the environment.

Store locked up.

Dispose of contents to in accordance with local regulation.

Dispose of container to in accordance with local regulation.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Surface disinfection

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: other Common name: Bacteria Development stage:

Scientific name: other Common name: Yeasts Development stage:

Scientific name: other Common name: Fungi Development stage: Field(s) of use

Indoor

Non-porous surfaces (floors and furniture) Use in healthcare area

Application method(s)

Method: Spraying, moping, and wiping

Detailed description:

_

Application rate(s) and frequencies

Application Rate: 100 ml/m2

Dilution (%): 10% (v/v) solution of biocidal product corresponding to 0.83-0.88 %

available chlorine

Number and timing of application:

When needed

Contact time: 15 min

Category(ies) of users

Professional

Pack sizes and packaging material

HDPE, jerrycan, 10 L

HDPE, jerrycan, 50 L

4.1.1 Use-specific instructions for use

Surfaces (floors and furniture) are disinfected by mopping/wiping or spraying with 10 % (v/v) solution of biocidal product. When applying the product solution by spraying in healthcare areas, surfaces need to be cleaned before use. Dilute the product with water in ratio 1:9 to get in-use concentration. Apply 100 mL of diluted product/m² on the surface. Make sure that surfaces are well covered with the disinfectant.

4.1.2 Use-specific risk mitigation measures

Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear during product handling phase (glove and coverall material to be specified by the authorisation holder within the product information).

Protect food and feed from contamination, e.g. by covering or removal.

For food commodities, ensure that the concentration of chlorate present in food does not exceed the MRL values set in Regulation 2020/749.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
Shelf-life: 12 months
5. General directions for use of the meta SPC
5.1. Instructions for use
-
5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency
measures to protect the environment FIRST AID:
IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for
at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.
ENVIRONMENT: Avoid release to the environment. Absorb split chemicals with inert binding material (sand, clay or universal binders).
5.4. Instructions for safe disposal of the product and its packaging
Dispose the product left over to the licensed waste-disposal contractor.

Store the product in cool (0- 25 °C	and dry place, protected from sunl	ght.
Shelf-life: 12 months		
6. Other information		
7. Third information le	vel: individual produc	ts in the meta SPC
7.1 Trade name(s), authoroduct	orisation number and sp	ecific composition of each individual
p. out.ou		
Trade name(s)	Belko	Market area: SI
	Belko	Market area: HR
	Belko	Market area: AT
	Belko	Market area: HU
	Belko	Market area: CZ
	Belko	Market area: SK
	Belko	Market area: IT
	Deiko	Market alea. 11
Authorisation number		
	SI-0030931-0005 1-2	

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			8,8
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	1,5

Trade name(s)

Baktoklor	Market area: SI
Baktoklor	Market area: HR
Baktoklor	Market area: AT
Baktoklor	Market area: HU
Baktoklor	Market area: CZ
Baktoklor	Market area: SK
Baktoklor	Market area: IT

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

SI-0030931-0006 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substanc	ce		8,3
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	1,4

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 2b

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			4,6 - 4,6
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	0,75 - 0,75

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Do not breathe vapours.

Do not breathe spray.

Do not breathe mist.

Wash spray thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/....

Wash contaminated clothing before reuse.

Collect spillage.

Store locked up.

Dispose of contents to in accordance with local regulation.

Dispose of container to in accordance with local regulation.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Walls against mould

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

-

Scientific name: other Common name: Bacteria Development stage:

Scientific name: other Common name: Yeasts Development stage:

Scientific name: other Common name: Fungi Development stage:

Field(s) of use

Indoor

Non-porous surfaces (walls and tiles) Use in healthcare area

Application method(s)

Method: Open system: brush treatment

Detailed description:

-

Application rate(s) and frequencies

Application Rate: 100 mL/m2.

Dilution (%): Ready to use product (RTU) corresponding to 4.6 % available chlorine.

Number and timing of application:

When needed.

Contact time: 15 min

Category(ies) of users

Professional

Pack sizes and packaging material

HDPE, bottle, 0.5 L HDPE, bottle, 1 L

HDPE, jerrycan, 10 L

4.1.1 Use-specific instructions for use

Surfaces (walls and tiles) are disinfected by brushing. Application volume is 100 mL of RTU product/m². Make sure that surfaces are well covered with the disinfectant.

4.1.2 Use-specific risk mitigation measures

Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear during product handling phase (glove and coverall material to be specified by the authorisation holder within the product information).

Use a brush with a long handle to apply the solution by brushing.
Uninvolved persons, children and pets should not be present during disinfection.

Keep uninvolved persons, children and pets away from treated surfaces/areas until dried.

Rinse treated surfaces that may come into contact with food and feed with drinking water after application.

Protect food and feed from contamination, e.g. by covering or removal.

For food commodities, ensure that the concentration of chlorate present in food does not exceed the MRL values set in Regulation 2020/749.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its backaging
-
I.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
Shelf-life: 12 months
5. General directions for use of the meta SPC 5.1. Instructions for use
5.2. Risk mitigation measures
·
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
FIRST AID: IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for

medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed
person is able to swallow. Do NOT induce vomiting. Call 112/ambulance
for medical assistance.
IF ON SKIN: Immediately wash skin with
plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes.
Call a POISON CENTRE or a doctor.
IF IN EYES: Immediately rinse with
water for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
Information to Healthcare personnel/doctor: The
eyes should also be rinsed repeatedly on the way to the doctor if eye
exposure to alkaline chemicals (pH > 11), amines and acids like
acetic acid, formic acid or propionic acid.
ENVIRONMENT:
Avoid release to the environment. Absorb split chemicals with inert binding material (sand, clay or universal binders).
5.4. Instructions for safe disposal of the product and its packaging
Discount the conduct left counts the linear educate discounts at the conduct term
Dispose the product left over to the licensed waste-disposal contractor.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
Store the product in cool (0 - 25 °C) and dry place, protected from sunlight.
Shelf-life: 12 months
6. Other information
o. Other information
7. Third information level: individual products in the meta SPC

7.

 $7.1\ Trade\ name(s)$, authorisation number and specific composition of each individual product

Trade name(s)

Clox	Market area: SI
Clox	Market area: HR
Clox	Market area: AT
Clox	Market alea. Al
Clox	Market area: HU
Clox	Market area: CZ
Clox	Market area: SK
Megamax Profi Clorreiniger	Market area: SI
Megamax Profi Clorreiniger	Market area: HR
Megamax Profi Clorreiniger	Market area: AT
Megamax Profi Clorreiniger	Market area: HU
Megamax Profi Clorreiniger	Market area: CZ
Megamax Profi Clorreiniger	Market area: SK
Megamax Profi Clox	Market area: SI
Megamax Profi Clox	Market area: HR
Megamax Profi Clox	Market area: AT
Megamax Profi Clox	Market area: HU

Megamax Profi Clox	Market area: CZ	
Megamax Profi Clox	Market area: SK	
Clox	Market area: IT	
Megamax Profi Clorreiniger	Market area: IT	
Megamax Profi Clox	Market area: IT	
SI-0030931-0007 1-3		

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			4,6
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	0,75

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 3

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			2,1 - 2,1
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	0,5 - 0,5

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard	statements	

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Do not breathe vapours.

Do not breathe spray.

Do not breathe mist.

Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/....

Wash contaminated clothing before reuse.

Collect spillage.

Store locked up.

Dispose of contents to in accordance with local regulation..

Dispose of container to in accordance with local regulation..

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of walls against mould

Product	type
----------------	------

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: other Common name: Bacteria Development stage:

Scientific name: other Common name: Yeasts Development stage:

Scientific name: other Common name: Fungi Development stage:

Field(s) of use

Indoor

Outdoor

Non-porous surfaces (walls and tiles) Not for use in healthcare area

Application method(s)

Method: Open system: brush treatment

Detailed description:

Application rate(s) and frequencies

Application Rate: 100 ml/m2.

Dilution (%): Ready to use product (RTU) corresponding to 2.1 % available chlorine.

Number and timing of application:

When needed.

Contact time: 15 min.

	1		
Category(ies) of users	Professional		
Pack sizes and packaging material	HDPE, bottle, 0.5 L HDPE, bottle, 1 L		
4.1.1 Use-specific instruction	ns for use		
Surfaces (walls and tiles) are disinfected well covered with the disinfectant.	by brushing. Application volume is 100 mL of RTU product/m². Make sure that surfaces are		
4.1.2 Use-specific risk mitiga	tion measures		
Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear during product handling phase (glove and coverall material to be specified by the authorisation holder within the product information). Use a brush with a long handle to apply the solution by brushing. Uninvolved persons, children and pets should not be present during disinfection. Keep uninvolved persons, children and pets away from treated surfaces/areas until dried.			
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment			
-			
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging			
-			
	4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
Shelf-life: 12 months			

5. General directions for use of the meta SPC

5.1. Instructions for use
-
5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
FIRST AID: IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor. IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.
ENVIRONMENT: Avoid release to the environment. Absorb split chemicals with inert binding material (sand, clay or universal binders).
5.4. Instructions for safe disposal of the product and its packaging Dispose the product left over to the licensed waste-disposal contractor.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
Store the product in cool (25 °C) and dry place, protected from sunlight. Shelf-life: 12 months
6. Other information
7. Third information level: individual products in the meta SPC
7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Clox S	Market area: SI
Clox S	Market area: HR
Clox S	Market area: AT
Clox S	Market area: HU
Clox S	Market area: CZ
Clox S	Market area: SK
Profi Treat ALG	Market area: SI
Profi Treat ALG	Market area: HR
Profi Treat ALG	Market area: AT
Profi Treat ALG	Market area: HU
Profi Treat ALG	Market area: CZ
Profi Treat ALG	Market area: SK
Belko extra ALG	Market area: SI
Belko extra ALG	Market area: HR
Belko extra ALG	Market area: AT
Belko extra ALG	Market area: HU

Belko extra ALG	Market area: CZ
Belko extra ALG	Market area: SK
Purity ALG	Market area: SI
Purity ALG	Market area: HR
Purity ALG	Market area: AT
Purity ALG	Market area: HU
Purity ALG	Market area: CZ
Purity ALG	Market area: SK
Purity Verikina izbjeljivać	Market area: HR
Weber Stop Plesni	Market area: SI
Weber Stop Plesni	Market area: HR
Weber Stop Plesni	Market area: AT
Weber Stop Plesni	Market area: HU
Weber Stop Plesni	Market area: CZ
Weber Stop Plesni	Market area: SK
Weber PlesniClean	Market area: SI

Weber PlesniClean	Market area: HR
Weber PlesniClean	Market area: AT
Weber PlesniClean	Market area: HU
Weber PlesniClean	Market area: CZ
Weber PlesniClean	Market area: SK
Clox S	Market area: IT
Profi Treat ALG	Market area: IT
Belko extra ALG	Market area: IT
Weber Stop Plesni	Market area: IT
Weber PlesniClean	Market area: IT
Purity ALG	Market area: IT
SI-0030931-0008 1-4	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

SI-0030931-0008 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance	e		2,1

Sodium hydroxide Sodium hydroxide Non-active substance 1310-73-2 215-185-5 0,5

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 5

1.2. Suffix to the authorisation number

1-5

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			4 - 4
Potassium hydroxide	Potassium hydroxide	Non-active substance	1310-58-3	215-181-3	5 - 5

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

Corrosive to the respiratory tract.

Precautionary statements

Keep only in original packaging.

Do not breathe vapours.

Do not breathe spray.

Do not breathe mist.

Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection...

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/....

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in a corrosion-resistant container with a resistant inner liner.

Dispose of contents to in accordance with local regulation.

Dispose of container to in accordance with local regulation.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Surfaces disinfection by foaming

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage:
development stage,	Scientific name: other Common name: Yeasts Development stage:
	Scientific name: other Common name: Fungi Development stage:
Field(s) of use	Indoor
	Non-porous surfaces (walls and floors) Not for use in healthcare area
Application method(s)	Method: Foam application Detailed description: -
	Application Data: 100 ml/m2
Application rate(s) and frequencies	Application Rate: 100 ml/m2. Dilution (%): 10 % (v/v) solution of biocidal product corresponding to 0.4 % available chlorine. Number and timing of application: When needed.
	Contact time: 15 min

Category(ies) of users	Professional
Pack sizes and packaging material	HDPE, jerrycan, 10 L
4.1.1 Use-specific instruction	ons for use
ratio 1:9 to get in use concentration. A	ed by foam application of 10 %(v/v) solution of biocidal product. Dilute the product with water in pply 100 mL of diluted product/m² on the surface. Make sure that surfaces are well covered act time, surfaces are rinsed with tap water.
4.1.2 Use-specific risk mitig	gation measures
foaming application (glove and coveral Wear respiratory protective equipment the authorisation holder within the prod	ace protection, protective clothing and closed footwear during product handling phase and II material to be specified by the authorisation holder within the product information). It against aerosols during foaming application (filter type (code letter, colour) to be specified by duct information). It is necessary to be present, wear same RPE and PPE as the
professional user. Uninvolved persons, children and pets Keep uninvolved persons, children and	s should not be present during disinfection. d pets away from treated surfaces/areas until dried.
Protect food and feed from contaminat For food commodities, ensure that the 2020/749.	tion, e.g. by covering or removal. concentration of chlorate present in food does not exceed the MRL values set in Regulation
=	use, the particulars of likely direct or indirect effects, first aid by measures to protect the environment
-	
4.1.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
-	

5. General directions for use of the meta SPC 5.1. Instructions for use	
5.1. Instructions for use	
-	
5.2. Risk mitigation measures	
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency	
FIRST AID: IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for rassistance. If no symptoms: Call a POISON CENTRE or a doctor. IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vocall 112/ambulance for medical assistance. IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reus	omiting.
Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rin at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposualkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.	
ENVIRONMENT: Avoid release to the environment. Absorb split chemicals with inert binding material (sand, clay or universal binders).	
5.4. Instructions for safe disposal of the product and its packaging	
Dispose the product left over to the licensed waste-disposal contractor.	
5.5. Conditions of storage and shelf-life of the product under normal conditions of stor	rage
Store the product in cool (25 °C) and dry place, protected from sunlight. Shelf-life: 12 months	

6. Other information		

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

MegamaxProfi Foam Alkal	Market area: SI
MegamaxProfi Foam Alkal	Market area: HR
MegamaxProfi Foam Alkal	Market area: AT
MegamaxProfi Foam Alkal	Market area: HU
MegamaxProfi Foam Alkal	Market area: CZ
MegamaxProfi Foam Alkal	Market area: SK
MegamaxProfi Foam Alkal	Market area: IT

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

SI-0030931-0009 1-5	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			4

Potassium hydroxide Potassium hydroxide Non-active substance 1310-58-3 215-181-3 5

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 6

1.2. Suffix to the authorisation number

1-6

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from sodium hypochlorite		Active Substance			1,1 - 1,1
Sodium hydroxide	Sodium hydroxide	Non-active substance	1310-73-2	215-185-5	0,9 - 0,9

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Do not breathe vapours.

Do not breathe spray.

Do not breathe mist.

Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection...

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/....

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents to in accordance with local regulation.

Dispose of container to in accordance with local regulation.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Surface disinfection

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Ī

Target organism(s) (including development stage)

Scientific name: other Common name: Bacteria Development stage:

Scientific name: other Common name: Yeasts Development stage:

Scientific name: other Common name: Fungi Development stage:

Field(s) of use

Indoor

Non-porous surfaces (sink, bathtub, WC bowl)

Not for use in healthcare area

Application method(s)

Method: Pouring followed by wiping or moping

Detailed description:

Application rate(s) and frequencies

Application Rate: 100 ml/m2.

Dilution (%): Ready to use product (RTU) corresponding to 1.1 % available chlorine.

Number and timing of application:

When needed Contact time: 15 min

Category(ies) of users

Professional

Pack sizes and packaging material

HDPE, bottle, 1 L

HDPE, jerrycan, 5 L

4.1.1 Use-specific instructions for use

Pour the product on the surface (sink, bathtub, WC bowl) and use wiping or moping to evenly distribute the product over the surface. Application volume is 100 mL of RTU product/m². Make sure that surfaces are well covered with the disinfectant. After 15 min contact rinse the surface with tap water.

4.1.2 Use-specific risk mitigation measures

Wear chemical resistant gloves, eye/face protection, protective clothing and closed footwear during product handling phase (glove and coverall material to be specified by the authorisation holder within the product information).

Uninvolved persons, children and pets should not be present during disinfection.

Keep uninvolved persons, children and pets away from treated surfaces/areas until dried.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
Shelf-life: 12 months
5. General directions for use of the meta SPC 5.1. Instructions for use
-
5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
FIRST AID: IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor. IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance. IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid. ENVIRONMENT:
Avoid release to the environment. Absorb split chemicals with inert binding material (sand, clay or universal binders).

5.4. Instructions for safe disposal of the product and its packaging

5.4. Instructions for safe disposal of the product and its packaging

Dispose the product left over to the licensed waste-disposal contractor.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store the product in cool (25 °C) and dry place, protected from sunlight.

Shelf-life: 12 months

L	11006	inforn	MATIAN
nı	,,,,,		114116)11
. .			

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Megamax Profi Dom	Market area: SI
Megamax Profi Dom	Market area: HR
Megamax Profi Dom	Market area: AT
Megamax Profi Dom	Market area: HU
Megamax Profi Dom	Market area: CZ
Megamax Profi Dom	Market area: SK
Megamax Dom	Market area: SI

Market area: HR
Market area: AT
Market area: HU
Market area: CZ
Market area: SK
Market area: SI
Market area: HR
Market area: AT
Market area: HU
Market area: CZ
Market area: SK
Market area: SI
Market area: HR
Market area: AT
Market area: HU
Market area: CZ

Purity Dom	Market area: SK
Megamax Dom	Market area: IT
Splendid Dom	Market area: IT
Purity Dom	Market area: IT
Megamax Profi Dom	Market area: IT
SI-0030931-0010 1-6	

Authorisation number

Common name

Sodium hydroxide

Active chlorine released

from sodium hypochlorite

(R4BP 3 asset reference number - National Authorisation)

IUPAC name	Function	CAS number	EC number	Content (%)

1310-73-2

1,1

0,9

215-185-5

Active Substance

Non-active

substance

Sodium hydroxide