

EN

ANNEX

**SUMMARY OF PRODUCT CHARACTERISTICS
FOR A BIOCIDAL PRODUCT FAMILY**

SICO Biocidal Product Family

Product type(s)

PT02: Disinfectants and algaecides not intended for direct application to humans or animals

PT04: Food and feed area

Authorisation number EU-0029486-0000

R4BP asset number EU-0029486-0000

Part I.
FIRST INFORMATION LEVEL

1. ADMINISTRATIVE INFORMATION

1.1. Family name

Name	SICO Biocidal Product Family
------	------------------------------

1.2. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals PT04: Food and feed area
-----------------	---

1.3. Authorisation holder

Name and address of the authorisation holder	Name	SICO
	Address	577 RUE DU POMMARIN BP16 VOREPPE 38340 MOIRANS CEDEX France
Authorisation number	EU-0029486-0000	
<i>R4BP asset number</i>	EU-0029486-0000	
Date of the authorisation	25/09/2024	
Expiry date of the authorisation	30/09/2033	

1.4. Manufacturer(s) of the product

Name of manufacturer	SALVECO S.A.S
Address of manufacturer	Avenue Pierre Mendès-France F-88100 SAINT DIE DES VOSGES France
Location of manufacturing sites	SALVECO S.A.S site 1 Avenue Pierre Mendès-France F-88100 SAINT DIE DES VOSGES France

Name of manufacturer	S.I.C.O
Address of manufacturer	577 Rue du Pommarin F-38340 VOREPPE France
Location of manufacturing sites	S.I.C.O site 1 577 Rue du Pommarin F-38340 VOREPPE France S.I.C.O site 2 53 Avenue de l'Europe F-38522 SAINT-EGREVE France S.I.C.O site 3 436 Rue Emile Romanet F-38340 VOREPPE France

1.5. Manufacturer(s) of the active substance(s)

Active substance	L-(+)-lactic acid
Name of manufacturer	PURAC BIOCHEM BV
Address of manufacturer	Gran Vial 19-25 08160 Montmelo Spain
Location of manufacturing sites	PURAC BIOCHEM BV site 1

	Gran Vial 19-25 08160 Montmelo Spain
--	--------------------------------------

Active substance	L-(+)-lactic acid
Name of manufacturer	JUNGBUNZLAUER S.A
Address of manufacturer	Z.I Portuaire BP 32 67390 Marckolsheim France
Location of manufacturing sites	JUNGBUNZLAUER S.A site 1 Z.I Portuaire BP 32 67390 Marckolsheim France

2. PRODUCT FAMILY COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	0,627 - 31,33 % (w/w)
Sodium octyl ether carboxylate		Non-Active substance	53563-70-5		0 - 28,8 % (w/w)
D-glucopyranose, oligomeric, C10-16 (even numbered)-alkyl glycosides		Non-Active substance	110615-47-9		0 - 8,23 % (w/w)

2.2. Type(s) of formulation

Formulation type(s)	SL – Soluble Concentrate
---------------------	--------------------------

Part II.
SECOND INFORMATION LEVEL - META SPC(S)

1. META SPC 1 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 1 identifier

Identifier	Meta SPC: meta-SPC2
------------	---------------------

1.2. Suffix to the authorisation number

Number	1-1
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals PT04: Food and feed area
-----------------	---

2. META SPC 1 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	15,66 - 31,33 % (w/w)
Sodium octyl ether carboxylate		Non-Active substance	53563-70-5		13,5 - 27 % (w/w)
D-glucopyranose, oligomeric, C10-16 (even numbered)-alkyl glycosides		Non-Active substance	110615-47-9		3,52 - 8,23 % (w/w)

2.2. Type(s) of formulation of the meta SPC 1

Formulation type(s)	SL – Soluble Concentrate
---------------------	--------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

Hazard statements	<p>H315: Causes skin irritation.</p> <p>H318: Causes serious eye damage.</p> <p>EUH208: Contains Eucalyptol, Carvone and Limonene . May produce an allergic reaction.</p> <p>EUH208: Contains Methyl salicylate and Eugenol (Pure fragrance). May produce an allergic reaction.</p> <p>EUH208: Contains Eucalyptol (Eucalyptus leaves fragrance). May produce an allergic reaction.</p>
Precautionary statements	<p>P101: If medical advice is needed, have product container or label at hand.</p> <p>P102: Keep out of reach of children.</p> <p>P103: Read carefully and follow all instructions.</p> <p>P264: Wash hands thoroughly after handling.</p> <p>P280: Wear protective gloves, protective clothing and eye protection.</p> <p>P302+P352: IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310: Immediately call a POISON CENTER or doctor.</p> <p>P321: Specific treatment (see supplemental first aid instruction on this label).</p> <p>P332+P313: If skin irritation occurs: Get medical advice.</p> <p>P362+P364: Take off contaminated clothing and wash it before reuse.</p>

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1.
Disinfectants not intended for direct application to humans or animals (disinfectants for all washable hard surfaces in domestic, institutional and industrial areas)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: Bacteria Common name: Bacteria Development stage: no data</p> <p>Scientific name: Yeasts Common name: Yeasts Development stage: no data</p> <p>Scientific name: Viruses Common name: Enveloped viruses Development stage: no data</p>
Field(s) of use	<p>indoor use outdoor use</p> <p>in domestic, institutional and industrial area.</p>
Application method(s)	<p>Method: Spraying, spreading, wiping, foam application, brush treatment, dip treatment, immersion, mopping</p> <p>Detailed description: - without mechanical action.</p>
Application rate(s) and frequency	<p>Application rate: -</p> <p>Dilution (%): 0,299% to 1,496%</p> <p>Number and timing of application: Mandatory target organisms: • Bacteria: 0,299% to 1,496% w/w L-(+)-lactic acid, 5 minutes, 20°C Other target organisms: • Enveloped viruses and yeasts: 0,299% to 1,496% w/w L-(+)-lactic acid, 5 minutes, 20°C</p> <p>Minimum in use concentration of surfactants shall be 0,29% for any future product included in this meta SPC.</p>
Category(ies) of users	professional ; general public (non-professional)
Pack sizes and packaging material	Package size for non-professional is restricted to maximum 3 liters and packaging above 1 liter should be equipped with a handle

	Refill caps: 20 - 100 ml HDPE Bottles: 0,5 - 5 liters HDPE or PET Jerry can: 1-80 liters HDPE (only for professional users) Drum: 10-210 liters HDPE (only for professional users) IBC: 1000 liters HDPE (only for professional users)
--	--

4.1.1. Use-specific instructions

See general instructions for use

4.1.2. Use-specific risk mitigation measures

See general instructions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general instructions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general instructions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general instructions for use

4.2. Use description

Table 2.

Food and feed area disinfectants (disinfectant for all washable hard surfaces in domestic, institutional and food industry areas)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Bacteria Common name: Bacteria

	<p>Development stage: no data</p> <p>Scientific name: Yeasts Common name: Yeasts Development stage: no data</p>
Field(s) of use	<p>indoor use outdoor use</p> <p>- in domestic, institutional and food industry areas (general disinfection)</p>
Application method(s)	<p>Method: Spraying, spreading, wiping, foam application, brush treatment, dip treatment, immersion, mopping</p> <p>Detailed description: - without mechanical action</p>
Application rate(s) and frequency	<p>Application rate: -</p> <p>Dilution (%): 0,299% to 1,496%</p> <p>Number and timing of application: Mandatory target organisms: • Bacteria and yeast: 0,299% to 1,496% w/w L-(+)-lactic acid, 5 minutes, 20°C</p> <p>Minimum in use concentration of surfactants shall be 0,29% for any future product included in this meta SPC.</p>
Category(ies) of users	professional ; general public (non-professional)
Pack sizes and packaging material	<p>Package size for non-professional is restricted to maximum 3 liters and packaging above 1 liter should be equipped with a handle</p> <p>Refill caps: 20 - 100ml HDPE Bottles: 0,5 - 5 liters HDPE or PET Jerry can: 1-80 liters HDPE (only for professional users) Drum: 10-210 liters HDPE (only for professional users) IBC: 1000 liters HDPE (only for professional users)</p>

4.2.1. Use-specific instructions

See general instructions for use

4.2.2. Use-specific risk mitigation measures

See general instructions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general instructions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general instructions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general instructions for use

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 1

5.1. Instructions for use

- Apply the product by fully wetting all surface for 5 minutes (apply approx. 18 sprays /m² or 20 ml/m² or fully cover the object to be disinfected).
- Apply only on non porous surfaces.
- Inform the authorisation holder if the treatment is ineffective.
- Comply with the instructions for use.
- Each product label shall give information on how the dilution should be made in order to guarantee the efficacy of the product. Since the concentration of L-(+)-lactic acid in products within this meta SPC can range from 15,66% to 31,33%, it is not possible to indicate all product dilution here.

Example for a product containing 15,66% L-(+)-lactic acid	Dilution of the product	Contact time
Bacterial and yeasticidal activity	0,299% (20 ml product, add water up to 1liter)	5 minutes

The authorisation holder shall indicate on the label the relevant volume of product to be diluted in water on the label of each specific product.

5.2. Risk mitigation measures

- Wash hands after use of the concentrate product.
- Avoid contact with eyes
- Avoid splashes and spills during mixing and load ing (dilution).
- For outdoor uses, do not apply the product in case rain is expected within 24 hours.
- For outdoor uses by spray, avoid transfer to other areas by wind (drift).

For professional use only:

- Wear protective chemical resistant gloves classified under EN 374 or equivalent, chemical goggles consistent with EN 16321 or equivalent and a coverall consistent with EN 14605 or equivalent when handling the concentrate product (during dilution). The full titles of the EN standards are available in Section 6. – PPE material to be specified by the authorisation holder within the product information.

For non-professional use only:

- A child-proof closure is required.
- Keep out of reach of children and non-target animals or pets.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand
 - IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.
 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.
- Call 112 or an ambulance for medical assistance.

Information to healthcare personnel or doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid

- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow.

Do NOT induce vomiting. Call 112 or an ambulance for medical assistance.

- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep out of reach of children and non-target animals or pets.

- Shelf-life: 2 years.

- Protect from frost.

6. OTHER INFORMATION

P280 is not applicable for the non-professional user.

The full titles of the EN standards referenced in section 5.2 "Risk mitigation measures" are:

EN 374 - Protective gloves against dangerous chemicals and micro-organisms

EN 16321 - Eye and face protection for occupational use

EN 14605 - Protective clothing against liquid chemicals - Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	5 EN 1 DETERGENT DEGRAISSANT DETARTRANT DESINFECTANT DESODORISANT	Market area: EU
	NETTOYANT DESINFECTANT ANTI-CALCAIRE CONCENTRE DILUTION 2%	Market area: EU
	DETERGENT DEGRAISSANT DETARTRANT DESINFECTANT DESODORISANT DILUTION 2%	Market area: EU
	5D CONCENTRE DILUTION 2%	Market area: EU
	5 EN 1 CONCENTRE PARFUME	Market area: EU
	FLASH GERM 5 EN 1	Market area: EU
	FLASH GERM CONCENTRE PARFUME DILUTION 2%	Market area: EU
	FLASH GERM PARFUME	Market area: EU
Authorisation number	EU-0029486-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	15,66 % (w/w)
Sodium octyl ether carboxylate		Non-Active substance	53563-70-5		13,5 % (w/w)
D-glucopyranose,		Non-Active substance	110615-47-9		4,11 % (w/w)

oligomeric, C10-16 (even numbered)-alkyl glycosides					
--	--	--	--	--	--

1. META SPC 2 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 2 identifier

Identifier	Meta SPC: meta-SPC3
------------	---------------------

1.2. Suffix to the authorisation number

Number	1-2
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals PT04: Food and feed area
-----------------	---

2. META SPC 2 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	7,83 - 31,33 % (w/w)
Sodium octyl ether carboxylate		Non-Active substance	53563-70-5		6,75 - 27 % (w/w)
D-glucopyranose, oligomeric, C10-16 (even numbered)-alkyl glycosides		Non-Active substance	110615-47-9		1,32 - 3,52 % (w/w)

2.2. Type(s) of formulation of the meta SPC 2

Formulation type(s)	SL – Soluble Concentrate
---------------------	--------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

Hazard statements	H315: Causes skin irritation. H318: Causes serious eye damage.
Precautionary statements	P264: Wash hands thoroughly after handling. P280: Wear protective gloves, protective clothing and eye protection. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor. P321: Specific treatment (see supplemental first aid instruction on this label). P332+P313: If skin irritation occurs: Get medical advice. P362+P364: Take off contaminated clothing and wash it before reuse.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1.
Disinfectants not intended for direct application to humans or animals (disinfectants for all washable hard surfaces in institutional, and industrial areas)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: Bacteria Common name: Bacteria Development stage: no data</p> <p>Scientific name: Yeasts Common name: Yeasts Development stage: no data</p> <p>Scientific name: Viruses Common name: Enveloped viruses Development stage: no data</p>
Field(s) of use	<p>indoor use outdoor use</p> <p>- in institutional and industrial area</p>
Application method(s)	<p>Method: Spraying, spreading, wiping, foam application, brush treatment, dip treatment, immersion, mopping</p> <p>Detailed description: - without mechanical action</p>
Application rate(s) and frequency	<p>Application rate: -</p> <p>Dilution (%): 0,299%</p> <p>Number and timing of application: Mandatory target organisms: • Bacteria and yeasts: 0,299% w/w L-(+)-lactic acid, 5 minutes, 20°C Other target organisms: • Enveloped viruses: 0,299% w/w L-(+)-lactic acid, 5 minutes, 20°C</p> <p>Minimum in use concentration of surfactants shall be 0,29% for any future product included in this meta SPC.</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>Refill caps: 20 – 100ml HDPE Bottles: 0,5 - 5 liters HDPE or PET Jerry can: 1-80 liters HDPE</p>

	Drum: 10-210 liters HDPE IBC: 1000 liters HDPE
--	---

4.1.1. Use-specific instructions

See general instructions for use

4.1.2. Use-specific risk mitigation measures

See general instructions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general instructions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general instructions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general instructions for use

4.2. Use description

**Table 2.
Food and feed area disinfectants (disinfectant for all washable hard surfaces in institutional and industrial areas)**

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Bacteria Common name: Bacteria Development stage: no data Scientific name: Yeasts Common name: Yeasts Development stage: no data
Field(s) of use	indoor use

	<p>outdoor use</p> <p>- in institutional and industrial area (general)</p>
Application method(s)	<p>Method: Spraying, spreading, wiping, foam application, brush treatment, dip treatment, immersion, mopping</p> <p>Detailed description: - without mechanical action</p>
Application rate(s) and frequency	<p>Application rate: -</p> <p>Dilution (%): 0,299%</p> <p>Number and timing of application: Mandatory target organisms: • Bacteria and yeast: 0,299% w/w L-(+)-lactic acid, 5 minutes, 20°C</p> <p>Minimum in use concentration of surfactants shall be 0,29% for any future product included in this meta SPC.</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>Refill caps: 20 – 100ml HDPE</p> <p>Bottles: 0,5 - 5 liters HDPE or PET</p> <p>Jerry can: 1-80 liters HDPE</p> <p>Drum: 10-210 liters HDPE</p> <p>IBC: 1000 liters HDPE</p>

4.2.1. Use-specific instructions

See general instructions for use

4.2.2. Use-specific risk mitigation measures

See general instructions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general instructions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general instructions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general instructions for use

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2

5.1. Instructions for use

- Apply the product by fully wetting all surface for 5 minutes (apply approx. 18 sprays /m² or 20 ml/m² or fully cover the object to be disinfected).
- Apply only on non-porous surfaces.
- Inform the authorisation holder if the treatment is ineffective.
- Each product label shall give information on how the dilution should be made in order to guarantee the efficacy of the product. Since the concentration of L-(+)-lactic acid in products within this meta SPC can range from 7,83% to 31,33%, it is not possible to indicate all product dilution here.

Example for a product containing 7,83% L-(+)-lactic acid	Dilution of the product	Contact time
Bacterial and yeasticidal activity	0,299% (40 ml product, add water up to 1liter)	5 minutes

The authorisation holder shall indicate on the label the relevant volume of product to be diluted in water on the label of each specific product.

5.2. Risk mitigation measures

- Wear protective chemical resistant gloves classified under EN 374 or equivalent, chemical goggles consistent with EN 16321 or equivalent and a coverall consistent with EN 14605 or equivalent when handling the concentrate product (during dilution). The full titles of the EN standard are available under section 6.
- PPE material to be specified by the authorisation holder within the product information.
- Wash hands after use of the concentrate product.
- Avoid contact with eyes.
- Avoid splashes and spills during mixing and loading (dilution).
- For outdoor uses, do not apply the product in case rain is expected within 24 hours.
- For outdoor uses by spray, avoid transfer to other areas by wind (drift).

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation occurs: Get medical advice.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.
Call 112 or an ambulance for medical assistance.
Information to healthcare personnel or a doctor:
The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112 or an ambulance for medical assistance.

-
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf-life: 2 years.
- Protect from frost.

6. OTHER INFORMATION

The full titles of the EN standards referenced in section 5.2 "Risk mitigation measures" are:

EN 374 - Protective gloves against dangerous chemicals and micro-organisms

EN 16321 - Eye and face protection for occupational use

EN 14605 - Protective clothing against liquid chemicals - Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	U2 DESODOR 4D+	Market area: EU
	4D+	Market area: EU
	DESODOR 4D+	Market area: EU
Authorisation number	EU-0029486-0002 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	15,66 % (w/w)
Sodium octyl ether carboxylate		Non-Active substance	53563-70-5		13,5 % (w/w)
D-glucopyranose, oligomeric, C10-16 (even numbered)-alkyl glycosides		Non-Active substance	110615-47-9		1,76 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	KING FLASH GERM	Market area: EU
	KingFlash germ	Market area: EU
	KING FLASH germ'	Market area: EU
	FLASH GERM	Market area: EU
Authorisation number	EU-0029486-0003 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	31,33 % (w/w)
Sodium octyl ether carboxylate		Non-Active substance	53563-70-5		27 % (w/w)
D-glucopyranose, oligomeric, C10-16 (even numbered)-alkyl glycosides		Non-Active substance	110615-47-9		3,52 % (w/w)