Section A7.5.1.2 Annex Point IIIA XIII 3.2

Earthworm, acute toxicity test

dried pulverised cast samples from each plot was measured with a CHN analyzer. Inorganic C content was measured using HCL digestion and a carbonate carbon analyser. The organic content of the casts was measured by subtracting the inorganic C from the total C.

5.2	Results and discussion	Cast production over 1 year was 35% greater in elevated carbon dioxide compared to ambient. Elevated CO ₂ had no influence on the seasonality of earthworm activity. There was correlation between soil water content and cast production. No correlation was found between activity and soil temperature or plant biomass productivity. No CO ₂ related differences were found in total N and organic carbon concentration of surface casts. The increase in earthworm activity corresponded to a 30% increase of the amount of N and organic carbon eggested by the worms. There is an indirect stimulatory effect of elevated atmospheric carbon dioxide on earthworm activity which may have effects on ecosystem function and plant community structure in the long term.
5.2.1	LC_0	Not reported
5.2.2	$ ext{LC}_{50}$	Not reported
5.2.3	LC_{100}	Not reported
5.3	Conclusion	This report does not look at toxicity of carbon dioxide to earthworms however it gives an indication of effects of increased CO ₂ levels on their activity.
5.3.1	Other conclusions	
5.3.2	Reliability	.3
5,3.2	Deficiencies	Yes This study was not carried out to Guideline C.8 in Annex V of Directive 67/548/EEC or to to OECD Guideline 207. Rather than looking at acute toxicity <i>per se</i> , this report investigates the effects on cast production of an increased level of carbon dioxide. It should be noted that the use of carbon dioxide by Rentokil Initial would not increase the normal atmospheric concentrations of carbon dioxide in the locality.

Rentokil Initial plc Carbon Dioxide March 2004

Section A7.5.1.2 Annex Point IIIA XIII 3.2

Earthworm, acute toxicity test


	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Materials and methods	Adopt applicant's version or include revised version. If necessary, discuss relevant discrepancies referring to the (sub)heading numbers and to applicant's summary and conclusion.
Results and discussion	Adopt applicant's version or include revised version, If necessary, discuss relevant deviations from applicant's view referring to the (sub)heading numbers
Conclusion	Adopt applicant's version or include revised version
Reliability	Based on the assessment of materials and methods include appropriate reliability indicator (the text in section 4.4.2.5.1 gives guidance on this point)
Acceptability	Acceptable / not acceptable
	(give reasons if necessary, e.g. if a study is considered acceptable despite a poor reliable indicator. Discuss the relevance of deficiencies and indicate if repeat is necessary.)
Remarks	
	COMMENTS FROM
Date	Give date of the comments submitted
Materials and Methods	Discuss additional relevant discrepancies referring to the (sub)heading numbers and to applicant's summary and conclusion,
	Discuss if deviating from view of rapporteur member state
Results and discussion	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Reliability	Discuss if deviating from view of rapporteur member state
Acceptability	Discuss if deviating from view of rapporteur member state

Section A7.5.1.3 Annex Point / TNsG Annex IIIA XIII 3.4	Acute Toxicity to Plants Section 7: Ecotoxicological Profile, including Fate and Behaviour	
	JUSTIFICATION FOR NON-SUBMISSION OF DATA As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable	Official use only
Other existing data	[] Technically not feasible [] Scientifically unjustified []	
Limited exposure	[✓] Other justification [✓]	
Detailed justification:	This information is only required if a concern for the terrestrial compartment is indicted by the risk assessment or if there is likely to be long term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems, outside normal atmospheric ranges. In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Refer to next page for details of the scientific calculation which supports this statement. Consequently there will be no increased carbon dioxide levels in the terrestrial system so it is not necessary to determine the effect of increased carbon dioxide in plants. Notwithstanding the above, it should be noted that carbon dioxide plays a vital role in the above, it should be noted that carbon dioxide plays a	
	vital role in the photosynthesis pathway of plants. It is widely accepted that commercial horticulturists, such as tomato growers, use carbon dioxide to enrich the atmospheres of their greenhouses to accelerate the growth of their crops. (Continued)	



Section A7.5.1.3 Annex Point / TNsG Annex IIIA XIII 3.4


Acute Toxicity to Plants



Section A7.5.1.3 Annex Point / TNsG Annex IIIA XIII 3.4	Acute Toxicity to Plants Section 7: Ecotoxicological Profile, including Fate and Behaviour	
---	--	--


	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data
Remarks	
	COMMENTS FROM OTHER MEMBER STATES (specify)
Date	Give date of comments submitted
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Remarks	

Section A7.5.2.1 Annex Point / TNsG Annex IIIA XIII 3.2	Reproduction Study with Earthworms or Other Soil Non-tar Macro-organisms Section 7: Ecotoxicological Profile, including Fate and Behaviour	
		Official ise only
Other existing data Limited exposure	[] Technically not feasible [] Scientifically unjustified [] [✓] Other justification [✓]	
Detailed justification:	This information is only required if a concern for the terrestrial compartment is indicted by the risk assessment or if there is likely to be long term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems, outside normal atmospheric ranges. In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Refer to next page for details of the scientific calculation which supports this statement. Consequently there will be no increased carbon dioxide levels in the terrestrial system so it is not necessary to determine the effect of increased carbon dioxide on earthworms or other soil non-target macro-organisms.	



Section A7.5.2.1 Annex Point / TNsG Annex IIIA XIII 3.2

Reproduction Study with Earthworms or Other Soil Non-target Macro-organisms



Section A7.5.2.1
Annex Point / TNsG
Annex IIIA XIII 3.2

Reproduction Study with Earthworms or Other Soil Non-target Macro-organisms


	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
l s	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data
Remarks	
	COMMENTS FROM OTHER MEMBER STATES (specify)
Date	Give date of comments submitted
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Remarks	

Section A7.5.2.2 Annex Point / TNsG Annex IIIA XIII 3.4	Long-term Test with Terrestrial Plants Section 7: Ecotoxicological Profile, including Fate and Behaviour	
	JUSTIFICATION FOR NON-SUBMISSION OF DATA As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable	Official use only
Other existing data Limited exposure	[] Technically not feasible [] Scientifically unjustified [] [✓] Other justification [✓]	
Detailed justification:	This information is only required if a concern for the terrestrial compartment is indicted by the risk assessment or if there is likely to be long term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems, outside normal atmospheric ranges. In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Refer to next page for details of the scientific calculation which supports this statement. Consequently there will be no increased carbon dioxide levels in the terrestrial system so it is not necessary to determine the effect of increased carbon dioxide in plants.	
	(Continued)	



Section A7.5.2.2 Annex Point / TNsG Annex IIIA XIII 3.4

Long-term Test with Terrestrial Plants




Section A7.5.2.2 Annex Point / TNsG Annex IIIA XIII 3.4	Long-term Test with Terrestrial Plants Section 7: Ecotoxicological Profile, including Fate and Behaviour
---	--

	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data
Remarks	
	COMMENTS FROM OTHER MEMBER STATES (specify)
Date	Give date of comments submitted
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Remarks	

Section A7.5.3.1.1. Annex Point / TNsG Annex IIIA XIII 1.1		Acute Oral Toxicity – Birds Section 7: Ecotoxicological Profile, including Fate and Behaviour	
		JUSTIFICATION FOR NON-SUBMISSION OF DATA As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable	Official use only
Other existing data	[1]	Technically not feasible [✓] Scientifically unjustified []	
Limited exposure	[1]	Other justification []	
Detailed justification:		An acute oral toxicity study for carbon dioxide cannot be submitted because it is not technically possible to determine the acute toxicity of carbon dioxide by the oral route. This is because there is no approved guideline for testing the acute toxicity of a gas by the oral route. Notwithstanding the above, it should be noted that carbon dioxide is constantly produced by all birds as a result of the numerous metabolic reactions involving carbon-containing compounds. Broiler chickens in a healthy barn environment can produce up to 60 litres CO ₂ /bird/day without causing any toxic effects. (See attached study summary for details). Carbon dioxide is recognised as a humane method for the dispatch of birds and small mammals. As shown in the attached study summary, the UK Home Office recommends that a rising concentration of carbon dioxide be used to dispatch birds up to 1.5% in weight. In atmospheres containing 30% carbon dioxide, the bird will lose consciousness and at 70% death will occur. The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no increase in atmospheric carbon dioxide levels outside normal atmospheric ranges (see details for this below), consequently there will be no risk to birds.	
		(Continued)	

Section A7.5.3.1.1. Annex Point / TNsG Annex IIIA XIII 1.1

Acute Oral Toxicity – Birds



Section A7.5.3.1.1.
Annex Point / TNsG
Annex IIIA XIII 1.1

Acute Oral Toxicity – Birds
Section 7: Ecotoxicological Profile, including Fate and Behaviour

	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data
Remarks	
	COMMENTS FROM OTHER MEMBER STATES (specify)
Date	Give date of comments submitted
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Remarks	

	kil Initial plc	Carbon Dioxide	March 2004	
Section A7.5.3.1.1 Annex Point IIIA, XIII, 1.1		Acute Oral Toxicity on Birds (1 of 2)		
3.2	Administration of the test substance	Refer to table A7.5.3.1.1-1, at the end of this study summary. However, note that study simply reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.		
3.3	Reference substance	No		
3.3.1	Method of analysis for reference substance	Not applicable. Reference substance was not used.		
3.4	Testing procedure			
3.4.1	Test organisms	Refer to table A7.5.3.1.1-2, at the end of this study summary.		
3.4.2	Test system	Refer to table A7.5.3.1.1-3, at the end of this study summary.		
3.4.3	Diet	Not reported, however note that the test substance not administered in the diet. (Refer to table A7.5.3.1.1-1, at the end of this study summary for details).		
3.4.4	Test conditions	No data available on test conditions (such as temperature, shielding of animals, ventilation, humidity and photoperiod /lighting).		
3.4.5	Duration of test	Carbon dioxide production by birds, via respiration, was measured for 35 days.		
3.4.6	Test parameter	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space. Parameters such as mortality, abnormal behaviour or signs of intoxication were not studied.		
3.4.7	Examination / Observation	Carbon dioxide production per day, was reported for birds weekly, for 5 weeks on days 1, 7, 14, 21, 28 and 35.		
3.4.8	Statistics	No calculations or statistics applied. Carbon dioxide production by birds was reported as litres carbon dioxide per 10,000 birds, per day.		
4.1	Limit test / Range finding test	4. RESULTS Not performed.		
4.2	Results test substance			
4,2.1	Applied concentrations	Carbon dioxide is naturally produced by birds, by the process of respiration. Each bird respires carbon dioxide into the air, where it is inhaled by other birds in the environment. Carbon dioxide production by birds is reported in table A7.5.3.1.1-4, at the end of this study summary.		
4.2.2	Effect data (Mortality)	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space. Parameters such as mortality, abnormal behaviour or signs of intoxication were not studied.		
4.2.3	Body weight	Body weights not reported. Results were expressed for birds of different ages (see table A7.5.3.1.1-4, at the end of this study summary).		
4.2.4	Feed consumption	Not reported.		

	kil Initial plc	Carbon Dioxide	March 200
	on A7.5.3.1.1 Point IIIA, XIII, 1.1	Acute Oral Toxicity on Birds (1 of 2)	
4.2,5	Concentration / response curve	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space. Parameters such as mortality, abnormal behaviour or signs of intoxication were not studied.	
4.2.6	Other effects	None reported.	
4.3 4.3.1	Results of controls Number / percentage of animals showing adverse effects	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space. Parameters such as mortality, abnormal behaviour or signs of intoxication were not studied.	
4.3.2	Nature of adverse effects	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space. Parameters such as mortality, abnormal behaviour or signs of intoxication were not studied.	
4.3	Test with reference substance	Not performed.	
5.1	Materials and Methods	5. APPLICANTS SUMMARY AND CONCLUSION This study was not carried out to SETAC procedures (as advised in The Technical Guidance Document in Support of Directive 98/8/EC Concerning the Placing of Biocidal Products on the Market: Guidance on Data Requirements for Active Substances and Biocidal Products).	
		Study reports typical volume of carbon dioxide added to air, by broiler chickens in a barn environment (when housed for farming e.g. for egg production). This report is simply advice about the minimum, good quality ventilation required to control carbon dioxide levels for a healthy barn environment.	
5.2	Results and discussion	As shown in table A7.5.3.1.1-4, at the end of this study summary, broiler chickens in a healthy barn environment can produce up to 60 litres carbon dioxide / bird / day without causing toxic effects.	
5.3	Conclusion	This data has been supplied to demonstrate the levels of carbon dioxide that chickens, when intensively farmed, are exposed to daily. Therefore validity criteria according to EPA OPPTS 850.2100 is not relevant for this study.	
5.3.1	Reliability	4	
5.3.2	Deficiencies	Yes	
		Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.	
		It is duly acknowledged that there is insufficient reporting of methods used in this study, and the results. In addition, this data has not been generated in accordance with scientifically acceptable protocols.	
		Despite the major reporting deficiencies in this study, it gives an indication about the level of carbon dioxide that can be tolerated by birds in a barn environment (when housed for farming e.g. egg production).	
	ntory Affairs\00-PRODUCT DIREC	This study, notwithstanding it's deficiencies, can be used to support the inhalation toxicity of carbon dioxide because under normal conditions of use, the use of carbon dioxide in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level CTORY/003 LEGISLATION/BPD/Carbon Dioxide Rodenticide/AI dossier for ECHA data dissemination	

Rentokil Initial plc Carbon Dioxide March 2004
Section A7.5.3.1.1 Acute Oral Toxicity on Birds (1 of 2)
Annex Point IIIA, XIII, 1.1

Table A7_5_3_1_1-1 Method of administration of the test substance

Carrier/yehicle	Details
Water	No
Organic carrier	No
Concentration of the carrier (% v/v)	Carrier not used. See "Administration of test substance" (below).
Other vehicle	Vehicle not used. See "Administration of test substance" (below).
Function of carrier/ vehicle	Carrier/ vehicle not used. See "Administration of test substance" (below).
Administration of test substance	Carbon dioxide is naturally produced by birds, by the process of respiration. Each bird respires carbon dioxide into the air, where it is inhaled by other birds in the environment.

Table A7_5_3_1_1-2 Test animals

Criteria	Details
Species / strain	Broiler chicken.
Source	Not reported.
Age (in weeks), sex and initial body weight (bw)	Sex and body weight not reported. Age of birds were: 1 day old 1 week old 2 weeks old 3 weeks old 4 weeks old 5 weeks old.
Breeding population	Not reported.
Amount of food	Not reported.
Age at time of first dosing	Study simply reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space. Measurements were taken from birds aged 1 day old.
Health condition / medication	Not reported.

Rentokil Initial plc Carbon Dioxide March 2004

Section A7.5.3.1.1 Acute Oral Toxicity on Birds (1 of 2) Annex Point IIIA, XIII, 1.1

Table A7_5_3_1_1-3 Test system

Criteria	Details
Test location	Indoors, in a barn environment (when housed for farming e.g. for egg production).
Holding pens	Not used.
Number of animals	Number of animals tested has not been reported but results expressed per 10,000 birds.
Number of animals per pen (cm²/bird)	Not reported, but minimum permitted space allowed is 23.77 cm ² / bird (0.78 ft ² /bird).
Number of animals per dose	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.
Pre-treatment / acclimation	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.
Diet during test	Not reported.
Dosage levels (of test substance)	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.
Replicate/dosage level	Number of replicate measurements of carbon dioxide production by birds (if any) has not been reported.
Feed dosing method	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.
Dosing volume per application	Not applicable. Study reports levels of carbon dioxide produced by birds, through respiration, in an enclosed space.
Frequency, duration and method of animal monitoring after dosing	Observations / animal monitoring not reported.
Time and intervals of body weight determination	Body weights not reported.

Rentokil Initial plc	Carbon Dioxide	March 2004
Section A7.5.3.1.1	Acute Oral Toxicity on Birds (1 of 2)	


Annex Point IIIA, XIII, 1.1

Table A7_5_3_1_1-4 Test results: Carbon dioxide Production by Broiler Chickens in a barn environment

Bird age	Carbon dioxide production / day per 10,000 birds
Day 1	57,000 L/day (equivalent to 5.7 L CO ₂ /bird/day)
Day 7 (1 week)	107,000 L/ day (equivalent to 10.7 L CO ₂ /bird/day)
Day 14 (2 weeks)	200,000 L/ day (equivalent to 20 L CO ₂ /bird/day)
Day 21 (3 weeks)	320,000 L/ day (equivalent to 32 L CO ₂ /bird/day)
Day 28 (4 weeks)	455,000 L/ day (equivalent to 45.5 L CO ₂ /bird/day)
Day 35 (5 weeks)	600,000 L/ day (equivalent to 60 L CO ₂ /bird/day)

Rentokil Initial plc	Carbon Dioxide	March 2004
Section A7.5.3.1.1	Acute Oral Toxicity on Birds (1 of 2)	
Annex Point IIIA, XIII, 1.1		

	Evaluation by Competent Authorities	
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted.	
	EVALUATION BY RAPPORTEUR MEMBER STATE	
Date	Give date of action	
Materials and Methods	State if applicants version is acceptable, or indicate relevant discrepancies referring to the (sub)heading numbers and to applicant's summary and conclusion.	
Results and discussion	Adopt applicant's version or include revised version. If necessary, discuss relevant deviations from applicant's view referring to the (sub)heading numbers.	
Conclusion	Other conclusions:	
	(adopt applicant's version or include revised version)	
Reliability	Based on assessment of materials and methods include appropriate reliability indicator.	
Acceptability	acceptable / not acceptable	
	(give reasons if necessary e.g. if a study is considered acceptable despite a poor reliability indicator. Discuss the relevance of deficiencies and indicate is repeat if necessary).	
Remarks		
	COMMENTS FROM	
Date	Give date of comments submitted.	
Materials and Methods	Discuss additional relevant discrepancies referring to the (sub)heading numbers and to applicant's summary and conclusion	
	Discuss if deviating from view of rapporteur member state.	
Results and discussion	Discuss if deviating from view of rapporteur member state.	
Conclusion	Discuss if deviating from view of rapporteur member state.	
Reliability	Discuss if deviating from view of rapporteur member state.	
Acceptability	Discuss if deviating from view of rapporteur member state.	
Remarks		



Section	kil Initial plc on A7.5.3.1.1	Carbon Dioxide Acute Oral Toxicity on Birds (2 of 2)	March 2004
Annex 3.4	Point IIIA, XIII, 1.1 Testing procedure		
3.4.1	Test organisms	Refer to table A7.5.3.1.1-2, at the end of this study summary.	
3.4.2	Test system	Refer to table A7.5.3.1.1-3, at the end of this study summary.	
3.4.3	Diet	Not reported, however note that the test substance not administered in the diet. (Refer to table A7.5.3.1.1-1, at the end of this study summary for details).	
3.4.4	Test conditions	Refer to table A7.5.3.1.1-3, at the end of this study summary.	
3.4.5	Duration of test	Birds and small animals become unconscious when the rising carbon dioxide concentration reaches 30%, and they die when it reaches 70 % v/v. Typical timescales to reach these concentrations have not been reported, because it depends on size of the enclosed chamber.	
3.4.6	Test parameter	Mortality.	
3.4.7	Examination / Observation	Not reported.	
3.4.8	Statistics	No calculations or statistics applied.	
4.1	Limit test / Range finding test	4. RESULTS Not performed.	
4.2	Results test		
4.2.1	substance Applied concentrations	70% v/v carbon dioxide (which causes death of test animals).	
4.2.2	Effect data (Mortality)	Mortality data expressed as a percent of exposed animals has not been reported.	
4.2.3	Body weight	Recommendations are for birds and small mammals up to 1.5 kg in weight.	
4.2.4	Feed consumption	Feed consumption of test animals has not been reported. Refer to "4.2.2 Effects Data (Mortality)" for explanation.	
4.2.5	Concentration / response curve	Not reported. Refer to "4.2.2 Effects Data (Mortality)" for explanation.	
4.2.6	Other effects	Inhalation of higher concentrations of carbon dioxide produces a slightly irritant or fizzy sensation in the nasal mucous membrane as the gas goes into solution. A rising blood concentration has a direct effect on the brain producing unconsciousness, first stimulating then depressing the rate of breathing. The initial stimulation of breathing first enhances the uptake of the gas. Unconsciousness is due to the direct narcotic effect of carbon dioxide rather than hypoxia resulting from the lowered oxygen content in the inspired air. Induction of narcosis is faster in smaller laboratory animals and therefore causes less distress. For this reason, exposure of carbon dioxide in a rising concentration is recommended as a humane method of killing rodents, rabbits and birds up to 1.5 kg body weight.	

Rentokil Initial plc Carbon Dioxide March 2004 Section A7.5.3.1.1 Acute Oral Toxicity on Birds (2 of 2) Annex Point IIIA, XIII, 1.1 4.3 Results of controls 4.3.1 Number / percentage Results of control animals has not been reported. of animals showing adverse effects Not applicable. Refer to "4.3.1 Number / percentage of animals 4.3.2 Nature of adverse showing adverse effects" for explanation. effects 4.3 Test with reference Not performed. substance APPLICANTS SUMMARY AND CONCLUSION 5. 5.1 Materials and Methods following method as a means to humanely kill birds and small mammals (up to 1.5 kg in weight) after scientific procedures or when kept in breeding or supply establishments. A simple chamber with a lid and a means to introduce a controlled flow of carbon dioxide can be used. The animal is placed in the empty chamber and the carbon dioxide, being heavier than air, will accumulate at the lower level. Animals may be left in the chamber until rigor mortis is observed, or removed and death ensured by exsanguination or neck dislocation. The chamber should be emptied, flushed clear of residual carbon dioxide and cleaned after each batch of animals has been killed. 5.2 Results and dispatch birds and other small mammals up discussion to 1.5 kg in weight. In atmospheres containing 30% carbon dioxide, the bird (or other small mammal) will lose consciousness and at 70% death will occur. 5.3 Conclusion for humane methods for killing of birds and small mammals after scientific procedures or when kept in breeding or supply establishments. Therefore validity criteria according to EPA OPPTS 850.2100 is not relevant for this study.

Rentokil Initial plc	Carbon Dioxide	March 2004
Section A7.5.3.1.1 Annex Point IIIA, XIII, 1.1	Acute Oral Toxicity on Birds (2 of 2)	

5.3.1 Reliability 4 5.3.2 Deficiencies Yes gives recommendations for humane methods for killing of birds and small mammals after scientific procedures or when kept in breeding or supply establishments. It recommends exposure of 70% v/v carbon dioxide as a method to humanely kill birds and small animals. It is duly acknowledged that there is insufficient reporting of methods used in this study, and the results. In addition, this data has not been generated in accordance with scientifically acceptable protocols. Despite the major reporting deficiencies in this study, it gives an indication about the level of carbon dioxide that kills birds (up to 1.5 kg in weight). This study, notwithstanding it's deficiencies, can be used to support the inhalation toxicity of carbon dioxide because under normal conditions of use, the use of carbon dioxide in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level of carbon dioxide in air, outside normal atmospheric ranges.

Rentokil Initial plc Carbon Dioxide March 2004

Section A7.5.3.1.1 Annex Point IIIA, XIII, 1.1

Acute Oral Toxicity on Birds (2 of 2)

Table A7_5_3_1_1-1 Method of administration of the test substance

Carrier/vehicle	Details
Water	No
Organic carrier	No
Concentration of the carrier (% v/v)	Carrier not used. See "Administration of test substance" (below).
Other vehicle	Vehicle not used. See "Administration of test substance" (below).
Function of carrier/ vehicle	Carrier/ vehicle not used. See "Administration of test substance" (below).
Administration of test substance	Carbon dioxide is pumped into an enclosed chamber, where it is inhaled by the test bird.

Table A7_5_3_1_1-2 Test animals

Criteria	Details
Species / strain	Rodents, rabbits and birds.
Source	Not applicable.
Source	Not applicable.
Age (in weeks), sex and initial body weight (bw)	Method is recommended for rodents, rabbits and birds up to 1.5 kg in weight.
	to 1.5 kg in weight.
Breeding population	Not reported. Refer to "source" (above) for explanation.
Amount of food	Not non out ad Defente "zaymae" (ah aya) fan aymlanatian
Amount of food	Not reported. Refer to "source" (above) for explanation.
Age at time of first dosing	Not reported. Refer to "source" (above) for explanation.
TT 10 10 10 10 10 10	
Health condition / medication	Not reported. Refer to "source" (above) for explanation.

Section A7.5.3.1.1 Annex Point IIIA, XIII, 1.1

Acute Oral Toxicity on Birds (2 of 2)

Table A7_5_3_1_1-3 Test system

Criteria	Details
Test location	A simple chamber with a lid and a means to introduce a controlled flow of carbon dioxide.
Number of animals	One animal per chamber.
Number of animals per dose	Not reported.
Pre-treatment / acclimation	No pre-treatment or acclimation.
Diet during test	Not reported. Refer to "Number of animals per dose" (above) for explanation.
Dosage levels (of test substance)	Not reported. Refer to "Number of animals per dose" (above) for explanation.
Replicate/dosage level	Not reported. Refer to "Number of animals per dose" (above) for explanation.
Feed dosing method	Not applicable. Refer to "Number of animals per dose" (above) for explanation.
Dosing volume per application	Not applicable. Refer to "Number of animals per dose" (above) for explanation.
Frequency, duration and method of animal monitoring after dosing	Observations of the animals in the test chamber have been reported (see "4.2.6 Other effects" in study summary), but frequency, duration and method of animal monitoring have not been reported.
Time and intervals of body weight determination	Not reported. Refer to "Number of animals per dose" (above) for explanation.


Rentokil Initial plc	Carbon Dioxide	March 2004
Section A7.5.3.1.1 Annex Point IIIA, XIII, 1.1	Acute Oral Toxicity on Birds (2 of 2)	

	Evaluation by Competent Authorities	
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted.	
	EVALUATION BY RAPPORTEUR MEMBER STATE	
Date	Give date of action	
Materials and Methods	State if applicants version is acceptable, or indicate relevant discrepancies referring to the (sub)heading numbers and to applicant's summary and conclusion.	
Results and discussion	Adopt applicant's version or include revised version. If necessary, discuss relevant deviations from applicant's view referring to the (sub)heading numbers.	
Conclusion	Other conclusions:	
	(adopt applicant's version or include revised version)	
Reliability	Based on assessment of materials and methods include appropriate reliability indicator.	
Acceptability	acceptable / not acceptable	
	(give reasons if necessary e.g. if a study is considered acceptable despite a poor reliability indicator. Discuss the relevance of deficiencies and indicate is repeat if necessary).	
Remarks		
	COMMENTS FROM	
Date	Give date of comments submitted.	
Materials and Methods	Discuss additional relevant discrepancies referring to the (sub)heading numbers and to applicant's summary and conclusion	
	Discuss if deviating from view of rapporteur member state.	
Results and discussion	Discuss if deviating from view of rapporteur member state.	
Conclusion	Discuss if deviating from view of rapporteur member state.	
Reliability	Discuss if deviating from view of rapporteur member state.	
Acceptability	Discuss if deviating from view of rapporteur member state.	
Remarks		

Section A7.5.3.1.2. Annex Point / TNsG Annex IIIA XIII 1.2		Short Term Toxicity –Birds Section 7: Ecotoxiological Profile, including Fate and Behaviour	
	As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable		Official use only
Other existing data	[1]	Technically not feasible [] Scientifically unjustified []	
Limited exposure	[]	Other justification []	
Detailed justification:		The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no increase in atmospheric carbon dioxide level, outside normal atmospheric ranges - consequently there will be no risk to birds. **Refer to attached page for details of scientific calculation which supports this statement.** Notwithstanding the above, it should be noted that carbon dioxide is constantly produced by all birds as a result of the numerous metabolic reactions involving carbon-containing compounds. Broiler chickens in a healthy barn environment can produce up to 60 litres CO ₂ /bird/day without causing any toxic effects ¹ .** 1. Refer to study summary submitted under section A7.5.3.1.1 Acute Oral Toxicity – Birds, for details.	
		(Continued)	

Section A7.5.3.1.2. Annex Point / TNsG Annex IIIA XIII 1.2

Short Term Toxicity -Birds



Section A7.5.3.1.2.
Annex Point / TNsG
Anney IIIA XIII 1.2

Short Term Toxicity –BirdsSection 7: Ecotoxiological Profile, including Fate and Behaviour

	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data
Remarks	
	COMMENTS FROM OTHER MEMBER STATES (specify)
Date	Give date of comments submitted
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Remarks	

Annex IIIA XIII 1.3	Effects on Reproduction – Birds Section 7: Ecotoxiological Profile, including Fate and Behaviour	
	As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable	Official use only
Other existing data [✔]	Technically not feasible [] Scientifically unjustified []	
Limited exposure [✔]	Other justification []	
Detailed justification:	The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no increase in atmospheric carbon dioxide level, outside normal atmospheric ranges - consequently there will be no risk to birds. *Refer to attached page for details of scientific calculation which supports this statement.* Notwithstanding the above, it should be noted that carbon dioxide is constantly produced by all birds as a result of the numerous metabolic reactions involving carbon-containing compounds. Broiler chickens in a healthy barn environment can produce up to 60 litres CO ₂ /bird/day without causing any toxic effects ¹ . 1. Refer to study summary submitted under section A7.5.3.1.1 Acute Oral Toxicity — Birds, for details.	

Section A7.5.3.1.3.
Annex Point / TNsG
Annex IIIA XIII 1.3

Effects on Reproduction - Birds

Section 7: Ecotoxiological Profile, including Fate and Behaviour

Detailed justification:

The use of RADAR: Effects on atmospheric concentrations of CO₂

RADAR is a mousetrap that is designed to be placed along wall floor junctions where mice are likely to run. The unit has entrances at each end through which mice can enter. Once inside, the mouse activates a pressure pad which causes the doors to shut, trapping the mouse inside, creating a sealed chamber. In the same action that closes the doors, a second mechanism causes CO2 to be totally released from an aerosol canister which humanely kills the mouse inside the trap. The aerosol canister used in RADAR contains 3.0g of pressurised CO2.

The aerosol canister used in RADAR contains 3.0g of pressurised CO₂. When the RADAR unit is activated, the gas is released from the aerosol canister and expands to fill the chamber. The volume that the CO₂ gas will occupy in the chamber can be calculated. One mole of any gas will occupy a volume of 24.45 litres at standard temperature and pressure (25°C and 1 atmosphere). As one mole of CO₂ weighs 44.0g, the volume that will be occupied by 3.0g of gas (at standard temperature and pressure) will be:

Volume $CO_2 = (3.0/44.0)*24.45 = 1.667$

If this volume of CO_2 was released into an average room (dimensions of 2.5 x 4.0 x 2.5m, giving a volume of 25 m³ = 25,000 litres), the concentrations of CO_2 released from the unit would be:

(1.667/25,000)*100% = 0.007% v/v

The normal atmospheric concentration of CO_2 is 0.03 % v/v so the release of CO_2 from a RADAR unit would increase the concentration to 0.037% v/v, which is in the normal ranges for CO_2 .

This calculation assumes that the CO_2 is immediately released into a completely airtight room. In practice, the RADAR unit will contain the CO_2 and release it over a period of over 15 minutes. The room is also likely to have some airflow, which will help to dissipate the CO_2 . Thus, the levels of CO_2 in the room are unlikely to ever reach the levels calculated.

The amount of CO2 released by a RADAR unit can also be compared to the CO2 produced by a person sitting in the room. At rest, a person will breathe about six litres of air per minute, with the exhaled air containing around 5% CO2. In one minute, the amount of CO2 exhaled will be $(6 \times 5/100) = 0.3$ litres, so in six minutes the person will have exhaled 1.8 litres of CO2, more than is released by a RADAR unit over fifteen minutes.

Undertaking of intended data submission []

Not applicable.

Section A7.5.3.1.3.
Annex Point / TNsG
Anney IIIA XIII 1.3

Effects on Reproduction – Birds
Section 7: Ecotoxiological Profile, including Fate and Behaviour


	Evaluation by Competent Authorities	
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted	
	EVALUATION BY RAPPORTEUR MEMBER STATE	
Date	Give date of action	
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view	
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data	
Remarks		
	COMMENTS FROM OTHER MEMBER STATES (specify)	
Date	Give date of comments submitted	
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state	
Conclusion	Discuss if deviating from view of rapporteur member state	
Remarks		

Section A7.5.4.1 Annex Point / TNsG Annex IIIA XIII 3.1		Acute Toxicity to Honeybees and other Beneficial Arthropo Section 7: Ecotoxiological Profile, including Fate and Behaviour	ds
		As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable	Official use only
Other existing data	ΙI	Technically not feasible [] Scientifically unjustified []	
Limited exposure	[1]	Other justification []	
Detailed justification:		The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no increase in atmospheric carbon dioxide levels, outside normal atmospheric concentrations - consequently there will be no risk to honeybees or other beneficial arthropods. *Refer to attached page for details of scientific calculation which supports this statement.* Notwithstanding the above, it should be noted that carbon dioxide is constantly produced by arthropods as a result of the numerous metabolic reactions involving carbon-containing compounds, without causing any toxic effects.	
		(Continued)	

Section A7.5.4.1 Annex Point / TNsG Annex IIIA XIII 3.1

Acute Toxicity to Honeybees and other Beneficial Arthropods


Section 7: Ecotoxiological Profile, including Fate and Behaviour



Acute Toxicity to Honeybees and other Beneficial Arthropods Section 7: Ecotoxiological Profile, including Fate and Behaviour

	Evaluation by Competent Authorities				
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted				
	EVALUATION BY RAPPORTEUR MEMBER STATE				
Date	Give date of action				
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view				
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data				
Remarks					
	COMMENTS FROM OTHER MEMBER STATES (specify)				
Date	Give date of comments submitted				
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state				
Conclusion	Discuss if deviating from view of rapporteur member state				
Remarks					


Section A7.5.5 Annex Point / TNsG Annex IIA, VII 7.5	Bioconcentration, Terrestrial Section 7: Ecotoxiological Profile, including Fate and Behaviour						
	As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable						
Other existing data] Technically not feasible [] Scientifically unjustified []						
Limited exposure	7 Other justification [✔]						
Detailed justification:	Carbon dioxide is naturally present in the soil. It is constantly produced by soil-dwelling organisms as a result of the numerous metabolic reactions involving carbon-containing compounds ¹ . Carbon dioxide is also naturally produced in the soil during the process of decomposition ¹ . Soil dwelling organisms are exposed to carbon dioxide in the soil without any toxic effects. The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no increase in atmospheric carbon dioxide levels, outside normal atmospheric ranges - consequently there is no risk of bioconcentration in the terrestrial environment. Refer to attached page for details of scientific calculation which supports this statement.						



Section A7.5.5 Annex Point / TNsG Annex IIA, VII 7.5

Bioconcentration, Terrestrial

Section 7: Ecotoxiological Profile, including Fate and Behaviour




Section A7.5.5	
Annex Point / TNsG	
Annex IIA. VII 7.5	

Bioconcentration, TerrestrialSection 7: Ecotoxiological Profile, including Fate and Behaviour

	Evaluation by Competent Authorities			
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted			
	EVALUATION BY RAPPORTEUR MEMBER STATE			
Date	Give date of action			
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view			
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data			
Remarks				
	COMMENTS FROM OTHER MEMBER STATES (specify)			
Date	Give date of comments submitted			
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state			
Conclusion	Discuss if deviating from view of rapporteur member state			
Remarks				


Section A7.5.5.1 Annex Point / TNsG Annex IIA, VII 7.5		Bioconcentration, Further Studies Section 7: Ecotoxiological Profile, including Fate and Behaviour						
		JUSTIFICATION FOR NON-SUBMISSION OF DATA As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable						
Other existing data Limited exposure	[]	Technically not feasible [] Scientifically unjustified [] Other justification [✓]						
Detailed justification:		Carbon dioxide is naturally present in the soil. It is constantly produced by soil-dwelling organisms as a result of the numerous metabolic reactions involving carbon-containing compounds ¹ . Carbon dioxide is also naturally produced in the soil during the process of decomposition ¹ . Soil dwelling organisms are exposed to carbon dioxide in the soil without any toxic effects. The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no increase in carbon dioxide levels, outside normal atmospheric ranges - consequently there is no risk of bioconcentration in the terrestrial environment. Refer to attached page for details of scientific calculation which supports this statement. (Continued)						



Section A7.5.5.1 Annex Point / TNsG Annex IIA, VII 7.5

Bioconcentration, Further Studies

Section 7: Ecotoxiological Profile, including Fate and Behaviour



Section A7.5.5.1
Annex Point / TNsG
Anney IIA, VII 7.5

Bioconcentration, Further Studies

Section 7: Ecotoxiological Profile, including Fate and Behaviour

	Evaluation by Competent Authorities				
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted				
	EVALUATION BY RAPPORTEUR MEMBER STATE				
Date	Give date of action				
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view				
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data				
Remarks					
	COMMENTS FROM OTHER MEMBER STATES (specify)				
Date	Give date of comments submitted				
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state				
Conclusion	Discuss if deviating from view of rapporteur member state				
Remarks					


Section A7.5.6 Annex Point / TNsG Annex IIIA XIII 3.4		Effects on Other Terrestrial Non-Target Organisms Section 7: Ecotoxicological Profile, including Fate and Behaviour						
		JUSTIFICATION FOR NON-SUBMISSION OF DATA As outlined in the TNsG on data requirements, the applicant must always be able to justify the suggested exemptions from the data requirements. The justifications are to be included in the respective location (section) of the dossier. If one of the following reasons is marked, detailed justification has to be given below. General arguments are not acceptable						
Other existing data Limited exposure	[1]	Technically not feasible [] Scientifically unjustified [] Other justification []						
Detailed justification:		This information is only required if a concern for the terrestrial compartment is indicted by the risk assessment or if there is likely to be long term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems, outside normal atmospheric ranges. In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Refer to next page for details of the scientific calculation which supports this statement. Consequently there will be no increased carbon dioxide levels in the terrestrial system so it is not necessary to determine the effect of increased carbon dioxide on terrestrial non-target organisms.						
		(Continued)						



Section A7.5.6 Annex Point / TNsG Annex IIIA XIII 3.4

Effects on Other Terrestrial Non-Target Organisms

Section 7: Ecotoxicological Profile, including Fate and Behaviour



Section A7.5.6
Annex Point / TNsG
Annex IIIA XIII 3.4

Effects on Other Terrestrial Non-Target OrganismsSection 7: Ecotoxicological Profile, including Fate and Behaviour


	Evaluation by Competent Authorities			
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted			
	EVALUATION BY RAPPORTEUR MEMBER STATE			
Date	Give date of action			
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view			
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required e.g. submission of specific test/study data			
Remarks				
	COMMENTS FROM OTHER MEMBER STATES (specify)			
Date	Give date of comments submitted			
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state			
Conclusion	Discuss if deviating from view of rapporteur member state			
Remarks				

Section A7.5.7.1 Annex Point / TNsG Annex IIIA XIII 3.4		Effects on Mammals Section 7: Ecotoxicological Profile, including Fate and Behaviour							
									Official use only
Other existing data	ΙI	Technically	not feasibl	le []	Scie	entifically	unjustified	1.1	
Limited exposure	[1]	Other justifi	cation	[]					
Detailed justification:		This informa exposure for terrestrial en	mammals	is possib					
		Carbon dioxi rodenticide (I carbon dioxid atmospheric dioxide to be Refer to next this statemen	PT14) prood de naturally ranges. In released d page for d t.	ducts will y found in addition, irectly in details of	not can n terres , there i to the t the scie	use any el strial syste is no mech errestrial entific cald	evation in the ms, outside n nanism for the system. culation which	e levels of ormal e carbon h supports	
		Consequently terrestrial sys carbon dioxid	stem so it is	s not nec					
		Given the abo			is not n	ecessary t	o submit data	to meet the	
		7.5.7.1.1 7.5.7.1.2 7.5.7.1.3	Short	term tox	icity (m	nammals) nammals) on (mamn	nals)		
		Note that the Toxicologica							
		(Continued	Ý						

Section A7.5.7.1 Annex Point / TNsG Annex IIIA XIII 3.4

Effects on Mammals

Section 7: Ecotoxicological Profile, including Fate and Behaviour



Section A7.5.7.1
Annex Point / TNsG
Annex IIIA XIII 3.4

Effects on Mammals

Section 7: Ecotoxicological Profile, including Fate and Behaviour

	Evaluation by Competent Authorities
	Use separate "evaluation boxes" to provide transparency as to the comments and views submitted
	EVALUATION BY RAPPORTEUR MEMBER STATE
Date	Give date of action
Evaluation of applicant's justification	Discuss applicant's justification and, if applicable, deviating view
Conclusion	Indicate whether applicant's justification is acceptable or not. If unacceptable because of the reasons discussed above, indicate which action will be required, e.g. submission of specific test/study data
Remarks	
	COMMENTS FROM OTHER MEMBER STATES (specify)
Date	Give date of comments submitted
Evaluation of applicant's justification	Discuss if deviating from view of rapporteur member state
Conclusion	Discuss if deviating from view of rapporteur member state
Remarks	

Rentokil Initial plc	Carbon Dioxide	March 2004
Section A7.6	Summary of ecotoxicological effects and fate and	
	hehaviour in the environment	

Note that the following information is identical to that found in Document IIA.

4 ENVIRONMENTAL EFFECTS ASSESSMENT

4.1 FATE AND DISTRIBUTION IN THE ENVIRONMENT

4.1.1 Degradation

4.1.1.1 Biodegradation (1 of 2)

Guideline	Test	Test		Inocu		Additional	Test	Degrada	tion	Remarks	Reference
/ Test method	type	parameter	Туре	Conc	Adaptation	substrate	substance conc.	Incubation period	Degree [%]		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Ready Biodegradability Carbon dioxide does break down in water to give carbonic acid: CO₂ + H₂O √ H₂CO₃ This, however, is not brought about by biological means, as it will happen as the result of the simple dissolution of the carbon dioxide in water.	Document III-A Section 7.1.1.2.1
										Testing for the ready biodegradability of carbon dioxide is scientifically unjustified. Carbon dioxide evolution is one of the major end-points used in such biodegradability tests. Ready biodegradability describes the conversion of test substances to carbon dioxide, thus recognising that there will not normally be any further degradation.	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Inherent Biodegradability ¹ Inherent biodegradability is technically not possible to perform on carbon dioxide as the test methods are designed to work with water-soluble, non volatile organic substances. Carbon dioxide, although water soluble, is volatile and inorganic.	Document III-A Section 7.1.1.2.2

Footnotes

^{1.} Due to the ready biodegradability and inherent biodegradability of carbon dioxide, it is not scientifically necessary to determine the rate and route of carbon dioxide degradation in aquatic systems (the data end points detailed in Document III-A, 7.1.2, 7.1.2.2.1 and 7.1.2.2.1).

4.1.1.1 Biodegradation (2 of 2)

Guideline	Test	Test		Inocu	lum	Additional	Test	Degrada	tion	Remarks	Reference
/ Test method	type	parameter	Туре	Conc	Adaptation	substrate	substance conc.	Incubation period	Degree [%]		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Biodegradation in sea water Data on biodegradation in seawater is not required as carbon dioxide is not intended to be either used or released into marine environments. For these purposes, it is intended that carbon dioxide be used as a biocide in a closed system.	Document III-A Section 7.1.1.2.3
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Biological sewage treatment – aerobic and anaerobic biodegradation Aerobic biodegradation in biological sewage treatment is not applicable, as carbon dioxide is not intended to enter sewage treatment plants before release to the environment. Anaerobic biodegradation is not applicable, as carbon dioxide is not intended to be exposed to anaerobic conditions. For these purposes, it is intended that carbon dioxide be used as a biocide in a closed system.	Document III-A Section 7. 1.2.1.1 Document III-A Section 7.1.2.1.2

4.1.1.2 Abiotic Degradation

Hydrolysis

Guideline /Test Method	pН	Temperature [°C]	Initial TS concentration C ₀ [mol/l]	Reaction rate Constant, K _h [1/s x 10 ⁵]	Half-life, DT ₅₀ [h]	Coefficient of correlation, r ₂	Remarks	Reference
N/A	N/A	N/A	N/A	N/A	N/A	N/A	Further work or studies are not considered scientifically justified as the chemistry of carbon dioxide is well known and this result can be predicted from the intrinsic properties of carbon dioxide.	Document III-A Section 7.1.1.1.1
							Carbon dioxide is moderately soluble in water and at 20°C, 88 ml of carbon dioxide will dissolve in 100 ml of water Some of this dissolved carbon dioxide will react with water to form carbonic acid.	
							$CO_2 + H_2O \sqrt{H_2CO_3}$	
							Carbonic acid will undergo further reactions to produce bicarbonate and carbonate ions	
							$H_2CO_3 + OH^- \sqrt{HCO_3} + H_2O$	
							$HCO_3^{-} + OH^{-} \sqrt{CO_3^{2-}} + H_2O$	
							Thus, an aqueous solution of carbon dioxide will contain mainly carbon dioxide, with a small amount of carbonic acid, bicarbonate ions and carbonate ions. No further reactions will take place in the absence of other chemicals. The equilibrium constant for the disassociation reaction is 600, which means that there is 600 times more carbon dioxide in solution than is converted to carbonic acid. This will not change with time, so carbon dioxide can be considered to be hydrolytically stable.	
							It should be noted that each of the reactions described above is reversible and an equilibrium will exist for each. The introduction or removal of even a tiny amount of any of the chemical species in the reactions described will cause the equilibria to be disturbed and change the concentrations of all the chemical species in the reaction. For this reason, it would be necessary to conduct the experiment in a sealed system with	
							some sort of in-built analysis capability for whichever of the ions are to be monitored. The concentration of these ions is likely to be so low that they cannot be accurately measured without removing them from the system and thus disturbing the	

Ş		
	equilibria.	

Photolysis in water

Guideline/ Test Method	Initial Molar TS concentration	Total Recovery of Test Substance [% of appl. a.s.]	Photolysis rate constant (k ^c _p)	Direct photolysis sunlight rate constant (K_{pE})	Reaction quantum yield (0° _E)	Half-life (t _{1/2E})	Remarks	Reference
N/A	N/A	N/A	N/A	N/A	N/A	N/A		Document III-A Section 7.1.1.1.2

Phototransformation in air

Guideline/ Test Method	Initial Molar TS	Total Recovery of Test Substance	Photolysis rate constant (k ^c _p)	Direct photolysis sunlight rate	Reaction quantum	Half-life (t _{1/2E})	Remarks	Reference
	concentration	[% of appl. a.s.]		constant (K _{pE})	yield (0°E)			
N/A	N/A	N/A	N/A	N/A	N/A	N/A	As a gas under all environmental conditions that are likely to occur on earth, carbon dioxide will occur predominately in air. Carbon dioxide is a by-product of aerobic respiration. There is a natural "carbon cycle" whereby carbon dioxide is continuously added and removed from the environment through natural processes. Under normal conditions of use, the carbon dioxide used in Rentokil Initial's rodenticide (PT14) products that contain carbon dioxide will not cause any elevation in the level of carbon dioxide in air, outside normal atmospheric ranges. This makes it unnecessary to determine the fate of carbon dioxide in air.	Document III-A Section 7.3.1 Document III-A Section 7.3.2

4.1.1.3 Distribution

Absorption onto/desorption from soils (1 of 2)

Guideline/	Absorbed	K_a^{-1}	K _{aOC} ²	K_d^{3}	K _{dOC} 4	K_a/K_d^{-5}	Degradatio	n products	Remarks	Reference
test method	a.s. [%]						Name	[%] of a.s.		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	In water, carbon dioxide breaks down to give carbonic acid, which is brought about by the result of simple dissolution of the carbon dioxide in water. CO₂ + H₂O √ H₂CO₃ It will attain equilibrium with air spaces in soil through passive diffusion. Under normal conditions of use, Rentokil Initial's rodenticide (PT14) products that contain carbon dioxide will not be applied directly to the sediment. In addition, calculations show that the use of carbon dioxide in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level of carbon dioxide in water, outside normal atmospheric ranges. For the reasons detailed above, it is not necessary to conduct a adsorption/desorption screening test for carbon dioxide.	Document III-A Section 7.1.3 Document III-A Section 7.1.4 Document III-A Section 7.1.4 The section 7.1.4.1

Key

= Adsorption coefficient. 1. K_a

2. K_{aOC} = Adsorption coefficient based on organic carbon content.

3. K_d = Desorption coefficient.

4. K_{dOC} = Desorption coefficient based on organic carbon content.
5. K_a/K_d = Adsorption/desorption distribution coefficient.

Absorption onto/desorption from soils (2 of 2)

Guideline/	Absorbed	K _a ¹	K _{aOC} ²	K_d^{3}	K _{dOC} ⁴	K_a/K_d^{-5}	Degradatio	on products	Remarks	Reference
test method	a.s. [%]		ASSESSMENT,	155/4	19040000	VLV001 200-91	Name	[%] of a.s.		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Additional soil studies (as detailed in data requirements 7.2.1, 7.2.2, 7.2.2.1, 7.2.2.2, 7.2.2.3, 7.2.2.4, 7.2.3, 7.2.3.1, 7.2.3.2) Data fate and behaviour in soil is not required as carbon dioxide is not intended to be either used or released directly to the soil and therefore these studies are not required. The data end points for ready biodegradability (7.1.1.2.1) and inherent biodegradability (7.1.1.2.2) do not indicate the need to conduct studies on the fate and behaviour of carbon dioxide in soil. In addition, this is substantiated by the fact that that carbon dioxide does undergo a degree of abiotic degradation by means of simple dissolution in water. Also, it is well known that although carbon dioxide occurs predominately in air, it will attain equilibrium with air spaces in soil through passive diffusion.	Document III-A Section 7.2.1 7.2.2 7.2.2.1, 7.2.2.2, 7.2.2.3, 7.2.2.4, 7.2.3, 7.2.3.1, 7.2.3.2
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Bioconcentration in soil The risk assessment for the use of carbon dioxide as a biocidal active substance in rodenticide products (PT 14) shows that carbon dioxide is released into the atmosphere at such a level that there is no measurable increase in the atmospheric carbon dioxide level, consequently there is no risk of bioconcentration in the terrestrial environment.	Document III-A Section A7.5.5 Document III-A Section A7.5.5.1

Key

- 1. K_a = Adsorption coefficient.
- 2. K_{aOC} = Adsorption coefficient based on organic carbon content.
- 3. K_d = Desorption coefficient.
- 4. K_{dOC} = Desorption coefficient based on organic carbon content.
 5. K_a/K_d = Adsorption/desorption distribution coefficient.

4.1.2 Accumulation

Measurements of aquatic bioconcentration

Guideline /Test method	Exposure	Log Pow of a.s.	Initial concentration of a.s.	Steady-state BCF	Uptake rate constant	Depuration rate constant	Depuration time (DT ₅₀)	Metabolites	Remarks	Reference
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	"Bioconcentration" is the process leading to a higher concentration of, for example, a pesticide in an organism than in environmental media to which it is exposed. Since CO ₂ is a naturally occurring substance that all living organisms are exposed to, and which plays a vital role in the normal maintenance of life, studies into the bioconcentration of carbon dioxide are not justified. The partition coefficient of CO ₂ is 0.83.	Document III-A Section 7.4.2

Estimations on aquatic bioconcentration

Basis for	Log Pow	Estimated BCF for	Estimated BCF for fish	Remarks	Reference
estimation	(measured)	fish (freshwater)	eating bird/predator		
N/A	N/A	N/A	N/A	"Bioconcentration" is the process leading to a higher concentration of, for example, a pesticide in an organism than in environmental media to which it is exposed. Since CO ₂ is a naturally occurring substance that all living organisms are exposed to, and which plays a vital role in the normal maintenance of life, studies into the bioconcentration of carbon dioxide are not justified. The partition coefficient of CO ₂ is 0.83.	Document III-A Section 7.4.2

Estimation on terrestrial bioconcentration

Basis for	Log Pow		Estin	nated BCF for	Remarks	Reference	
estimation	(measured)	Terrestrial	food chain I	Terrestri	al food chain II		
	52925	Soil dwelling	Predatory bird	Terrestrial	t necessary to		
		species	/vertebrate	plant	get organism		
N/A	N/A	N/A	N/A	N/A	N/A	"Bioconcentration" is the process leading to a higher concentration of, for example, a pesticide in an organism than in environmental media to which it is exposed. Since CO ₂ is a naturally occurring substance that all living organisms are exposed to, and which plays a vital role in the normal maintenance of life, studies into the bioconcentration of carbon dioxide are not justified. The partition coefficient of CO ₂ is 0.83.	Document III-A Section 7.4.2

4.2 EFFECT ON ENVIRONMENTAL ORGANISMS

4.2.1 Aquatic compartment

Acute toxicity to fish

Guideline/	Species	Endpoint/	Exposure			Results		Remarks	Reference
Test method		Type of test	Design	Duration	LC_0	LC_{50}	LC_{100}		
No set guideline followed. Refer to "Exposure Design" for summary of methodology followed.	Brook Trout (Salvelinus fontinalis) Slimy Sculpin (Cottus cognatus) Blacknose dace (Rhinichthys atratulus)	Rather than looking at acute toxicity per se, this test investigated the physiological and behavioural effects of fish exposed to carbon dioxide.	3 replicates of 4 different CO ₂ levels were tested in treatment vessels. Dose levels of CO ₂ were 1.4%, 2.8% and 5.1%. Substrate cover of flat creekbed stones (5-15 cm) was provided in each tank; floe maintained at 6 l/min and water volume 85 l. CO ₂ was measured throughout the test period, and adjustments made periodically to maintain treatments at or near prescribed points. After tests, fish were monitored for 1 week to assess short-term mortality.	24 h	Rather that acute toxic test invest physiolog behaviour exposed to The result physiolog exposure to carbon did differed by they were 1.4%, 2.89. However in pre-treatm of most be (including observed 2 cessation 3 test spec	tigated the gical and ral effects to carbon ts show the gical respector increase exposed to exposed 5. recovery ment active the gical respector of exposed 24h after of exposor	se, this e s of fish dioxide. hat conses to sed fish s when to 1% CO ₂ . to rity rates patterns) was	This study gives an indication about the possible physiological and behavioural effects increased levels of CO ₂ may have on fish. This study, notwithstanding it's deficiencies, can be used to support the acute toxicity of CO ₂ to fish because under normal conditions of use, the use of CO ₂ in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level of CO ₂ in water or air outside normal atmospheric ranges. Given this, it makes it unnecessary to conduct further studies on the toxicity of CO ₂ to fish. ^{1,2,3}	Document III-A Section 7.4.1.1

Footnotes

- 1. Due to the results available on the acute toxicity of carbon dioxide to fish, coupled with the fact that there is no exposure to the aquatic environment, it is not necessary to submit further studies on the effects of carbon dioxide to aquatic organisms (the data requirements detailed in Document III-A, 7.4.3). It is also not necessary to submit data on prolonged toxicity of carbon dioxide to fish (Document III-A, 7.4.3.1).
- 2. Due to the results available in the core base set of environmental toxicity data for carbon dioxide, particularly that available on the acute toxicity to fish and the fact that there is no exposure to the aquatic environment, it is not necessary to submit further studies on the effects of carbon dioxide on the reproduction and growth rate of fish (the data requirements detailed in Document III-A, 7.4.3.2).
- 3. Due to the fact that there is no exposure to the aquatic environment, coupled with the fact that there is no data available which suggests that carbon dioxide will bioaccumulate in the environment, nor is there a risk of secondary poisoning through the use of carbon dioxide, it is not necessary to submit data on bioaccumulation in fish (the data requirements detailed in Document III-A 7.4.3.3.1).

Acute toxicity to invertebrates

Guideline/	Endpoint /	Exp	posure	Results			Remarks	Reference
Test method	Type of test	Design	Duration	LC_0	LC_{50}	LC_{100}		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	In principle, invertebrates will be expected to show similar physiological tolerances to carbon dioxide as those exhibited by fish (refer to table above for details). There is no underlying reason why aquatic invertebrates should be more sensitive, and so the generation of additional test data is unjustified. 1,2,3	Document IIIA Section 7.4.1.2

Footnotes

- 1. Due to the results available on the acute toxicity of carbon dioxide to fish (which can be applied to invertebrates), coupled with the fact that there is no exposure to the aquatic environment, it is not necessary to submit further studies on the effects of carbon dioxide to aquatic organisms (the data requirements detailed in Document III-A, 7.4.3). It is also not necessary to submit data on prolonged toxicity of carbon dioxide to fish (Document III-A, 7.4.3.1).
- 2. Due to the fact that there is no exposure to the aquatic environment, coupled with the fact that there is no data available which suggests that carbon dioxide will bioaccumulate in the environment, nor is there a risk of secondary poisoning through the use of carbon dioxide, it is not necessary to submit data on bioaccumulation in invertebrate species (the data requirements detailed in Document III-A 7.4.3.3.2).
- 3. Due to the results available in the core base set of environmental toxicity data for carbon dioxide, particularly that available on the acute toxicity to fish (which can be applied to invertebrates) and the fact that there is no exposure to the aquatic environment, it is not necessary to submit further studies on the effects of carbon dioxide on the reproduction and growth rate of invertebrates (the data requirements detailed in Document III-A, 7.4.3.4).

Growth inhibition on algae

Guideline/	Species	Endpoint /	Ex	posure	Results		in.	Remarks	Reference
Test method		Type of test	Design	Duration	NOE _r C	$E_bC_{50}^{1}$	$E_{r}C_{50}^{2}$		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	It is not scientifically necessary to calculate the growth inhibition of carbon dioxide to algae, because carbon dioxide is an essential substrate for photosynthesis. In addition, under normal conditions of use, the use of CO ₂ in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level of CO ₂ in water or air outside normal atmospheric ranges. ¹	Document IIIA Section 7.4.1.3

Key

- 1. Calculated from the area under the growth curve
- 2. Calculated from growth rate

Footnotes

1. Due to the results available on the toxicity of carbon dioxide to algae, coupled with the fact that there is no exposure to the aquatic environment, it is not necessary to submit further studies on the effects of carbon dioxide to aquatic organisms (the data requirements detailed in Document III-A, 7.4.3). It is also not necessary to submit data on prolonged toxicity of carbon dioxide to fish (Document III-A, 7.4.3.1).

Inhibition of microbial activity (aquatic)

Guideline /	Species /	Endpoint/	Ex	posure	Results		s	Remarks	Reference
Test method	Inoculum	Type of test	Design	Duration	EC ₂₀	EC ₅₀	EC ₈₀		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	 Whist elevated levels of carbon dioxide may affect environmental conditions for bacteria by reducing pH, there are a number of mitigating factors that would reduce any environmental impacts of such changes and make it unnecessary to generate new test data. (a) Most free living prokaryotic bacteria can tolerate a pH range of about 3 units (three orders of magnitude changes in pH). (b) There is a high level of functional redundancy amongst mixed communities of micro-organisms such that declines in population of some species e.g. due to unfavourable pH conditions, will be compensated for by increases in others. The effect of this biological diversity and different environmental optima for different species means that most bacteria can live in a wide range of pH conditions, from 0.5-9.0. In addition, it is not necessary to determine the effect of increased carbon dioxide levels on microbial activity because under normal conditions of use, the use of CO₂ in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level of CO₂ in water or air outside normal atmospheric ranges. ¹ 	Document IIIA Section 7.4.1.4

Footnotes

1. Due to the results available on the toxicity of carbon dioxide to aquatic microbes, coupled with the fact that there is no exposure to the aquatic environment, it is not necessary to submit further studies on the effects of carbon dioxide to aquatic organisms (the data requirements detailed in Document III-A, 7.4.3). It is also not necessary to submit data on prolonged toxicity of carbon dioxide to fish (Document III-A, 7.4.3.1).

Effects on sediment dwelling organisms

Remarks	Reference
This information is only required if the active substance partitions to, and persists in,	Document IIIA
aquatic sediments, such that sediment dwelling organisms are likely to be exposed to the	Section 7.4.3.5.1
active substance. Under normal conditions of use, the use of CO ₂ in Rentokil Initial's	
rodenticide (PT14) products will not cause any elevation in the level of CO ₂ in water,	
outside normal atmospheric ranges thus sediment dwelling organisms will not be	
exposed to increased carbon dioxide. This makes it unnecessary to generate data on the	
effects of increased carbon dioxide to sediment dwelling organisms.	

Aquatic Plant Toxicity

Remarks	Reference
Under normal conditions of use, the use of CO ₂ in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the level of CO ₂ in water, outside normal atmospheric ranges thus aquatic plants will not be exposed to increased carbon dioxide. This makes it unnecessary to generate data on the effects of increased carbon dioxide to aquatic plants.	Document IIIA Section 7.4.3.5.2

4.2.2 Atmosphere

4.2.3 Terrestrial compartment

Toxicity to terrestrial organisms, initial tests (1 of 6)

Guideline/	Species	Endpoint /	Exposu	re		Results		Remarks	Reference
Test method		Type of test	Design	Duration	NOEC	LOEC	EC/LC ₅₀		
N/A	Microbes, terrestrial	N/A	N/A	N/A	N/A	N/A	N/A	This data is only required if a concern for the terrestrial compartment is indicated by the risk assessment or if there is likely to be long-term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems (outside normal atmospheric ranges). In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Consequently, there will be no increased carbon dioxide levels in the terrestrial system, so it is not necessary to determine the effect of increased carbon dioxide on microbial activity.	Document IIIA Section 7.5.1.1

Toxicity to terrestrial organisms, initial tests (2 of 6)

Guideline/	Species	Endpoint /	Exposur	·e		Results		Remarks	Reference
Test method	<u>****</u>	Type of test	Design	Duration	NOEC	LOEC	EC/LC ₅₀		
No set guideline followed. Refer to "Exposure Design" for summary of methodology followed.	Earthworm (test species was a natural population of surface casting earthworm. Exact species not given)	Rather than investigating acute toxicity per se, this study investigated the effects of increased CO ₂ on cast production.	Carbon dioxide was added to soil plots using a screen aided CO ₂ control facility. Control plots contained 350µm CO ₂ while test plots contained an increased level of CO ₂ (610 µm) in natural soil	2 years.	not given investiga per se. I levels of surface of increase surface of year was commun CO ₂ . Co of earthy	ating acute Exposure to CO ₂ cause east produce 6 fold. Cu east produce 35% great ities with eO ₂ induced worms which soil turno	est was not toxicity of increased drates of tion to mulative tion after 1 ter in elevated stimulation ch	This data is only required if a concern for the terrestrial compartment is indicated by the risk assessment or if there is likely to be long-term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems (outside normal atmospheric ranges). In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Consequently, there will be no increased carbon dioxide levels in the terrestrial system, so it is not necessary to determine the effect of increased carbon dioxide on earthworms. Notwithstanding this, the study summarised here gives an indication about the possible effects increased CO ₂ may have on cast production by earthworms.	Document IIIA Section 7.5.1.2

Footnotes

^{1.} Due to the results available in the core base set of environmental toxicity data for carbon dioxide, particularly that available on the toxicity to earthworms and the fact that there is no exposure to the terrestrial environment, it is not necessary to submit further studies on the effects of carbon dioxide on the reproduction of earthworms or other soil non-target macro-organisms (the data requirements detailed in Document III-A, 7.5.2.1).

Toxicity to terrestrial organisms, initial tests (3 of 6)

Guideline/	Species	Endpoint /	Exposu	re		Results		Remarks	Reference
Test method	N=0.	Type of test	Design	Duration	NOEC	LOEC	EC/LC ₅₀		
N/A.	Plants	N/A	N/A	N/A	N/A	N/A	N/A	This data is only required if a concern for the terrestrial compartment is indicated by the risk assessment or if there is likely to be long-term exposure to the active substance.	Document IIIA Section 7.5.1.3
								Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems (outside normal atmospheric ranges). In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system.	
								Consequently, there will be no increased carbon dioxide levels in the terrestrial system, so it is not necessary to determine the effect of increased carbon dioxide on plants.	
								Notwithstanding this, it should be noted that carbon dioxide plays a vital role in the photosynthesis pathway of plants. It is widely accepted that commercial horticulturists, such as tomato growers, use carbon dioxide to enrich the atmospheres of their greenhouses to accelerate the growth of their crops. ¹	

Footnotes

1. Due to the results available in the core base set of environmental toxicity data for carbon dioxide, particularly that available on the toxicity to plants and the fact that there is no exposure to the terrestrial environment, it is not necessary to submit further studies on the long term effects of carbon dioxide on plants (the data requirements detailed in Document III-A, 7.5.2.2).

Toxicity to terrestrial organisms, initial tests (4 of 6)

Guideline/	Species	Endpoint /	Exposu	re		Results		Remarks	Reference
Test method	7000,000	Type of test	Design	Duration	NOEC	LOEC	EC/LC ₅₀		
N/A.	Birds	N/A	N/A	N/A	N/A	N/A	N/A	An acute oral toxicity study for carbon dioxide cannot be submitted because it is not technically possible to determine the acute toxicity of carbon dioxide by the oral route. This is because there is no approved guideline for testing the acute toxicity of a gas by the oral route. In addition to the above, it should be noted that carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in the atmosphere, outside normal atmospheric ranges. Consequently, there will be no increased carbon dioxide levels in the atmosphere, so it is not necessary to determine the effect of increased carbon dioxide on birds. Given the fact that there will be no elevation in the levels of carbon dioxide naturally found in the atmosphere (outside normal atmospheric ranges) when carbon dioxide is used as a biocide in Rentokil Initial's rodenticide (PT14) products, it is also not necessary to determine the effect of increased carbon dioxide on the reproduction of birds, and it's short-term toxicity to birds.	Document IIIA Section 7.5.1.1 Document IIIA Section 7.5.1.2 Document IIIA Section 7.5.1.3

Toxicity to terrestrial organisms, initial tests (5 of 6)

Guideline/	Species	Endpoint /	Exposu	re		Results		Remarks	Reference
Test method	··	Type of test	Design	Duration	NOEC	LOEC	EC/LC ₅₀		
N/A.	Honeybees	N/A	N/A	N/A	N/A	N/A	N/A	Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in the atmosphere (outside normal atmospheric ranges). Consequently, there will be no increased carbon dioxide levels in the atmosphere, so it is not necessary to determine the effect of increased carbon dioxide on honeybees or other beneficial arthropods.	Document IIIA Section 7.5.4.1
N/A	Other terrestrial non-target organism	N/A	N/A	N/A	N/A	N/A	N/A	This data is only required if a concern for the terrestrial compartment is indicated by the risk assessment or if there is likely to be long-term exposure to the active substance. Carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in terrestrial systems, outside normal atmospheric ranges. In addition, there is no mechanism for the carbon dioxide to be released directly into the terrestrial system. Consequently, there will be no increased carbon dioxide levels in the terrestrial system, so it is not necessary to determine the effect of increased carbon dioxide on terrestrial non-target organisms.	Document IIIA Section 7.5.6

Toxicity to terrestrial organisms, initial tests (6 of 6)

Guideline/	Species	Endpoint /	Exposu	re		Results		Remarks	Reference
Test method	444500	Type of test	Design	Duration	NOEC	LOEC	EC/LC ₅₀		
N/A.	Mammals	N/A	N/A	N/A	N/A	N/A	N/A	An acute oral toxicity study for carbon dioxide cannot be submitted because it is not technically possible to determine the acute toxicity of carbon dioxide by the oral route. This is because there is no approved guideline for testing the acute toxicity of a gas by the oral route. In addition to the above, it should be noted that carbon dioxide, under normal conditions of use in Rentokil Initial's rodenticide (PT14) products will not cause any elevation in the levels of carbon dioxide naturally found in the atmosphere, outside normal atmospheric ranges. Consequently, there will be no increased carbon dioxide levels in the atmosphere, so it is not necessary to determine the effect of increased carbon dioxide on mammals. Given the fact that there will be no elevation in the levels of carbon dioxide naturally found in the atmosphere (outside normal atmospheric ranges) when carbon dioxide is used as a biocide in Rentokil Initial's rodenticide (PT14) products, it is also not necessary to determine the effect of increased carbon dioxide on the reproduction of mammals, and it's short-term toxicity to mammals.	Document IIIA Section 7.5.7.1.1 Document IIIA Section 7.5.7.1.2 Document IIIA Section 7.5.7.1.3

4.2.4 Non compartment specific effects relevant to the food chain (secondary poisoning)

Result

Carbon dioxide does not have any intrinsic properties which suggest it will bioaccumulate in the environment. In addition, carbon dioxide is not classified as hazardous to health according to EC Directive 67/548/EEC, nor are there any indications of toxicity such as endocrine disruption. The toxicity profile of carbon dioxide, coupled with the fact that it is unlikely to accumulate in the environment, means that there is a low risk of secondary poisoning.

Rentokil Initial plc		actions of the	March 2004	
Section A8.1		Recommended Use, Storage, T		
Anne	x Point IIA, VIII, 8.1		RENCE	Official
1,1	References			use only
1.2	Details	Handling:	Heavy protective gloves e.g. textile or leather must be worn at all times when handling cylinders in order to minimise the risk of hand injury. The use of protective safety footwear should also be considered if handling a number of cylinders regularly.	
		Use:	Ensure that before use the carbon dioxide cylinder is stood in a vertical position with the valve uppermost and firmly secured against a wall or other suitable support. Cylinders must only be used with suitable valve attachments.	
		Storage:	Store in original container preferably in a purpose built compound which should be well ventilated and in the open air. Keep out of reach of children, and away from food, drink and animal feeding stuffs. Do not heat cylinders, and keep below 45°C. Cylinders should be stored in the vertical position and properly secured to prevent toppling.	
		Conditions to Avoid:	Do not heat container, and always keep below 45°C.	
		Materials to Avoid:	None known.	
		Hazardous Breakdown Products:	None known.	
		Transport:	Carbon dioxide aerosols should be carried as hazardous goods, UN 1013 Carbon dioxide.	
		Fire:	Carbon dioxide is used as a fire extinguisher, however, if unable to extinguish fire keep adjacent cylinders cool with water hosed from a safe distance. Self contained breathing apparatus, and suitable personal protective equipment should be worn, particularly in confined spaces. Exposure to fire may cause cylinders to rupture and/or explode.	
		Accidental Release:	If cylinders are in an enclosed area, evacuate the area. Arrange for the area to be ventilated and check the atmosphere for correct oxygen/carbon dioxide content before re-entry. Check the valve on the cylinder is closed and move to a safe area. DO NOT contaminate watercourses or ground.	

T: thm:lem:lem:lem:lem:lem:lem:lem:lem:lem:le

Rento	kil Initial plc	Carbon Dioxide	March 2004
	on A8.2 Point IIA, VIII, 8.2	In case of fire, nature of reaction products, combustion gases, etc.	
l .1	Reference	1. REFERENCE	Official use only
.2	Details	No hazardous breakdown products, reaction products or combustion gases are known for carbon dioxide, in case of fire.	