

# Summary of product characteristics for a biocidal product

**Product name:** X6089CR

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:**

**R4BP 3 asset reference number:** DK-0013104-0001

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	4
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	5
4.2.1 Use-specific instructions for use	6
4.2.2 Use-specific risk mitigation measures	6
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	6
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	6
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
5.4. Instructions for safe disposal of the product and its packaging	7
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	7
6. Other information	7

## Administrative information

### 1.1. Trade names of the product

X6089CR
Koatec Hydrogel
Xylophene Curatif WI100G
Xylophene Industrie Xylobati WI100G
Xylophene Professionnel CGX
Xylophene Expert Xylo Profond
Corpol Gel Plus

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	PPG AC - France SA
	Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France
<b>Authorisation number</b>	1-1	
<b>R4BP 3 asset reference number</b>	DK-0013104-0001	
<b>Date of the authorisation</b>	12/06/2018	
<b>Expiry date of the authorisation</b>	11/06/2028	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	PPG AC - France SA
<b>Address of the manufacturer</b>	Immeuble Union Square, 1 rue de l'Union, CS 10055 92565 Rueil-Malmaison France
<b>Location of manufacturing sites</b>	ZI Montplaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1283 - (RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
<b>Name of the manufacturer</b>	Arysta LifeScience Benelux SPRL
<b>Address of the manufacturer</b>	26 rue de Renory 14102 Ougrée Belgium
<b>Location of manufacturing sites</b>	Dr Reddys Laboratories Limited Mitchell, Steanard Lane, Mirfield, WF14 8QB West Yorkshire United Kingdom Gharda Ltd; D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0

## 2.2. Type of formulation

AL - Any other liquid

## 3. Hazard and precautionary statements

### Hazard statements

Causes serious eye irritation.  
Very toxic to aquatic life with long lasting effects.  
Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

### Precautionary statements

Wash thoroughly after handling.  
Wear .  
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists:Get medical .  
Avoid release to the environment.  
Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation..  
Keep out of reach of children.  
Collect spillage.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Preventive X6089CR

#### Product type

PT08 - Wood preservatives (Preservatives)

#### Where relevant, an exact description of the authorised use

-

#### Target organism(s) (including development stage)

- other-Wood boring beetles--  
Hylotrupes bajulus L.-House longhorn beetle-Larvae  
Anobium punctatum De Geer-Common furniture beetle-Larvae  
Lyctus brunneus-Powder post beetles-Larvae

<b>Field(s) of use</b>	Indoor  Use class 1 on softwood and hardwood.
<b>Application method(s)</b>	superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment
<b>Application rate(s) and frequencies</b>	200 g/m <sup>2</sup> - - - Application rate in the analytical zone: Preventive treatment – use class 1: 200 g/m <sup>2</sup>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	- 4 L, 15 L tin-plate cans, 20 L tin-plate pails - 20 L LDPE sachet. The tin-plate cans and pails are coated inside with an epoxyphenolic varnish. All packagings are hermetically closed with a cap.

#### 4.1.1 Use-specific instructions for use

-

#### 4.1.2 Use-specific risk mitigation measures

-

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**4.2 Use description**

**Use 2 - Curative X6089CR**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	-other-Wood boring beetles--other Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae
<b>Field(s) of use</b>	Indoor  Curative treatment wood in situation of use class 1, on softwood and hardwood.
<b>Application method(s)</b>	superficial application -  Superficial application / brush / roller / pad treatment  Superficial application / spray treatment    Open system: injection - Injection (in combination with superficial application)
<b>Application rate(s) and frequencies</b>	300 g/m <sup>2</sup> - - - Application rate in the analytical zone: (wood in service) 300 g/m <sup>2</sup> for curative treatment by superficial application,  180 g/m <sup>2</sup> (20 mL per hole, 9 holes/m <sup>2</sup> ) - - - In combination with injection if need be: 180 g/m <sup>2</sup> for injection (20 mL per hole, 9 holes/m <sup>2</sup> ).

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

- 4 L, 15 L tin-plate cans, 20 L tin-plate pails  
- 20 L LDPE sachet.  
The tin-plate cans and pails are coated inside with an epoxyphenolic varnish.  
All packagings are hermetically closed with a cap.

**4.2.1 Use-specific instructions for use**

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

**4.2.2 Use-specific risk mitigation measures**

-

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**5. General directions for use**

**5.1. Instructions for use**



- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.
- Only for indoor use by professional for preventive and curative treatment of attack by woodboring insects (*Hylotrupes bajules*, *Anobium punctatum* and *Lyctus brunneus*), and only in churches or other conservation worthy buildings as well as in buildings, where people don't work or stay for longer periods of time.
- Do not use the product in residential buildings.
- May only be used in use class 1 cf. DS/EN335:2013.
- Not for use against any other pest than indicated on the label and not for use in higher doses than indicated.
- Only for use in doses not exceeding 200 g/m<sup>2</sup> in preventive treatment by superficial application, 300 g/m<sup>2</sup> in curative treatment by superficial application and 180 g/m<sup>2</sup> by injection.

## 5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coated coverall (category III Type 6) during the application phase of the product by spraying.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and an impermeable coverall (category III Type 3 or 4) during the application phase of the product by injection combined with spraying.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

## 5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Do not store more than 24 months.
- Do not store above 40°C.
- Keep out of the reach of children
- Keep away from food, drink and animal feedingstuffs

## 6. Other information

- Treated wood should not be intended for uses involving contact with food, feed or livestock.

I. Etiketten skal udformes i overensstemmelse med det godkendte resumé af det biocidholdige produkts egenskaber, jf. artikel 69, stk. 1, i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP-Forordningen[1].  
II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Etiket og mærkning skal være på dansk.

Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel

Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), og kun i kirker o.l. og andre bevaringsværdige bygninger samt i bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produkterne må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013."

1. I advarselsfeltet:

"ADVARSEL

Forårsager alvorlig øjenirritation (H319).

Meget giftig med langvarige virkninger for vandlevende organismer (H410)

Vask huden grundigt efter brug.

Undgå udledning til miljøet.

Udslip opsamles.

Læs etiketten før brug.

Bær beskyttelseshandsker/beskyttelsestøj/øjenbeskyttelse/ansigtsbeskyttelse.

Bær kemisk resistente beskyttelseshandsker og beskyttelsestøj ved brug af produktet."

(Handskematerialet og tøj materialet skal angives af godkendelsesindehaveren i produkt databladet.)

"Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

**Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), og kun i kirker o.l. og andre bevaringsværdige bygninger samt i bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produkterne må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013.**

**Må ikke anvendes i boliger.**

**Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.**

**Må kun anvendes i doseringer på 200 g/m<sup>2</sup> ved præventiv behandling, 300 g/m<sup>2</sup> ved kurativ behandling og 180 g/m<sup>2</sup> til injektion.**

**Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.**

**Må ikke tømmes i kloak afløb.**

**Opbevares utilgængeligt for børn.**

**Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer."**

Farepiktogrammerne GHS07 og GHS09.

Miljøstyrelsen henleder opmærksomheden på, at godkendelsesindehaver skal anføre oplysninger om førstehjælp, herunder:

VED KONTAKT MED ØJNENE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let.

Fortsæt skylning.

Ved vedvarende øjenirritation: Søg lægehjælp.

3) I deklaraionsfeltet:

a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 795-2-1-1. Aktivstof og den biocidholdige produktfamilie er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".

b) Oplysning om præparattype: "væske" for dette præparat.

c) Indholdet af aktivstof i vægtprocent (% w/w) og g/L ved 20 °C.

d) Sætningen: "Indeholder 1,2-benzisothiazol-3(2H)-one. Kan udløse allergisk reaktion."

e) Udløbsdatoen skal anføres. Denne dato må højst være 24 måneder efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.

f) Batchnummer eller – betegnelse skal anføres.

g) Pakningsstørrelse i L.

h) Godkendelsesindehavers navn og adresse.

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/holderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter retningslinjerne:

"Rester skal afleveres til den kommunale affaldsordning for farligt affald. Tomme beholdere kan bortskaffes med dagrenovationen."