

EN

ANNEX

**SUMMARY OF PRODUCT CHARACTERISTICS
FOR A BIOCIDAL PRODUCT FAMILY**

Contec Calcium Hypochlorite Product Family

Product type(s)

PT02: Disinfectants and algaecides not intended for direct application to humans or animals

Authorisation number EU-0032017-0000

R4BP asset number EU-0032017-0000

Part I.
FIRST INFORMATION LEVEL

1. ADMINISTRATIVE INFORMATION

1.1. Family name

Name	Contec Calcium Hypochlorite Product Family
------	--

1.2. Product type(s)

Product type(s)	PT02: Disinfectants and algacides not intended for direct application to humans or animals
-----------------	--

1.3. Authorisation holder

Name and address of the authorisation holder	Name	Contec Europe
	Address	ZI Du Prat Avenue Paul Duplaix 56000 Vannes France
Authorisation number		EU-0032017-0000
<i>R4BP asset number</i>		EU-0032017-0000
Date of the authorisation		24/09/2024
Expiry date of the authorisation		31/08/2034

1.4. Manufacturer(s) of the product

Name of manufacturer	Contec Cleanroom (UK) Ltd.
Address of manufacturer	Lamport Drive, Heartlands Business Park NN11 8YT Daventry United Kingdom of Great Britain and Northern Ireland (the)
Location of manufacturing sites	Contec Cleanroom (UK) Ltd. site 1 5, Badby Park, Heartlands Business Park NN11 8YT Daventry United Kingdom of Great Britain and Northern Ireland (the)

1.5. Manufacturer(s) of the active substance(s)

Active substance	Active chlorine released from calcium hypochlorite
Name of manufacturer	Lonza Cologne GmbH
Address of manufacturer	Nattermannallee 1 DE-50829 Köln Germany
Location of manufacturing sites	Lonza Cologne GmbH site 1 1200 Lower River Road TN 37310 Charleston United States (the)

2. PRODUCT FAMILY COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,06 - 0,2 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,092 - 0,31 % (w/w)

2.2. Type(s) of formulation

Formulation type(s)	AL Any other liquid
---------------------	---------------------

Part II.
SECOND INFORMATION LEVEL - META SPC(S)

1. META SPC 1 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 1 identifier

Identifier	Meta SPC: meta SPC 1
------------	----------------------

1.2. Suffix to the authorisation number

Number	1-1
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
-----------------	---

2. META SPC 1 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,2 - 0,2 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,31 - 0,31 % (w/w)

2.2. Type(s) of formulation of the meta SPC 1

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

Hazard statements	H290: May be corrosive to metals.
Precautionary statements	P234: Keep only in original packaging. P390: Absorb spillage to prevent material damage.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1.

Use 1.1 Hard surface disinfection in cleanrooms by trigger spray and wipe (PT 2)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	N/A
Target organism(s) (including development stage)	Common name: Bacteria Development stage: - Common name: Bacterial spores Development stage: - Common name: Viruses Development stage: -
Field(s) of use	indoor use Disinfection of hard non-porous surfaces or equipment by spraying and wiping in cleanrooms which are classified according to ISO 14644-1 in class 1 to 8 or according to GMP EU classification in Grade A to C (e.g., pharmaceutical cleanrooms).
Application method(s)	Method: Spraying and wiping Detailed description: The ready-to-use (RTU) product is sprayed onto a cleanroom wipe and the product is applied by wiping on a pre-cleaned, hard, non-porous surface.
Application rate(s) and frequency	Dilution (%): ready-to-use (RTU) product Number and timing of application: Application rate: 50 ml/m ² Contact time: 1 minute Application Frequency: Specific to the user's site and requirements. Use temperature: room temperature
Category(ies) of users	professional
Pack sizes and packaging material	RTU Liquid spray packaged in 1 litre high density polyethylene (HDPE) trigger spray bottles.

4.1.1. Use-specific instructions

Before applying the ready-to-use product physically remove contaminants from the surface using a cleanroom wipe. Apply the product by spraying onto a cleanroom wipe and then wipe the surface. Ensure that the entire surface is visibly wet and uniform distribution of the biocidal product should be ensured. Leave for the required contact time of 1 minute for bacteria, bacterial spores and viruses and then wipe to dry the surface.

4.1.2. Use-specific risk mitigation measures

See general directions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2. Use description

Table 2.

Use 1.2 Hard surface disinfection in cleanrooms by wiping or mopping (PT 2)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	N/A
Target organism(s) (including development stage)	Common name: Bacteria Development stage: - Common name: Bacterial spores Development stage: -

	Common name: Viruses Development stage: -
Field(s) of use	indoor use Disinfection of hard non-porous surfaces or equipment by wiping or mopping in cleanrooms (e.g., pharmaceutical cleanrooms).
Application method(s)	Method: Wiping or mopping Detailed description: The disinfection product is poured into a container and applied onto a pre-cleaned, hard, non-porous surface using a cleanroom wipe or mop.
Application rate(s) and frequency	Dilution (%): ready-to-use (RTU) product Number and timing of application: Application rate: 100 ml/m ² Contact time: 1 minute Application Frequency: Specific to the user's site and requirements. Use temperature: room temperature
Category(ies) of users	professional
Pack sizes and packaging material	RTU Liquid packaged in 700 ml, 1 litre and 5 litre Capped Plastic high density polyethylene (HDPE) bottles.

4.2.1. Use-specific instructions

Before applying the ready-to-use product physically remove contaminants from the surface using a cleanroom wipe. Apply the product by pouring the product into a container and using a cleanroom wipe to apply to the surface. Ensure that the entire surface is visibly wet and uniform distribution of the biocidal product should be ensured. Leave for the required contact time of 1 minute for bacteria, bacterial spores and viruses and then wipe to dry the surface.

4.2.2. Use-specific risk mitigation measures

See general directions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 1

5.1. Instructions for use

See 'Use-specific instructions for use' sections for each meta SPC.

5.2. Risk mitigation measures

Engineering measures: Ensure there is sufficient ventilation of the area.

All meta SPCs: Trigger spraying: only apply in rooms with a minimum ventilation rate of 20 air changes per hour (ACH). Only for disinfection of small size surfaces.

All meta SPCs: Wiping and mopping: only apply in rooms with a minimum ventilation rate of 40 ACH.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment

Do not discharge into drains or rivers. Contain the spillage using bunding. Absorb into dry earth or sand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to municipal sewer. Avoid release to an individual wastewater treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well-ventilated area. Keep container tightly closed. Keep away from direct sunlight. Protect from frost. Store at temperatures not exceeding 20°C.

Shelf-life: 12 months

6. OTHER INFORMATION

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Contec ProChlor Sterile	Market area: EU
Authorisation number	EU-0032017-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,2 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,31 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Contec ProChlor	Market area: EU
Authorisation number	EU-0032017-0002 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,2 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,31 % (w/w)

1. META SPC 2 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 2 identifier

Identifier	Meta SPC: meta SPC 2
------------	----------------------

1.2. Suffix to the authorisation number

Number	1-2
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
-----------------	---

2. META SPC 2 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,06 - 0,06 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,092 - 0,092 % (w/w)

2.2. Type(s) of formulation of the meta SPC 2

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

Hazard statements	H290: May be corrosive to metals.
Precautionary statements	P234: Keep only in original packaging. P390: Absorb spillage to prevent material damage.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1.

Use 2.1 Hard surface disinfection in cleanrooms by trigger spray and wipe (PT 2)

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	N/A
Target organism(s) (including development stage)	Common name: Bacteria Development stage: - Common name: Yeasts Development stage: -
Field(s) of use	indoor use For surface disinfection in cleanrooms which are classified according to ISO 14644-1 in class 1 to 8 or according to GMP EU classification in Grade A to C. The biocidal product is recommended for the control of bacteria and yeast on hard non-porous surfaces that will not come into contact with food or feed by spraying followed by wiping.
Application method(s)	Method: Spraying and wiping Detailed description: The ready-to-use (RTU) product is sprayed onto a cleanroom wipe and the product is applied by wiping on a pre-cleaned, hard, non-porous surface.
Application rate(s) and frequency	Dilution (%): ready-to-use (RTU) product Number and timing of application: Application rate: 50 ml/m ² . Contact time: 5 minutes Application Frequency: Specific to the user's site and requirements. Use temperature: room temperature
Category(ies) of users	professional
Pack sizes and packaging material	RTU liquid spray packaged in 1 litre high density polyethylene (HDPE) trigger spray bottles.

4.1.1. Use-specific instructions

Before applying the ready-to-use product physically remove contaminants from the surface using a cleanroom wipe. Apply the product by spraying onto a cleanroom wipe and then wipe the surface. Ensure that the entire surface is visibly wet and uniform distribution of the biocidal product should be ensured. Leave for the required contact time of 5 minutes for bacteria and yeast and then wipe to dry the surface.

4.1.2. Use-specific risk mitigation measures

See general directions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2. Use description

Table 2.

Use 2.2 Hard surface disinfection in cleanrooms by wiping or mopping (PT 2)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	N/A
Target organism(s) (including development stage)	Common name: Bacteria Development stage: - Common name: Yeasts Development stage: -

Field(s) of use	indoor use Disinfection of hard non-porous surfaces or equipment by wiping or mopping in cleanrooms which are classified according to ISO 14644-1 in class 1 to 8 or according to GMP EU classification in Grade A to C (e.g., pharmaceutical cleanrooms).
Application method(s)	Method: Wiping or mopping Detailed description: The disinfection product is poured into a container and applied onto a pre-cleaned, hard, non-porous surface using a cleanroom wipe or mop.
Application rate(s) and frequency	Dilution (%): ready-to-use (RTU) product Number and timing of application: Application rate: 100 ml/m ² Contact time: 5 minutes Application Frequency: Specific to the user's site and requirements. Use temperature: room temperature
Category(ies) of users	professional
Pack sizes and packaging material	RTU liquid packaged in 700 ml, 1litre and 5 litre Capped Plastic high density polyethylene (HDPE) bottles.

4.2.1. Use-specific instructions

Before applying the ready-to-use product physically remove contaminants from the surface using a cleanroom wipe. Apply the product by pouring the product into a container and using a cleanroom wipe to apply to the surface. Ensure that the entire surface is visibly wet and uniform distribution of the biocidal product should be ensured. Leave for the required contact time of 5 minutes for bacteria and yeast and then wipe to dry the surface.

4.2.2. Use-specific risk mitigation measures

See general directions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2

5.1. Instructions for use

See 'Use-specific instructions for use' sections for each meta SPC.

5.2. Risk mitigation measures

Engineering measures: Ensure there is sufficient ventilation of the area.

All meta SPCs: Trigger spraying: only apply in rooms with a minimum ventilation rate of 20 ACH. Only for disinfection of small size surfaces.

All meta SPCs: Wiping and mopping: only apply in rooms with a minimum ventilation rate of 40 ACH.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment

Do not discharge into drains or rivers. Contain the spillage using bunding. Absorb into dry earth or sand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to municipal sewer. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well-ventilated area. Keep container tightly closed. Keep away from direct sunlight. Protect from frost. Store at temperatures not exceeding 20°C.

Shelf-life: 12 months

6. OTHER INFORMATION

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Contec CyChlor Sterile	Market area: EU
Authorisation number	EU-0032017-0003 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,06 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,092 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Contec CyChlor	Market area: EU
Authorisation number	EU-0032017-0004 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,06 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,092 % (w/w)

1. META SPC 3 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 3 identifier

Identifier	Meta SPC: meta SPC 3
------------	----------------------

1.2. Suffix to the authorisation number

Number	1-3
--------	-----

1.3. Product type(s)

Product type(s)	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
-----------------	---

2. META SPC 3 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,2 - 0,2 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,31 - 0,31 % (w/w)

2.2. Type(s) of formulation of the meta SPC 3

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 3

Hazard statements	H290: May be corrosive to metals.
Precautionary statements	P234: Keep only in original packaging. P390: Absorb spillage to prevent material damage.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1.

Use 3.1 Hard surface disinfection in veterinary laboratories by trigger spray and wipe (PT 2)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	N/A
Target organism(s) (including development stage)	Common name: Bacteria Development stage: - Common name: Yeasts Development stage: - Common name: Viruses Development stage: -
Field(s) of use	indoor use Disinfection of hard non-porous surfaces or equipment (excluding animal cages) by spraying followed by wiping in veterinary laboratories without pre-cleaning.
Application method(s)	Method: Spraying and wiping Detailed description: The ready-to-use (RTU) product is sprayed onto a surface and distributed with a wipe. The product is applied on a hard, non-porous surface.
Application rate(s) and frequency	Dilution (%): ready-to-use (RTU) product Number and timing of application: Application rate: 50 ml/m ² . Contact time: 30 minutes Application Frequency: Specific to the user's site and requirements. Temperature: room temperature.
Category(ies) of users	professional
Pack sizes and packaging material	RTU Liquid spray packaged in 1 litre high density polyethylene (HDPE) trigger spray bottles.

4.1.1. Use-specific instructions

Disinfection of hard non-porous surfaces or equipment in veterinary laboratories: Apply the product by spraying the product onto the surface and distribute the product with a wipe. Ensure that the entire surface is visibly wet and that the biocidal product is uniformly distributed. Leave for the required contact time of 30 minutes for bacteria, yeast and viruses and then wipe to dry the surface.

4.1.2. Use-specific risk mitigation measures

See general directions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2. Use description

Table 2.

Use 3.2 Hard surface disinfection in veterinary laboratories by pouring and subsequent wiping or mopping (PT 2)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	N/A
Target organism(s) (including development stage)	Common name: Bacteria Development stage: - Common name: Yeasts Development stage: - Common name: Viruses Development stage: -

Field(s) of use	indoor use Disinfection of hard non-porous surfaces or equipment (excluding animal cages) by pouring followed by wiping/mopping in veterinary laboratories without pre-cleaning.
Application method(s)	Method: Pouring and mopping/wiping Detailed description: Application by pouring onto a surface followed by wiping/mopping using a wipe or mop to distribute the product.
Application rate(s) and frequency	Dilution (%): ready-to-use (RTU) product Number and timing of application: Application rate: 100 ml/m ² Contact time: 30 minutes Application Frequency: Specific to the user's site and requirements. Temperature: room temperature
Category(ies) of users	professional
Pack sizes and packaging material	RTU Liquid packaged in 700 ml, 1 litre and 5 litre Capped Plastic high density polyethylene (HDPE) bottles.

4.2.1. Use-specific instructions

Disinfection of hard non-porous surfaces or equipment in veterinary laboratories: Apply the product by pouring the product onto the surface and distribute the product with a suitable wipe or mop. Ensure that the entire surface is visibly wet and that the biocidal product is uniformly distributed. Leave for the required contact time of 30 minutes for bacteria, yeast and viruses and then wipe to dry the surface.

4.2.2. Use-specific risk mitigation measures

See general directions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 3

5.1. Instructions for use

See 'Use-specific instructions for use' sections for each meta SPC.

5.2. Risk mitigation measures

Engineering measures: Ensure there is sufficient ventilation of the area.

All meta SPCs: Trigger spraying: only apply in rooms with a minimum ventilation rate of 20 ACH. Only for disinfection of small size surfaces.

All meta SPCs: Wiping and mopping: only apply in rooms with a minimum ventilation rate of 40 ACH.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment

Do not discharge into drains or rivers. Contain the spillage using bunding. Absorb into dry earth or sand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to municipal sewer. Avoid release to an individual wastewater treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well-ventilated area. Keep container tightly closed. Keep away from direct sunlight. Protect from frost. Store at temperatures not exceeding 20°C.

Shelf-life: 12 months

6. OTHER INFORMATION

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 3

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Contec ProChlor V	Market area: EU
Authorisation number	EU-0032017-0005 1-3	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Active chlorine released from calcium hypochlorite		active substance			0,2 % (w/w)
Calcium hypochlorite	Calcium hypochlorite	releaser	7778-54-3	231-908-7	0,31 % (w/w)