

# Summary of product characteristics for a biocidal product

**Product name:** RACUMIN PASTA

**Product type(s):** PT14 - Rodenticides (Pest control)

**Authorisation number:** IT/2015/00316

**R4BP 3 asset reference number:** IT-0009973-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	2
4.1.1 Use-specific instructions for use	3
4.1.2 Use-specific risk mitigation measures	3
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	4
5. General directions for use	4
5.1. Instructions for use	4
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	5

## Administrative information

### 1.1. Trade names of the product

RACUMIN PASTA
---------------

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Bayer CropScience S.r.l.
	Address	Viale Certosa 130 20156 Milano Italy
<b>Authorisation number</b>	IT/2015/00316	
<b>R4BP 3 asset reference number</b>	IT-0009973-0000	
<b>Date of the authorisation</b>	02/05/2013	
<b>Expiry date of the authorisation</b>	01/01/2023	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	Bayer S.A.S.
<b>Address of the manufacturer</b>	16 rue Jean-Marie Leclair - CS 90106 69266 Lyon Cedex 09 France
<b>Location of manufacturing sites</b>	confidential information confidential information confidential information European Union

### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	18 - Coumatetralyl
<b>Name of the manufacturer</b>	Bayer CropScience AG
<b>Address of the manufacturer</b>	Alfred-Nobel-Str. 50 40789 Monheim am Rhein Germany
<b>Location of manufacturing sites</b>	confidential information confidential information confidential information European Union

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Coumatetralyl	Coumatetralyl	Active Substance	5836-29-3	227-424-0	0.0375

### 2.2. Type of formulation

RB - Bait (ready for use)
---------------------------

## 3. Hazard and precautionary statements

<b>Hazard statements</b>	Harmful if swallowed. May cause damage to organs (blood clotting) through prolonged or repeated exposure .
<b>Precautionary statements</b>	Do not breathe dust. Get medical advice if you feel unwell. Dispose of contents to according to local regulation... ..

## 4. Authorised use(s)

## 4.1 Use description

### Use 1 - In and around buildings

<b>Product type</b>	PT14 - Rodenticides (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Rodenticide/ acute action.
<b>Target organism(s) (including development stage)</b>	Rattus norvegicus-Brown ratJuvenile and adults Rattus rattus-Roof ratJuvenile and adults Mus musculus-House mouseJuvenile and adults
<b>Field(s) of use</b>	Other  Stored product protection, food protection, health protection and material protection (ie. historical buildings, technical objects).
<b>Application method(s)</b>	Bait application - The product must be used by general public and professionals non-specialised in rodents control only in tamper-resistant bait stations. Bait stations could be used inside and around domestic, industrial and commercial buildings including farm buildings in infested areas (along walls, windows...).
<b>Application rate(s) and frequencies</b>	see directions for use - ready to use bait - 0.0375 - The number of sachets per bait station and covered bait points must be adapted to the effective rate. The number of bait stations and covered bait points is function of the area of treatment and infestation rate. Distances between bait stations and covered bait points must be respected. Inspect and refill the bait stations and covered bait points few days after the first application then once in a week as long as the bait is consumed.  The biocidal effect appears between 3 and 15 days after ingestion of the baits.
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	Individual packets in paper - Other - packaging with quantity of product < 1.5kg

#### 4.1.1 Use-specific instructions for use

-
---

#### 4.1.2 Use-specific risk mitigation measures

The product label and the sachet label have to mention "Do not open the sachet".  
Authorisation holder should assure the availability of opaque and secured bait stations.  
Are considered as secure bait stations, boxes in which the bait is inaccessible to children and non-target organisms.  
Furthermore, a device must be provided to prevent opening by children.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

## 5. General directions for use

### 5.1. Instructions for use

#### Application rates :

##### Indoor use:

- Rats, high infestation: from 50g to 100g of product / bait station. Distance between bait stations: from 3 to 10 meters.
- Rats, low infestation: from 50g to 100g of product / bait station. Distance between bait stations: from 5 to 20 meters.
- Mice, high infestation: from 10g to 20g of product / bait station. Distance between bait stations: from 2 to 10 meters.
- Mice, low infestation: from 10g to 20g of product / bait station. Distance between bait stations: from 5 to 20 meters.

##### Around buildings:

- Rats, high infestation: from 50g to 100g of product / bait station. Distance between bait stations: from 3 to 10 meters.
- Rats, low infestation: from 50g to 100g of product / bait station. Distance between bait stations: from 5 to 20 meters.

- (S20/21) When using do not eat, drink or smoke
- Do not lay on surfaces or materials which could be in contact with food to prevent contamination of food or animal foodstuffs.
- Prevent access to children, pets and wild animals.
- Place the bait station in sites sheltered from rain and flooding.
- (S49) Keep only in the original container.
- Bait stations should only contain rodenticides.
- Wearing gloves is recommended.
- Do not open the sachet
- Wash hands after use.
- Remove all bait stations after the treatment.

##### To be indicated on bait stations

- Do not open the bait station.
- (S2) Keep out of the reach of children
- (S13) Keep away from food, drink and animal foodstuffs

## 5.2. Risk mitigation measures

See specific uses mitigations measures

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

If exposed, contact immediately a poisoning control centre or a doctor and describe the situation (give information on the label and assess the exposition rate):

- If inhaled: breathe fresh air and keep at rest.
- If a contact occurs with skin: Remove contaminated clothes and wash skin with soap and rinse copiously with water. Do not use solvents or thinners.
- If a contact occurs with eyes: Wash copiously under a trickle of water (tepid if possible) for several minutes, keeping eyelids open under the trickle of water.
- (S46) If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. Whatever the quantity of the product ingested, do not eat and do not drink. In case of emergency, contact 112.  
Note to doctor: the product RACUMIN PASTA contains anticoagulant-rodenticide, treatment with vitamin K1 could be needed for a long time.

### To be indicated on bait stations:

If exposed, contact immediately a poisoning control centre or a doctor and describe the situation (give information on the label and assess the exposition rate):

- If inhaled: breathe fresh air and keep at rest.
- If a contact occurs with skin: Remove contaminated clothes and wash skin with soap and rinse copiously with water. Do not use solvents or thinners.
- If a contact occurs with eyes: Wash copiously under a trickle of water (tepid if possible) for several minutes, keeping eyelids open under the trickle of water.
- (S46) If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. Whatever the quantity of the product ingested, do not eat and do not drink. In case of emergency, contact 112.  
Note to doctor: the product contains an anticoagulant rodenticide, treatment with vitamin K1 could be needed for a long time.

## 5.4. Instructions for safe disposal of the product and its packaging

- Do not clean the bait stations between two applications.
- (S35) This material and its container must be disposed of in a safe way.
- Do not dispose the product in environment or pipings.
- Dispose of the bait stations in waste reception centres or appropriate collect points.
- The packaging must not be re-used or recycled.
- Unconsumed baits, unused baits and ejected baits outside bait stations must be collected and disposed in waste reception centres or in appropriate collect points.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

The product can be conserved and used until 2 years after its date of manufacturing

- Store and protect from light
- Store at maximum 40°C
- (S2) Keep out of reach of children.
- (S13) Keep away from food, drink and animal foodstuffs
- (S49) Keep only in the original container.

## 6. Other information

Implement during the authorisation a monitoring in order to report any observed resistance to the product of target species. Report on this issue must be addressed to the authority in charge of the assessment every 2 years after the date of the decision.

