

Summary of product characteristics for a biocidal product family

Family name: PPG_Class1_WB

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: FR-2018-0042

R4BP 3 asset reference number: FR-0012699-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
1.1. Family name	1
1.2. Product type(s)	1
1.3. Authorisation holder	1
1.4. Manufacturer(s) of the biocidal products	1
1.5. Manufacturer(s) of the active substance(s)	2
2. Product family composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the family	2
2.2. Type of formulation	2
Part II.- Second information level - meta SPC(s)	2
1. Meta SPC administrative information	3
1.1. Meta SPC identifier - META SPC 1	3
1.2. Suffix to the authorisation number	3
1.3 Product type(s)	3
2. Meta SPC composition	3
2.1. Qualitative and quantitative information on the composition of the meta SPC	3
2.2. Type(s) of formulation of the meta SPC	3
3. Hazard and precautionary statements of the meta SPC	3
4. Authorised use(s) of the meta SPC	4
4.1.1 Use-specific instructions for use	5
4.1.2 Use-specific risk mitigation measures	5
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	5
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	5
4.2.1 Use-specific instructions for use	7
4.2.2 Use-specific risk mitigation measures	7

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	7
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	7
5. General directions for use of the meta SPC	7
5.1. Instructions for use	8
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8
7. Third information level: individual products in the meta SPC	9
7.1 Trade name(s), authorisation number and specific composition of each individual product	9
1. Meta SPC administrative information	9
1.1. Meta SPC identifier - META SPC 2	9
1.2. Suffix to the authorisation number	10
1.3 Product type(s)	10
2. Meta SPC composition	10
2.1. Qualitative and quantitative information on the composition of the meta SPC	10
2.2. Type(s) of formulation of the meta SPC	10
3. Hazard and precautionary statements of the meta SPC	10
4. Authorised use(s) of the meta SPC	11
4.1.1 Use-specific instructions for use	12
4.1.2 Use-specific risk mitigation measures	12
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	12
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	12
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	12
4.2.1 Use-specific instructions for use	14
4.2.2 Use-specific risk mitigation measures	14
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	14

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	14
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	14
5. General directions for use of the meta SPC	15
5.1. Instructions for use	15
5.2. Risk mitigation measures	15
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	15
5.4. Instructions for safe disposal of the product and its packaging	15
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	15
6. Other information	15
7. Third information level: individual products in the meta SPC	16
7.1 Trade name(s), authorisation number and specific composition of each individual product	16
1. Meta SPC administrative information	17
1.1. Meta SPC identifier - Meta SPC 3	17
1.2. Suffix to the authorisation number	17
1.3 Product type(s)	17
2. Meta SPC composition	17
2.1. Qualitative and quantitative information on the composition of the meta SPC	17
2.2. Type(s) of formulation of the meta SPC	18
3. Hazard and precautionary statements of the meta SPC	18
4. Authorised use(s) of the meta SPC	18
4.1.1 Use-specific instructions for use	19
4.1.2 Use-specific risk mitigation measures	19
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	20
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	20
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	20
4.2.1 Use-specific instructions for use	21
4.2.2 Use-specific risk mitigation measures	21
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	21
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	21

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	22
5. General directions for use of the meta SPC	22
5.1. Instructions for use	22
5.2. Risk mitigation measures	22
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	22
5.4. Instructions for safe disposal of the product and its packaging	22
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	22
6. Other information	23
7. Third information level: individual products in the meta SPC	23
7.1 Trade name(s), authorisation number and specific composition of each individual product	23

Part I.- First information level

1. Administrative information

1.1. Family name

PPG_Class1_WB

1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	PPG AC - France SA
Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France

Authorisation number

FR-2018-0042

R4BP 3 asset reference number

FR-0012699-0000

Date of the authorisation

12/06/2018

Expiry date of the authorisation

11/06/2028

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

PPG AC - France SA

Address of the manufacturer

Immeuble Union Square, 1 rue de l'Union, CS 10055 92565 Rueil-Malmaison France

Location of manufacturing sites

ZI Montplaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France

1.5. Manufacturer(s) of the active substance(s)

Active substance	1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of the manufacturer	Arysta LifeScience Benelux SPRL
Address of the manufacturer	26 rue de Renory 14102 Ougrée Belgium
Location of manufacturing sites	Dr Reddys Laboratories Limited Mitchell, Steanard Lane, Mirfield, WF14 8QB West Yorkshire United Kingdom Gharda Ltd; D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0 - 0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0 - 0.72

2.2. Type(s) of formulation

AL - Any other liquid

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.054 - 0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0 - 0

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.

Precautionary statements

Very toxic to aquatic life with long lasting effects. Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
Wash thoroughly after handling. Wear . IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:Get medical . Avoid release to the environment. Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.. Keep out of reach of children. Collect spillage.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Preventive X6089CR

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

- other-Wood boring beetles-- Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae Reticulitermes spp.-Subterranean Termites-Workers, soldiers and nymphs

Field(s) of use

Indoor Use class 1 on softwood and hardwood.

Application method(s)

superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment
--

Application rate(s) and frequencies

200 g/m² - - -
Application rate in the analytical zone:
Preventive treatment – use class 1: 200 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

- 4 L, 15 L tin-plate cans, 20 L tin-plate pails
- 20 L LDPE sachet.
The tin-plate cans and pails are coated inside with an epoxyphenolic varnish.
All packagings are hermetically closed with a cap.

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Curative X6089CR

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	-other-Wood boring beetles--other Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae Reticulitermes sp.-Subterranean termites-soldiers, workers and nymphs
Field(s) of use	Indoor Curative treatment wood in situation of use class 1, on softwood and hardwood.
Application method(s)	superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment Open system: injection - Injection (in combination with superficial application)
Application rate(s) and frequencies	300 g/m ² - - - Application rate in the analytical zone: (wood in service) 300 g/m ² for curative treatment by superficial application, 180 g/m ² (20 mL per hole, 9 holes/m ²) - - - In combination with injection if need be: 180 g/m ² for injection (20 mL per hole, 9 holes/m ²).
Category(ies) of users	

Pack sizes and packaging material

Professional
General public (non-professional)
- 4 L, 15 L tin-plate cans, 20 L tin-plate pails - 20 L LDPE sachet. The tin-plate cans and pails are coated inside with an epoxyphenolic varnish. All packagings are hermetically closed with a cap.

4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

4.2.2 Use-specific risk mitigation measures

-

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coated coverall (category III Type 6) during the application phase of the product by spraying.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and an impermeable coverall (category III Type 3 or 4) during the application phase of the product by injection combined with spraying.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Do not store more than 24 months.
- Do not store above 40°C.

6. Other information

- Treated wood should not be intended for uses involving contact with food, feed or livestock.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

X6089CR
Koatec Hydrogel
Xylophene Curatif WI100G
Xylophene Industrie Xylobati WI100G
Xylophene Professionnel CGX
Xylophene Expert Xylo Profond
Corpol Gel Plus

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012699-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0 - 0
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0.48 - 0.72

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.

Very toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazol-3(2H)-one and a mixture of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statements

Wash thoroughly after handling.

Wear .

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical .

Avoid release to the environment.

Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation..

Keep out of reach of children.

Collect spillage.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Preventive X6089HA1

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	- other-Wood boring beetles-- Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae Reticulitermes spp. and Heterotermes spp.-Subterranean Termites-Workers, soldiers and nymphs
Field(s) of use	Indoor Use class 1 on softwood and hardwood.
Application method(s)	Superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment
Application rate(s) and frequencies	200 g/m ² - - - Application rate in the analytical zone: Preventive treatment – use class 1: 200 g/m ²

Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	<ul style="list-style-type: none"> - 1 L, 5 L, 6 L 20 L, 24 L, 25 L and 30 L tin-plate cans - 30 L HDPE pail - 55 L tin-plate drum - 200 L HDPE drum - 1000 L HDPE intermediate bulk container <p>The tin-plate cans and drums are coated inside with an epoxyphenolic varnish. All packagings are hermetically closed with a cap.</p>

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Curative X6089HA1

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	-other-Wood boring beetles--other Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae Reticulitermes spp. and Heterotermes spp-Subterranean termites-soldiers, workers and nymphs
Field(s) of use	Indoor Curative treatment wood in situation of use class 1, on softwood and hardwood.
Application method(s)	Superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment Open system: injection - Injection (in combination with superficial application)
Application rate(s) and frequencies	300 g/m ² - - - Application rate in the analytical zone: (wood in service) 300 g/m ² for curative treatment by superficial application, 180 g/m ² (20 mL per hole, 9 holes/m ²) - - - In combination with injection if need be: 180 g/m ² for injection (20 mL per hole, 9 holes/m ²).
Category(ies) of users	Professional General public (non-professional)

Pack sizes and packaging material

- 1 L, 5 L, 6 L 20 L, 24 L, 25 L and 30 L tin-plate cans
- 30 L HDPE pail
- 55 L tin-plate drum
- 200 L HDPE drum
- 1000 L HDPE intermediate bulk container.
The tin-plate cans and drums are coated inside with an epoxyphenolic varnish.
All packagings are hermetically closed with a cap.

4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

4.2.2 Use-specific risk mitigation measures

-

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coated coverall (category III Type 6) during the application phase of the product by spraying.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and an impermeable coverall (category III Type 3 or 4) during the application phase of the product by injection combined with spraying.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Do not store more than 18 months.
- Do not store above 40°C.

6. Other information

-- Treated wood should not be intended for uses involving contact with food, feed or livestock.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

X6089HA1
Xylophene Poutres & Charpentes
Xylophene Boiseries & Parquets
Veraxyl Charpente Traitement du Bois
Xylophene Charpente
Xylophene Professionnel C2000
Xylophene Expert Xylo Structure
Colours Traitement Poutres et Charpentes
Inventiv'Protec Traitement Poutres et Charpentes
Boisilor Traitement Poutres & Charpentes
Bricorama Traitement Poutres Et Charpentes
Xylophene Curatif CE 2000
Xylophene Industrie Xylobati CE 2000
Traitement Poutres et Charpentes Nuance
Gori Stop Insekt
Protox Insekt
A-Tox+
Borup Møbel- & Træbeskyttelse
Juliana Woodrefresher

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012699-0002 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0.72

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1

alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	78330-23-1	0.0147 - 0.0294
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides	68515-73-1	0.48 - 0.72

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.
 Very toxic to aquatic life with long lasting effects.
 Contains 1,2-benzisothiazol-3(2H)-one and a mixture of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one.. May produce an allergic reaction.

Precautionary statements

Wash thoroughly after handling.
 Wear .
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical .
 Avoid release to the environment.
 Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation..
 Keep out of reach of children.
 Collect spillage.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Preventive X6235

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	- other-Wood boring beetles-- Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae Reticulitermes spp. and Heterotermes spp.-Subterranean Termites-Workers, soldiers and nymphs
Field(s) of use	Indoor Use class 1, on softwood and hardwood.
Application method(s)	Superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment
Application rate(s) and frequencies	200 g/m ² - - - Application rate in the analytical zone: Preventive treatment – use class 1: 200 g/m ²
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	- 1 L, 5 L, 6 L, 20 L, 24 L and 25 L tin-plate cans The tin-plate cans are coated inside with an epoxyphenolic varnish. All packagings are hermetically closed with a cap.

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Curative X6235

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

-other-Wood boring beetles--other
 Anobium punctatum De Geer-Common furniture beetle-Larvae
 Reticulitermes spp. and Heterotermes spp-Subterranean termites-soldiers, workers and nymphs

Field(s) of use

Indoor
 Curative treatment
 wood in situation of use class 1, on softwood and hardwood.

Application method(s)

Superficial application -
 Superficial application / brush / roller / pad treatment
 Superficial application / spray treatment

Application rate(s) and frequencies

300 g/m² - - -
Application rate in the analytical zone: (wood in service)
300 g/m² for curative treatment by superficial application

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

- 1 L, 5 L, 6 L, 20 L, 24 L and 25 L tin-plate cans
The tin-plate cans are coated inside with an epoxyphenolic varnish.
All packagings are hermetically closed with a cap.

4.2.1 Use-specific instructions for use

-

4.2.2 Use-specific risk mitigation measures

-

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Do not store above 40°C.
- Shelf life: 2 years

6. Other information

- Treated wood should not be intended for uses involving contact with food, feed or livestock.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

X6235
Xylophène Premium Gel Actif Monocouche Poutres & Charpentes
Axton Traitement Poutres et Charpentes
Flexell Traitement Poutres et Charpentes

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012699-0003 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.0294
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0.72

