

Summary of product characteristics for a biocidal product family

Family name: PPG_Class3_WB

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: FR-2019-0057

R4BP 3 asset reference number: FR-0012707-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
1.1. Family name	1
1.2. Product type(s)	1
1.3. Authorisation holder	1
1.4. Manufacturer(s) of the biocidal products	1
1.5. Manufacturer(s) of the active substance(s)	2
2. Product family composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the family	2
2.2. Type of formulation	3
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information	3
1.1. Meta SPC identifier - Meta-SPC 1	3
1.2. Suffix to the authorisation number	3
1.3 Product type(s)	4
2. Meta SPC composition	4
2.1. Qualitative and quantitative information on the composition of the meta SPC	4
2.2. Type(s) of formulation of the meta SPC	4
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	5
4.1.1 Use-specific instructions for use	6
4.1.2 Use-specific risk mitigation measures	7
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	7
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	7
4.2.1 Use-specific instructions for use	8
4.2.2 Use-specific risk mitigation measures	8

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	9
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	9
5. General directions for use of the meta SPC	9
5.1. Instructions for use	9
5.2. Risk mitigation measures	9
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	9
5.4. Instructions for safe disposal of the product and its packaging	9
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	9
6. Other information	10
7. Third information level: individual products in the meta SPC	10
7.1 Trade name(s), authorisation number and specific composition of each individual product	10
1. Meta SPC administrative information	12
1.1. Meta SPC identifier - Meta-SPC 2	12
1.2. Suffix to the authorisation number	12
1.3 Product type(s)	12
2. Meta SPC composition	13
2.1. Qualitative and quantitative information on the composition of the meta SPC	13
2.2. Type(s) of formulation of the meta SPC	13
3. Hazard and precautionary statements of the meta SPC	13
4. Authorised use(s) of the meta SPC	14
4.1.1 Use-specific instructions for use	15
4.1.2 Use-specific risk mitigation measures	15
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	16
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	16
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	16
5. General directions for use of the meta SPC	16
5.1. Instructions for use	16
5.2. Risk mitigation measures	16

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	16
5.4. Instructions for safe disposal of the product and its packaging	17
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	17
6. Other information	17
7. Third information level: individual products in the meta SPC	17
7.1 Trade name(s), authorisation number and specific composition of each individual product	17
1. Meta SPC administrative information	18
1.1. Meta SPC identifier - Meta-SPC 3	18
1.2. Suffix to the authorisation number	18
1.3 Product type(s)	18
2. Meta SPC composition	19
2.1. Qualitative and quantitative information on the composition of the meta SPC	19
2.2. Type(s) of formulation of the meta SPC	19
3. Hazard and precautionary statements of the meta SPC	19
4. Authorised use(s) of the meta SPC	20
4.1.1 Use-specific instructions for use	21
4.1.2 Use-specific risk mitigation measures	21
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	21
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	22
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	22
4.2.1 Use-specific instructions for use	23
4.2.2 Use-specific risk mitigation measures	23
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	23
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	24
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	24
5. General directions for use of the meta SPC	24
5.1. Instructions for use	24
5.2. Risk mitigation measures	24
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	24

5.4. Instructions for safe disposal of the product and its packaging	24
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	24
6. Other information	25
7. Third information level: individual products in the meta SPC	25
7.1 Trade name(s), authorisation number and specific composition of each individual product	25
1. Meta SPC administrative information	27
1.1. Meta SPC identifier - Meta-SPC 4	27
1.2. Suffix to the authorisation number	27
1.3 Product type(s)	27
2. Meta SPC composition	28
2.1. Qualitative and quantitative information on the composition of the meta SPC	28
2.2. Type(s) of formulation of the meta SPC	28
3. Hazard and precautionary statements of the meta SPC	28
4. Authorised use(s) of the meta SPC	29
4.1.1 Use-specific instructions for use	30
4.1.2 Use-specific risk mitigation measures	30
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	30
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	30
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	31
4.2.1 Use-specific instructions for use	32
4.2.2 Use-specific risk mitigation measures	32
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	32
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	32
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	32
5. General directions for use of the meta SPC	33
5.1. Instructions for use	33
5.2. Risk mitigation measures	33
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	33
5.4. Instructions for safe disposal of the product and its packaging	33

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	33
6. Other information	33
7. Third information level: individual products in the meta SPC	34
7.1 Trade name(s), authorisation number and specific composition of each individual product	34

Part I.- First information level

1. Administrative information

1.1. Family name

PPG_Class3_WB

1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	PPG AC - France SA
Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France

Authorisation number

FR-2019-0057

R4BP 3 asset reference number

FR-0012707-0000

Date of the authorisation

11/06/2019

Expiry date of the authorisation

03/06/2024

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

PPG AC - France SA

Address of the manufacturer

Immeuble Union Square 1 rue de l'Union Immeuble Union Square, CS 10055 92565 Rueil Malmaison France

Location of manufacturing sites

ZI Montplaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France

1.5. Manufacturer(s) of the active substance(s)

Active substance	1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of the manufacturer	Arysta LifeScience Benelux SPRL
Address of the manufacturer	rue de Renory 26/1 4102 Ougrée Belgium
Location of manufacturing sites	Mitchell Cotts Chemicals, Steanard Lane, Mirfield, WF14 8QB West Yorkshire United Kingdom Gharda Ltd; D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India
Active substance	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of the manufacturer	Janssen Pharmaceutica NV
Address of the manufacturer	Turnhoutseweg 302340 Beerse Belgium
Location of manufacturing sites	Dongsha ChemZone, Zhangjiagang 215600 Jiangsu China
Active substance	51 - tebuconazole
Name of the manufacturer	Lanxess Deutschland GmbH
Address of the manufacturer	- 51369 Leverkusen Germany
Location of manufacturing sites	Bayer CropScience Corp. P.O. Box 4913 64120-001 Kansas City United States
Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	Troy Chemical Company BV
Address of the manufacturer	Uiverlaan 12e 3145 XN Maassluis Netherlands
Location of manufacturing sites	One Avenue L 07105 Newark United States

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.11 - 1.29
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.16 - 2.37
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.05 - 0.78
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.05 - 0.76
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.026 - 0.48
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.00135 - 0.02925
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	0 - 12.5
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0 - 0.72

2.2. Type(s) of formulation

Emulsion oil in water (ready to use or to be diluted in water)

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	1.29 - 1.29
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	2.37 - 2.37
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.78 - 0.78
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.76 - 0.76
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.48 - 0.48
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.02925 - 0.02925
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	12.5 - 12.5
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0 - 0

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Emulsion oil in water (ready to use or to be diluted in water)

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.

Precautionary statements

Very toxic to aquatic life with long lasting effects.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May damage the unborn child.

Avoid release to the environment.

Dispose of to .

Wash thoroughly after handling.

Wear .

IF ON SKIN:Wash with plenty of .

Specific treatment (see on this label).

If skin irritation occurs:Get medical .

Take off contaminated clothing.And wash it before reuse.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a .

Avoid breathing .

Contaminated work clothing should not be allowed out of the workplace.

If skin irritation or rash occurs:Get medical .

Collect spillage.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned:Get medical .

Store locked up.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Industry_Preventive_5%

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Hylotrupes bajulus-House longhorn beetle-Larvae</p> <p>Wood rotting fungi (on softwood and hardwood for UC2 and on softwood for UC3.1)-brown rot fungi-</p> <p>Anobium punctatum-Common furniture beetle-Larvae</p> <p>Lyctus brunneus-Powder post beetles-Larvae</p> <p>Reticulitermes spp (on softwood and hardwood)-TermitesWorkers</p> <p>Reticulitermes spp (on softwood and hardwood)-TermitesSoldiers</p> <p>Reticulitermes spp (on softwood and hardwood)-Termites-Nymphs</p>
Field(s) of use	<p>Indoor</p> <p>Outdoor</p> <p>Preventive treatment in use classes 1 to 3.1.</p>
Application method(s)	<p>--</p> <p>Superficial application / short dipping treatment</p> <p>Superficial application / spray treatment</p> <p>Superficial application / aspersion</p>
Application rate(s) and frequencies	<p>UC 1: 100 g of 5 % diluted product / m² of wood (against insects only) UC 2 to 3.1: 165 g of 5 % diluted product / m² of wood (against insects and fungi). - 5 -</p> <p>The treatment is performed by superficial application:</p> <p>UC 1: 100 g of 5 % diluted product / m² of wood (against insects only)</p> <p>UC 2 to 3.1: 165 g of 5 % diluted product / m² of wood (against insects and fungi).</p>
Category(ies) of users	Industrial
Pack sizes and packaging material	<p>- 50 L and 200 L HDPE drums</p> <p>- 1000 L HDPE intermediate bulk container.</p>

4.1.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.1.2 Use-specific risk mitigation measures

- Prevent any release to the environment during the product application phase as well as during the storage and the transport of treated timber.
- Industrial application shall be conducted within a contained area on impermeable hard standing with bunding
- Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and clothes (category IV type 6) during mixing and loading and gloves and an impermeable coverall (category IV type 4) during application
- Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal
- Any contaminated water/soil shall be collected, contained and treated as hazardous waste
- Treated wood should not be used near an aquatic environment.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Professional_Preventive_5%

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Wood rotting fungi (on softwood and hardwood for UC 2 and on softwood for UC 3.1)- Brown rot fungi- Hylotrupes bajulus-House longhorn beetle-Larvae Anobium punctatum-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae Reticulitermes spp (on softwood and hardwood)-TermitesWorkers

	Reticulitermes spp (on softwood and hardwood)-TermitesSoldiers Reticulitermes spp (on softwood and hardwood)-Termites-Nymphs
Field(s) of use	Indoor Outdoor Preventive treatment in use classes 1 to 3.1.
Application method(s)	-- Superficial application / spray treatment Superficial application / brush / roller / pad treatment
Application rate(s) and frequencies	UC 1: 100 g of 5 % diluted product / m ² of wood (against insects only) UC 2 to 3.1: 165 g of 5 % diluted product / m ² of wood (against insects and fungi). - 5 - The treatment is performed by superficial application: UC 1: 100 g of 5 % diluted product / m ² of wood (against insects only) UC 2 to 3.1: 165 g of 5 % diluted product / m ² of wood (against insects and fungi).
Category(ies) of users	Professional
Pack sizes and packaging material	- 5 L fluorinated HDPE jerry cans

4.2.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.2.2 Use-specific risk mitigation measures

- Do not apply where the product can reach surface water during outdoor application
- Treated wood should not be used near an aquatic environment.
- For brush application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during mixing and loading.
- For spray application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application.
- For outdoor treatment, apply only by brushing and cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the registration holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Inhalation: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of mouth contact with large quantities.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life: 12 months
- Stir before and during application
- Protect from direct sunlight
- Do not store at a temperature higher than 22°C

6. Other information

- The authorization holder should report any observed incidents related to the efficacy to the Competent Authorities (CA)
- Treated wood should not be intended for uses involving contact with food, feed or livestock.
- A new shelf life study for X6119C in HDPE packaging is required in post authorisation within 1 year to confirm the stability of IPBC.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Xylophene Préventif EXO 500
 Xylophène Industrie Xyloprotect CL2
 Xylophene Préventif EXO 1000
 Xylophène Industrie Xyloprotect EXO 1000
 Xylophène Curatif CIF 2010
 Xylophène Industrie Xylobati CIF 2010
 Corpol Aqua Plus
 Xylophène Industrie Xyloprotect EXO 1000
 Xylophène Industrie Xyloprotect EXO 1000
 Xylophène Industrie Xyloprotect CL2
 Xylophène Industrie Xyloprotect EXO 1000
 Xylophène Industrie Xyloprotect CL2
 Xylophène Industrie Xyloprotect EXO 1000
 Xylophène Industrie Xyloprotect EXO 1000

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012707-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	1.29
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	2.37
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.78
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.76
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.48
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.02925
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	12.5
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0

Trade name(s)

Xylophene Préventif EXO 1000 Jaune
Xylophène Industrie Xyloprotect EXO 1000 Jaune

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012707-0002 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
-------------	------------	----------	------------	-----------	-------------

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	1.29
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	2.37
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.78
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.76
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.48
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.02925
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	12.5
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.65 - 0.65
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	1.18 - 1.18
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.39 - 0.39
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.38 - 0.38
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.24 - 0.24
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.001475 - 0.001475
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	6.25 - 6.25
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0 - 0

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Emulsion oil in water (ready to use or to be diluted in water)

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.
 Very toxic to aquatic life with long lasting effects.
 Causes skin irritation.
 Causes serious eye damage.
 May cause an allergic skin reaction.

Precautionary statements

May damage the unborn child.

Avoid release to the environment.

Dispose of to .

Wash thoroughly after handling.

Wear .

IF ON SKIN:Wash with plenty of .

Specific treatment (see on this label).

If skin irritation occurs:Get medical .

Take off contaminated clothing.And wash it before reuse.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a .

Avoid breathing .

Contaminated work clothing should not be allowed out of the workplace.

If skin irritation or rash occurs:Get medical .

Collect spillage.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned:Get medical .

Store locked up.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Industry_Preventive_10%

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Wood rotting fungi (on softwood and hardwood for UC 2 and on softwood in UC 3.1)-
Brown rot fungi-
Hylotrupes bajulus-House longhorn beetle-Larvae

	<p>Anobium punctatum-Common furniture beetle-Larvae</p> <p>Lyctus brunneus-Powder post beetle-Larvae</p> <p>Reticulitermes spp (on softwood and hardwood)-TermitesWorkers</p> <p>Reticulitermes spp (on softwood and hardwood)-TermitesSoldiers</p> <p>Reticulitermes spp (on softwood and hardwood)-Termites-Nymphs</p>
Field(s) of use	<p>Indoor</p> <p>Outdoor</p> <p>Preventive treatment in use classes 1 to 3.1.</p>
Application method(s)	<p>--</p> <p>Superficial application / short dipping treatment</p> <p>Superficial application / spray treatment</p> <p>Superficial application / aspersion</p>
Application rate(s) and frequencies	<p>UC 1: 100 g of 10 % diluted product / m² of wood UC 2 to 3.1: 165 g of 10 % diluted product / m² of wood. - 10 -</p> <p>The treatment is performed by superficial application:</p> <p>UC 1: 100 g of 10 % diluted product / m² of wood</p> <p>UC 2 to 3.1: 165 g of 10 % diluted product / m² of wood.</p>
Category(ies) of users	<p>Industrial</p>
Pack sizes and packaging material	<p>- 200 L HDPE drums</p> <p>- 1000 L HDPE intermediate bulk containers.</p>

4.1.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.1.2 Use-specific risk mitigation measures

- Prevent any release to the environment during the product application phase as well as during the storage and the transport of treated timbe.
- Industrial application shall be conducted within a contained area on impermeable hard standing with bunding
- Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal.
- Any contaminated water/soil shall be collected, contained and treated as hazardous waste
- Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and clothes (category IV type 6) during mixing and loading and gloves and an impermeable coverall (category IV type 4)

during application.

- Treated wood should not be used near an aquatic environment

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the registration holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Inhalation: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of mouth contact with large quantities.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life: 12 months
- Protect from direct sunlight
- Do not store at a temperature higher than 22°C

6. Other information

- The authorization holder should report any observed incidents related to the efficacy to the Competent Authorities (CA).
- Treated wood should not be intended for uses involving contact with food, feed or livestock.
- A new shelf life study for X6119C in HDPE packaging is required in post authorisation. Results will be extrapolated to the product of Meta SPC2.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Xylophene Préventif EX 2002
Xylophène Industrie Xyloprotect EX 2002
Xylophène Industrie Xyloprotect EX 2002
Xylophène Industrie Xyloprotect EX 2002

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012707-0003 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.65
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	1.18
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.39
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.38
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.24
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.001475
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	6.25
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.11 - 0.11
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.16 - 0.16
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.05 - 0.05
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.05 - 0.05
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.026 - 0.026
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.00135 - 0.00135
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	0 - 0
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0.72 - 0.72

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Emulsion oil in water (ready to use or to be diluted in water)

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.

Very toxic to aquatic life with long lasting effects.

Contains propiconazole, 1,2-benzisothiazol-3(2H)-one, mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one.. May produce an allergic reaction.

Causes serious eye irritation.

Precautionary statements

Avoid release to the environment.

Dispose of to .

Wash thoroughly after handling.

Wear .

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists:Get medical .

Collect spillage.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Preventive treatment

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Wood rotting fungi (on softwood and hardwood for UC 2 and on softwood in UC 3.1)-
Brown rot fungi-

Hylotrupes bajulus-House longhorn beetle-Larvae

Anobium punctatum-Common furniture beetle-Larvae

Lyc tus brunneus-Powder post beetle-Larvae

Reticulitermes spp in use class 1 to 3.1 on softwood and hardwood-TermitesWorkers

Reticulitermes spp in use class 1 to 3.1 on softwood and hardwood-TermitesSoldiers

Reticulitermes spp in use class 1 to 3.1 on softwood and hardwood-Termites-Nymphs

Heterotermes spp in use class 1 and 2 on softwood and hardwood-TermitesWorkers

Heterotermes spp in use class 1 and 2 on softwood and hardwood-TermitesNymphs

Heterotermes spp in use class 1 and 2 on softwood and hardwood-TermitesSoldiers

Field(s) of use

Indoor

Outdoor

Preventive treatment in use classes 1 to 3.1.

Application method(s)	-- Superficial application / spray treatment Superficial application / brush / roller / pad treatment
Application rate(s) and frequencies	UC 1 to 3.1: 200 g product / m ² of wood - 0 - The treatment is performed by superficial application: UC 1 to 3.1: 200 g product / m ² of wood
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	For professional users: - 0.5 L and 2 L HDPE bottles - 0.75 L and 1 L metal bottles (tin plate can with epoxy phenolic varnish) - 1 L fluorinated HDPE bottles - 2.5 L, 5 L and 6 L metal cans (tin plate can with epoxy phenolic varnish) - 5 L, 6 L and 25 L HDPE jerry cans - 25 L and 30 L metal pails (tin plate can with epoxy phenolic varnish) - 30 L HDPE pails - 200 L HDPE drums - 1000 HDPE intermediate bulk containers. For non professional users: - 0.5 L and 2 L HDPE bottles - 0.75 L and 1 L metal bottles (tin plate can with epoxy phenolic varnish) - 1 L fluorinated HDPE bottles - 2.5 L, 5 L and 6 L metal cans (tin plate can with epoxy phenolic varnish) - 5 L and 25 L HDPE jerry cans - 20 L, 24L, 25 L and 30 L metal pails (tin plate can with epoxy phenolic varnish)

4.1.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.1.2 Use-specific risk mitigation measures

- For outdoor treatment, apply only by brushing and cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment .
- Do not apply where the product can reach surface water during outdoor application.
- Treated wood should not be used near an aquatic environment.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Curative treatment

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Curative treatment for wood in service

Target organism(s) (including development stage)

Hylotrupes bajulus-House longhorn beetle-Larvae
 Anobium punctatum-Common furniture beetle-Larvae
 Lyctus brunneus-Powder post beetles-Larvae
 Reticulitermes spp.-TermitesWorkers
 Reticulitermes sp.-TermitesSoldiers
 Reticulitermes sp.-TermitesNymphs
 Heterotermes spp.-TermitesWorkers
 Heterotermes spp.-TermitesSoldiers
 Heterotermes spp.-TermitesNymphs

Field(s) of use

Other
 Curative treatment for wood in service (wood not exposed to weathering and frequent wetting) softwood and hardwood

Application method(s)

--
 Superficial application / brush / roller / pad
 Superficial application / spray
 Injection (combined with a superficial application)

-- 0 -

Application rate(s) and frequencies

The product is ready to use.

When the treatment is performed by superficial application, the application rate is :

- 300 g of product / m² of wood

When the application is performed by injection (combined with superficial application), the application rate is :

- 180 g of product / m² of wood (+ 300 g of product / m² of wood)

Category(ies) of users

Professional

General public (non-professional)

Pack sizes and packaging material

For professional users:

- 0.5 L and 2 L HDPE bottles
- 0.75 L and 1 L metal bottles (tin plate can with epoxy phenolic varnish)
- 1 L fluorinated HDPE bottles
- 2.5 L, 5 L and 6 L metal cans (tin plate can with epoxy phenolic varnish)
- 5 L, 6 L and 25 L HDPE jerry cans
- 25 L and 30 L metal pails (tin plate can with epoxy phenolic varnish)
- 30 L HDPE pails
- 200 L HDPE drums
- 1000 HDPE intermediate bulk containers.

For non professional users:

- 0.5 L and 2 L HDPE bottles
- 0.75 L and 1 L metal bottles (tin plate can with epoxy phenolic varnish)
- 1 L fluorinated HDPE bottles
- 2.5 L, 5 L and 6 L metal cans (tin plate can with epoxy phenolic varnish)
- 5 L and 25 L HDPE jerry cans
- 20 L, 24L, 25 L and 30 L metal pails (tin plate can with epoxy phenolic varnish)

4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

4.2.2 Use-specific risk mitigation measures

- PROFESSIONAL USERS For injection combined to brush application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during injection.

- PROFESSIONAL USERS For injection combined to spray application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated overall (category IV type 6) during application by spraying and gloves during injection

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- PROFESSIONAL USERS For spray application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Inhalation: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of mouth contact with large quantities.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life: 24 months
- Do not store at a temperature higher than 40°C
- Protect from direct sunlight (except for can containers)

6. Other information

- The authorization holder should report any observed incidents related to the efficacy to the Competent Authorities (CA).
- Treated wood should not be intended for uses involving contact with food, feed or livestock.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Bricorama Traitement Bois Extérieurs
 Xylophene Curatif CE 2006
 Xylophène Industrie Xylobati CE 2006
 Bricorama Traitement Multi-Usages
 Xylophène Multi-Usages
 Xylophène Universel
 Traitement du Bois Universel
 Veraxyl Universel Traitement Du Bois
 Xylophène Bois Extérieurs
 Xylophène Expert Xylo Total
 Xylophène Professionnel M2000
 Colours Traitement Multi-Usages
 Boisilor Traitement Multi-Usages
 Inventiv'Protec Traitement Multi-Usages
 Boisilor Traitement Bois Extérieurs
 Xylophène Bois Extérieur
 Traitement Bois Extérieur Nuance
 Traitement Multi-Usages Nuance
 Axton Traitement Universel
 Flexell Traitement Universel

Xylophène Hydro
Bondex Tratamiento Multiuso Para Madera
Bondex Multitratamiento
Xylophène Hydro
Bondex Tratamiento Multi-Usos Para Madeira
Tratamento Madeiras Exterior Nuance
Tratamento Multiusos Nuance
Gori 11
Bondex Preserve III
Axton Trattamento Antitarlo Universale Interno & Esterno
Bondex Long Life Wood Preservative
Bondex Preserve III
ΘΕΡΑΠΕΙΑ ΞΥΛΟΥ ΓΙΑ ΕΣΩΤΕΡΙΚΗ/ΕΞΩΤΕΡΙΚΗ ΧΡΗΣΗ
Gori 11
Bondex Preserve III
Gori 11
Madurox Sanio 3
Madurox Sanio 3
LAZURÁN OLDÓSZERMENTES FAANYAGVÉDŐ
LAZURÁN OLDÓSZERMENTES FAANYAGVÉDŐ
BALAKRYL NAPOUŠTĚDLO
BALAKRYL NAPOUŠTĚDLO
Bondex Preserve
Bondex Preserve III
Bondex Preserve III

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012707-0004 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.11
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.16
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.05
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.05
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.026
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.00135
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	0
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0.72

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 4

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.11 - 0.11
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.16 - 0.16
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.05 - 0.05
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.05 - 0.05
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.026 - 0.026
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.00135 - 0.00135
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	0 - 0
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides		68515-73-1	500-220-1	0.72 - 0.72

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Emulsion oil in water (ready to use or to be diluted in water)

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.

Very toxic to aquatic life with long lasting effects.

Causes serious eye irritation.

Contains propiconazole, 1,2-benzisothiazolin-3-one 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statements

Avoid release to the environment.

Dispose of to .

Wash thoroughly after handling.

Wear .

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists:Get medical .

Collect spillage.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Preventive treatment

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Wood rotting fungi (on softwood and hardwood for UC 2 and on softwood fo UC3.1)-
Brown rot fungi-

Hylotrupes bajulus-House longhorn beetle-Larvae

Anobium punctatum-Common furniture beetle-Larvae

Lyctus brunneus-Powder post beetle-Larvae

Reticulitermes spp (on softwood and hardwood)-TermitesWorkers

Reticulitermes spp (on softwood and hardwood)-TermitesSoldiers

Reticulitermes spp (on softwood and hardwood)-Termites-Nymphs

Heterotermes spp (on softwood and hardwood)-TermitesWorkers

Heterotermes spp (on softwood and hardwood)-TermitesSoldiers

Heterotermes spp (on softwood and hardwood)-Termites-Nymphs

Field(s) of use

Indoor

Outdoor

Preventive treatment in use classes 1 to 3.1

Application method(s)	-- Superficial application / spray treatment Superficial application / brush / roller / pad treatment
Application rate(s) and frequencies	200 g product / m ² of wood - 0 - The treatment is performed by superficial application: UC 1 to 3.1: 200 g product / m ² of wood
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	For professional users: - 1 L metal bottles (tin plate can with epoxy phenolic varnish) - 5 L metal cans (tin plate can with epoxy phenolic varnish) - 20 L metal pails (tin plate can with epoxy phenolic varnish) For non professional users: - 1 L metal bottles (tin plate can with epoxy phenolic varnish) - 5 L and 6 L metal cans (tin plate can with epoxy phenolic varnish) - 20 L and 24 L metal pails (tin plate can with epoxy phenolic varnish)

4.1.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.1.2 Use-specific risk mitigation measures

- For outdoor treatment, apply only by brushing and cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.
- Do not apply where the product can reach surface water during outdoor application.
- Treated wood should not be used near an aquatic environment.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Curative treatment

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Anobium punctatum-Common furniture beetle-Larvae
Reticulitermes spp.-Termitesworkers
Reticulitermes spp.-TermitesSoldiers
Reticulitermes spp.-Termites-Nymphs
Heterotermes spp.-TermitesWorkers
Heterotermes spp.-TermitesSoldiers
Heterotermes spp.-TermitesNymphs

Field(s) of use

Other
Curative treatment for wood (wood not exposed to weathering and leaching) on softwood and hardwood

Application method(s)

--
Superficial application / brush / roller / pad
Superficial application / spray
Injection (combined with a superficial application)

Application rate(s) and frequencies

-- 0 -
The product is ready to use.
When the treatment is performed by superficial application, the application rate is :
- 300 g of product / m² of wood
When the application is performed by injection (combined with superficial application), the application rate is :
- 180 g of product / m² of wood (+ 300 g of product / m² of wood)

Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	For professional users - 1 L metal bottles (tin plate can with epoxy phenolic varnish) - 5 L metal cans (tin plate can with epoxy phenolic varnish) - 20 L metal pails (tin plate can with epoxy phenolic varnish) For non professional users - 1 L metal bottles (tin plate can with epoxy phenolic varnish) - 5 L and 6 L metal cans (tin plate can with epoxy phenolic varnish) - 20 L and 24 L metal pails (tin plate can with epoxy phenolic varnish)

4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

4.2.2 Use-specific risk mitigation measures

- PROFESSIONAL USERS : For injection combined to brush application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during injection.
- PROFESSIONAL USERS : For spray application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application
- PROFESSIONAL USERS : For injection combined to spray application, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application by spraying and gloves during injection.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Inhalation: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of mouth contact with large quantities.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life: 24 months
- Do not store at a temperature higher than 40°C

6. Other information

- The authorization holder should report any observed incidents related to the efficacy to the Competent Authorities (CA).
- Treated wood should not be intended for uses involving contact with food, feed or livestock.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Xylophène Premium Gel Actif Monocouche Multi-Usages
 Xylophène Hydro Gel
 Xylophène Hydro Gel
 Gori 21

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0012707-0005 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.11
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.16
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-yl)methylpentan-3-ol	Active Substance	107534-96-3	403-640-2	0.05
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.05
BIT	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9	0.026
CMIT MIT	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		55965-84-9	611-341-5	0.00135

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	97862-59-4	931-296-8	0
Decyl glucoside	D-glucopyranose, oligomers, decyl octyl glycosides	68515-73-1	500-220-1	0.72