Summary of product characteristics for a biocidal product

Product name: Fungitrol 720

Product type(s): PT06 - Preservatives for products during storage (Preservatives)

Authorisation number: 578-27

R4BP 3 asset reference number: DK-0012813-0003

Table Of Contents

Administrative information	
Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	4
5. General directions for use	17
5.1. Instructions for use	17
5.2. Risk mitigation measures	17
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	18
5.4. Instructions for safe disposal of the product and its packaging	19
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	19
6. Other information	19

Administrative information

1.1. Trade names of the product

Fungitrol 720	
Fungitrol 720	

1.2. Authorisation holder

Name and address of the authorisation holder

Name	TROY CHEMICAL COMPANY BV
Address	Poortweg 4C 2612PA Delft Netherlands
578-27 1-3	

Authorisation number

R4BP 3 asset reference number

Date of the authorisation

Expiry date of the authorisation

DK-0012813-0003
07/07/2017
07/07/2027

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	Troy Chemical Company BV	
Address of the manufacturer	Poortweg 4C 2612PA Delft Netherlands	
Location of manufacturing sites	Westelijke Randweg 9 4791 RT Klundert Netherlands	
	Industriepark 23 56593 Horhausen Germany	
	Am Alten Galgen 14 56410 Montabaur Germany	
	Geschwister-Scholl-Straße 127 39218 Schönebeck/Elbe Germany	
	Mecklenburger Str. 229 23568 Lübeck Germany	
	Halchtersche Str. 33 38304 Wolfenbüttel Germany	
	Am Nordturm 5 46562 Voerde Germany	

1.4. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)	
Name of the manufacturer	Troy Corporation	
Address of the manufacturer	8 Vreeland Road 07932 Florham Park, New Jersey United States	
Location of manufacturing sites	One Avenue L 07105 Newark, New Jersey United States	
Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)	
Name of the manufacturer	Troy Chemical Company BV	
Address of the manufacturer	Poortweg 4C 2612PA Delft Netherlands	
Location of manufacturing sites	Industriepark 23 56593 Horhausen Germany	

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	20

2.2. Type of formulation

AL - Any other liquid

Hazard statements

3. Hazard and precautionary statements

May cause an allergic skin reaction.

Causes serious eye damage.

Harmful if inhaled.

Causes damage to organs larynx through prolonged or repeated exposure .

Toxic to aquatic life with long lasting effects.

Precautionary statements

Do not breathe dust.

Do no eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear eye protection.

Wear protective gloves.

IF ON SKIN: Wash with plenty of water.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor.

Collect spillage.

Dispose of container to local waste management provider..

4. Authorised use(s)

4.1 Use description

Use 1 - Sub-category 6.1: Washing and cleaning fluids and detergents

Product type

PT06 - Preservatives for products during storage (Preservatives)

Where relevant, an exact description of the authorised use

This use refers to the above-mentioned sub-category of Product Type 06 according to TAB version 1.2, 2016.

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Preservation of washing and cleaning fluids and detergents

Application method(s)

Method: Closed system Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products) takes place under closed conditions. Infrequently, the addition of the biocidal products can also be performed partly automated or manually.

Application rate(s) and frequencies

Application Rate: Final concentration of the active substance: 0.005- 0.05% (w/w) (0.05- 0.5 g/kg)

Dilution (%): 0

Number and timing of application:

Once per production run of the treated article.

Category(ies) of users

Industrial

Pack sizes and packaging material

Pail (HDPE): 20-30 kg (for liquid formulations). Closure: Screw cap, HDPE

Drum (HDPE): 20 - 200 kg (for liquid formulations).

Closure: Screw cap, HDPE

IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations).

Closure: Screw cap, HDPE

, first aid
t and its
oduct

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Preservation of paints and coatings

Application method(s)

Method: Closed system Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products) takes place under closed conditions. Infrequently, the addition of the biocidal products can also be performed partly automated or manually.

Application rate(s) and frequencies

Application Rate: Final concentration of the active substance: 0.005- 0.1% (w/w) (0.05- 1.0 g/kg)

Dilution (%): 0

Number and timing of application:

Once per production run of the treated article.

Category(ies) of users

Industrial

Pack sizes and packaging material

Pail (HDPE): 20-30 kg (for liquid formulations). Closure: Screw cap, HDPE

Drum (HDPE): 20 - 200 kg (for liquid formulations).

Closure: Screw cap, HDPE

IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations).

Closure: Screw cap, HDPE

4.2.1 Use-specific instructions for use

Identical for all uses. See general directions for use.

4.2.2 Use-specific risk mitigation measures

Identical for all uses. See general directions for use.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Identical for all uses. See general directions for use.

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Identical for all uses. See general directions for use.

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Identical for all uses. See general directions for use.

4.3 Use description

Use 3 - Sub-category 6.3: Fluids used in leather and textile production

Product type

Where relevant, an exact description of the authorised use

PT06 - Preservatives for products during storage (Preservatives)

This use refers to the above-mentioned sub-category of Product Type 06 according to TAB version 1.2, 2016.

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Preservation of fluids used leather production

Application method(s)

Method: Closed system Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products) takes place under closed conditions. Infrequently, the addition of the biocidal products can also be performed partly automated or manually.

Application rate(s) and frequencies

Application Rate: Final concentration of the active substance: 0.005- 0.05% (w/w) (0.05-

0.5 g/kg)

Dilution (%): 0

Number and timing of application:

Once per production run of the treated article.

Category(ies) of users

Industrial

Pack sizes and packaging material

Pail (HDPE): 20-30 kg (for liquid formulations). Closure: Screw cap, HDPE

Drum (HDPE): 20 - 200 kg (for liquid formulations).

Closure: Screw cap, HDPE

IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations). Closure: Screw cap, HDPE

4.3.1 Use-specific instructions for use

Identical for all uses. See general directions for use.

4.3.2 Use-specific risk mitigation measures

Identical for all uses. See general directions for use.

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Identical for all uses. See general directions for use.

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Identical for all uses. See general directions for use.

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Identical for all uses. See general directions for use

4.4 Use description

Use 4 - Sub-category 6.6: Glues and adhesives

Product type

PT06 - Preservatives for products during storage (Preservatives)

Where relevant, an exact description of the authorised use

This use refers to the above-mentioned sub-category of Product Type 06 according to TAB version 1.2, 2016.

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Preservation of glues and adhesives

Application method(s)

Method: Closed system

Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products) takes place under closed conditions. Infrequently, the addition of the biocidal products can also be performed partly automated or manually.

Application rate(s) and frequencies

Application Rate: Final concentration of the active substance: 0.005- 0.1% (w/w) (0.05- 1.0 g/kg)

Dilution (%): 0

Number and timing of application:
Once per production run of the treated article.

Category(ies) of users

Industrial

Pack sizes and packaging material

Pail (HDPE): 20-30 kg (for liquid formulations). Closure: Screw cap, HDPE

Drum (HDPE): 20 - 200 kg (for liquid formulations).

Closure: Screw cap, HDPE

IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations).

Closure: Screw cap, HDPE

4.4.1 Use-specific instructions for use

Identical for all uses. See general directions for use.

4.4.2 Use-specific risk mitigation measures

Identical for all uses. See general directions for use.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Identical for all uses. See general directions for use.

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Identical for all uses. See general directions for use.

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Identical for all uses. See general directions for use.

4.5 Use description

Use 5 - Sub-category 6.7: other: Preservation of raw material: admixtures (used in concrete)

Product type

PT06 - Preservatives for products during storage (Preservatives)

Where relevant, an exact description of the authorised use

This use refers to the above-mentioned sub-category of Product Type 06 according to TAB version 1.2, 2016.

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Preservation of raw material: Admixtures (used in matrices like concrete))

Application method(s)

Method: Closed system Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products)

	can also be performed partly automated or manually.
Application rate(s) and frequencies	Application Rate: Final concentration of the active substance: 0.005- 0.1% (w/w) (0.05- 1.0 g/kg) Dilution (%): 0 Number and timing of application: Once per production run of the treated article.
Category(ies) of users	Industrial
Pack sizes and packaging material	
	Pail (HDPE): 20–30 kg (for liquid formulations). Closure: Screw cap, HDPE
	Drum (HDPE): 20 - 200 kg (for liquid formulations). Closure: Screw cap, HDPE
	IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations). Closure: Screw cap, HDPE
4.5.1 Use-specific instructio	ons for use
Identical for all uses. See general direct	tions for use.
4.5.2 Use-specific risk mitig	ation measures
Identical for all uses. See general direct	tions for use.
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
Identical for all uses. See general direct	tions for use.

takes place under closed conditions. Infrequently, the addition of the biocidal products

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Identical for all uses. See general directions for use.

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Identical for all uses. See general directions for use

4.6 Use description

Use 6 - Sub-category 6.7: other: Preservation of raw material: pigment pastes (to color a wide variety of products, e.g. paints)

Product type

PT06 - Preservatives for products during storage (Preservatives)

Where relevant, an exact description of the authorised

This use refers to the above-mentioned sub-category of Product Type 06 according to TAB version 1.2, 2016.

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Pigment pastes used to color a wide variety of products (e.g. paints)

Application method(s)

Method: Closed system Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products) takes place under closed conditions. Infrequently, the addition of the biocidal products can also be performed partly automated or manually.

Application rate(s) and frequencies

Application Rate: Final concentration of the active substance: 0.006- 0.1% (w/w) (0.06-1.0 g/kg)

Dilution (%): 0

	Number and timing of application: Once per production run of the treated article.		
Category(ies) of users	Industrial		
Pack sizes and packaging material			
	Pail (HDPE): 20–30 kg (for liquid formulations). Closure: Screw cap, HDPE		
	Drum (HDPE): 20 - 200 kg (for liquid formulations). Closure: Screw cap, HDPE		
	IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations). Closure: Screw cap, HDPE		
4.6.1 Use-specific instruction	ns for use		
Identical for all uses. See general direction	ons for use.		
4.6.2 Use-specific risk mitiga	ation measures		
Identical for all uses. See general direction	ons for use.		
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment		
Identical for all uses. See general direction	ons for use.		
4.6.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its		

Identical for all uses. See general directions for use.

4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Identical for all uses. See general directions for use.

4.7 Use description

Use 7 - Sub-category 6.7: other: Preservation of raw material: inks

Product type

use

Where relevant, an exact description of the authorised

PT06 - Preservatives for products during storage (Preservatives)

This use refers to the above-mentioned sub-category of Product Type 06 according to TAB version 1.2, 2016.

The liquid product Fungitrol 720 in meta SPC3 of the Fungitrol Biocidal Product Family is an in-can preservative ready-to-use (RTU) solution (A.S. concentration: 20-20%).

The products of the Fungitrol Biocidal Product Family are used for industrial in-can preservation for a wide variety of products in PT6.

Target organism(s) (including development stage)

Scientific name: other Common name: Fungi/yeasts Development stage: vegetative cells

Field(s) of use

Indoor

Preservation of raw material: Pigment pastes used to color a wide variety of products (inks)

Application method(s)

Method: Closed system

Detailed description:

The in-can preservation of all end-products is performed by industrial users in most cases highly automated . The in-can preservation (i.e. mixture of the end-products) takes place under closed conditions. Infrequently, the addition of the biocidal products can also be performed partly automated or manually.

Application rate(s) and frequencies

Application Rate: Final concentration of the active substance: 0.005- 0.05% (w/w) (0.05- 0.5 g/kg)

Dilution (%): 0

Number and timing of application:

Once per production run of the treated article.

Pack sizes and packaging Pail (HDPE): 20-30 kg (for liquid formulations). Closure: Screw cap, HDPE material Drum (HDPE): 20 - 200 kg (for liquid formulations). Closure: Screw cap, HDPE IBC (intermediate bulk container, HDPE): 1000 kg (for liquid formulations). Closure: Screw cap, HDPE 4.7.1 Use-specific instructions for use Identical for all uses. See general directions for use. 4.7.2 Use-specific risk mitigation measures Identical for all uses. See general directions for use. 4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment Identical for all uses. See general directions for use. 4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging Identical for all uses. See general directions for use. 4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product

Industrial

Category(ies) of users

under normal conditions of storage

Identical for all uses. See general directions for use.

5. General directions for use

5.1. Instructions for use

For industrial in-can preservation Advice on safe handling: The preservative is added to the system preferably via an automatic dosing system at a location where the preservative will be dispersed equally. The preservative can be added at any stage of the production of the product. Earliest possible addition is recommended for optimal protection. Consult the manufacturer to determine the optimal dosage for the various products to be preserved. Avoid formation of respirable particles. Avoid dust formation. Do not breathe vapours/dust. Provide sufficient air exchange and/or exhaust in work rooms. Avoid exceeding of the given occupational exposure limits. Smoking, eating and drinking should be prohibited in the application area. Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards. The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres. Ensure all equipment is electrically grounded and bonded before beginning transfer operations. Advice on protection against fire and explosion: Take measures to prevent the build up of electrostatic charge. Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

5.2. Risk mitigation measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure (from known, suspected or apparent adverse effects). Provide appropriate exhaust ventilation at places where dust is formed. Personal protective equipment
Hand protection: "Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information)". Eye protection: Safety glasses with side-shields. Skin and body protection: chemical resistant coated coveralls
Hygiene measures: Do not breathe dust. Keep away from food, drink and animal feedingstuffs. When using do not eat, drink or smoke. Ensure that eyewash stations and safety showers are close to the workstation location.
End use products:
The person responsible for the placing on the market of treated articles shall ensure that the label of these treated articles provides the following information:
For application by manual spraying, the following must be stated: "Wear protective chemical resistant coated coveralls during manual spraying".
The ground must be covered during in-situ application of the treated articles (paints and coatings) and any spillage should be collected . IPBC concentrations higher than 0.02% in the treated paint cannot be used for spray application.
Any solid/liquid waste from the de-inking process must be treated as special waste and handled according to local regulations.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid GENERAL: In case of an accident, suspected exposure or if you feel unwell, seek medical advice immediately (show the label where possible) IF SWALLOWED: Do NOT induce vomiting: seek medical advice/attention immediately. IF ON SKIN: Wash skin immediately with plenty of water. IF IN EYES: Rinse continuously with water (preferably using eye wash) for at least 5 minutes. Eyelids open. Remove any contact lenses if present and easy to do so - continue rinsing. Seek medical attention if symptoms persist. IF INHALED: Remove to fresh air. Seek medical attention if symptoms persist. Emergency measures to protect the environment: Avoid all unnecessary release to the environment; in particular avoid release to water. Any losses should be collected for re-use and disposal.
5.4. Instructions for safe disposal of the product and its packaging
The product must be disposed of safely as hazardous waste. Any product collected during application that is not re-used must be disposed of safely as hazardous waste. Do NOT dispose of unwanted product down drains. Dispose of packaging and unused product in accordance with local regulations. If required, consult a professional waste operator or local authority.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
2 years. Store in a cool, dry, well-ventilated place. Store in the original container tightly closed. Protect from frost.
6. Other information