

Summary of product characteristics for a biocidal product

Product name: X5975CIRE

Product type(s): PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

Authorisation number: PT/DGAV ARMPB08-005/2019; PT/DGAV ARMPB08-006/2019

R4BP 3 asset reference number: PT-0020846-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	4
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	4
4.2.1 Use-specific instructions for use	5
4.2.2 Use-specific risk mitigation measures	5
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	6
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	6
4.3.1 Use-specific instructions for use	7
4.3.2 Use-specific risk mitigation measures	7
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	7
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	7
5. General directions for use	7
5.1. Instructions for use	7

5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8

Administrative information

1.1. Trade names of the product

X5975CIRE

1.2. Authorisation holder

Name and address of the authorisation holder	Name	PPG AC - France SA
	Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France
Authorisation number	PT/DGAV ARMPB08-005/2019; PT/DGAV ARMPB08-006/2019	
R4BP 3 asset reference number	PT-0020846-0000	
Date of the authorisation	24/05/2019	
Expiry date of the authorisation	30/05/2028	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	PPG AC - France SA, Dyrup S.A.S.
Address of the manufacturer	10 rue Henri Sainte Claire Deville 92565 Rueil-Malmaison France
Location of manufacturing sites	ZI Montpaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France

1.4. Manufacturer(s) of the active substance(s)

Active substance	1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of the manufacturer	Agriphar S.A.
Address of the manufacturer	rue de Renory 26/1 4102 Ougrée Belgium
Location of manufacturing sites	- - - Belgium

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.07

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements	<p>Flammable liquid and vapour.</p> <p>May be fatal if swallowed and enters airways.</p> <p>May cause drowsiness or dizziness.</p> <p>Very toxic to aquatic life.</p> <p>Very toxic to aquatic life with long lasting effects.</p> <p>Repeated exposure may cause skin dryness or cracking.</p>
Precautionary statements	<p>If medical advice is needed, have product container or label at hand.</p>

Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. – No smoking.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. – No smoking.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. – No smoking.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. – No smoking.

Avoid breathing vapours.

Wear protective gloves.

Wear eye protection.

Wear face protection.

IF SWALLOWED:Immediately call a POISON CENTER.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

Store in a well-ventilated place.Keep cool.

Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation..

4. Authorised use(s)

4.1 Use description

Use 1 - Preventive

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

The product X5975CIRE is used as a use class 1 preventive and curative treatment for solid wood, against termites and wood-boring beetles (house longhorn beetle, furniture beetle and Lyctus). It can be used indoors, on both softwood and hardwood. The application rate is 200 g/m² for preventive use, with 1 or 2 layers of the product; and 300 g/m² for curative use, with 3 layers of the product. For professionals and non-professionals users, the product can be applied by brushing or spraying. This product is also used by industrial users, by short-time dipping, for preventive treatment. The treated woods can be used as class 1. The application rate is 200 g/m². This corresponds to a dipping during 3 minutes, with a mean intake of 15 to 20 litres of the product per m³ (for traditional framework).

Target organism(s) (including development stage)

wood boring beetles-wood boring insects-Larvae
Reticulitermes sp.-Termites-soldiers, nymphs and workers

Field(s) of use

	Indoor
Application method(s)	Spraying - The product is a ready-for-use product. It is applied by brushing or spraying.
Application rate(s) and frequencies	200 g/m ² - 100 - -
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	Can /Tin - Metal: - 0.5 L

4.1.1 Use-specific instructions for use

4.1.2 Use-specific risk mitigation measures

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

4.2 Use description

Use 2 - Curative

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	The product X5975CIRE is used as a 1 preventive and curative treatment for solid wood, against termites and wood-boring beetles (house longhorn beetle, furniture beetle and Lyctus). It can be used indoors, on both softwood and hardwood. The application rate is 200 g/m ² for preventive use, with 1 or 2 layers of the product; and 300 g/m ² for curative use, with 3 layers of the product. For professionals and non-professionals users, the product can be applied by brushing or spraying. This product is also used by industrial users, by short-time dipping, for preventive treatment. The treated woods can be used as class 3.1. The application rate is 200 g/m ² . This corresponds to a dipping during 3 minutes, with a mean intake of 15 to 20 litres of the product per m ³ (for traditional framework)
Target organism(s) (including development stage)	wood boring beetles-Wood boring beetles-Larvae
Field(s) of use	Indoor
Application method(s)	Spraying - The product is a ready-for-use product. It is applied by brushing or spraying.
Application rate(s) and frequencies	300 g/m ² - 100 - -
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	Can /Tin - Metal: - 0.5 L

4.2.1 Use-specific instructions for use

-

4.2.2 Use-specific risk mitigation measures

-

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.3 Use description

Use 3 - Industry

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

The product X5975CIRE is used as a class 1 preventive and curative treatment for solid wood, against termites and wood-boring beetles (house longhorn beetle, furniture beetle and Lyctus). It can be used indoors, on both softwood and hardwood. The application rate is 200 g/m² for preventive use, with 1 or 2 layers of the product; and 300 g/m² for curative use, with 3 layers of the product. For professionals and non-professionals users, the product can be applied by brushing or spraying. This product is also used by industrial users, by short-time dipping, for preventive treatment. The treated woods can be used as class 3.1. The application rate is 200 g/m². This corresponds to a dipping during 3 minutes, with a mean intake of 15 to 20 litres of the product per m³ (for traditional framework)

Target organism(s) (including development stage)

wood boring beetles-Wood boring beetles-Larvae

Field(s) of use

Indoor

Application method(s)

Open system: dip treatment -

-

Application rate(s) and frequencies

200 g/m² - 100 -

-

Category(ies) of users

Industrial

Pack sizes and packaging material

Can /Tin - Plastic: HDPE - 5 L

4.3.1 Use-specific instructions for use

-

4.3.2 Use-specific risk mitigation measures

-

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use

5.1. Instructions for use

Application rate 200 g/m² for preventive application, 300 g/m² for curative application.

5.2. Risk mitigation measures

Use in accordance with the label recommendations.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

5.4. Instructions for safe disposal of the product and its packaging

-

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

-

6. Other information