

EN

*ANNEX*

**SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT**

V33 TRAITEMENT BOIS MULTI USAGES

**Product type(s)**

PT08: Wood preservatives

**Authorisation number:** FR-2017-0027

**R4BP asset number:** FR-0012421-0000

---

1. ADMINISTRATIVE INFORMATION .....	3
1.1. Trade name(s) of the product .....	3
1.2. Authorisation holder .....	3
1.3. Manufacturer(s) of the product .....	3
1.4. Manufacturer(s) of the active substance(s) .....	3
2. PRODUCT COMPOSITION AND FORMULATION .....	5
2.1. Qualitative and quantitative information on the composition of the product .....	5
2.2. Type(s) of formulation .....	5
3. HAZARD AND PRECAUTIONARY STATEMENTS .....	6
4. AUTHORISED USE(S) .....	7
4.1. Use description .....	7
4.2. Use description .....	8
4.3. Use description .....	10
5. GENERAL DIRECTIONS FOR USE .....	12
5.1. Instructions for use .....	12
5.2. Risk mitigation measures .....	12
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment .....	12
5.4. Instructions for safe disposal of the product and its packaging .....	12
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage .....	12
6. OTHER INFORMATION .....	13

## 1. ADMINISTRATIVE INFORMATION

### 1.1. Trade name(s) of the product

Trade name(s)	V33 TRAITEMENT BOIS MULTI USAGES VARIATECH TRAITEMENT DE BOIS UNIVERSEL BIGMAT TRAITEMENT BOIS MULTI-USAGES FOXTER TRAITEMENT BOIS MULTI-USAGES
---------------	---

### 1.2. Authorisation holder

Name and address of the authorisation holder	Name	V33
	Address	La Muyre 39210 Domblans France
Authorisation number	FR-2017-0027	
<i>R4BP asset number</i>	FR-0012421-0000	
Date of the authorisation	10/05/2017	
Expiry date of the authorisation	30/04/2025	

### 1.3. Manufacturer(s) of the product

Name of manufacturer	V33
Address of manufacturer	LA MUYRE 39210 DOMBLANS France
Location of manufacturing sites	LA MUYRE 39210 DOMBLANS France

### 1.4. Manufacturer(s) of the active substance(s)

Active substance	(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)- cis, trans-3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate (Cypermethrin)
Name of manufacturer	ARYSTA LIFESCIENCE BENELUX
Address of manufacturer	26/1 RUE RENORY, BE-4102 OUGREE Belgium
Location of manufacturing sites	MITCHELL COTTS CHEMICALS STEANARD LANE, MIRFIELD WF14 8QB WEST YORKSHIRE United Kingdom of Great Britain and Northern Ireland (the)  GHARDA LTD D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India

Active substance	tebuconazole
Name of manufacturer	LANXESS DEUTSCHLAND GMBH MATERIAL PROTECTION PRODUCTS
Address of manufacturer	KENNEDYPLATZ 1 D-50569 KÖLN Germany
Location of manufacturing sites	BAYER CORP., AGRICULTURE DIVISION P.O. BOX 4913 HAWTHORN ROAD MO 64120-0013 KANSAS CITY United States (the)

Active substance	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of manufacturer	LANXESS DEUTSCHLAND GMBH MATERIAL PROTECTION PRODUCTS
Address of manufacturer	KENNEDYPLATZ 1 D-50569 KÖLN Germany
Location of manufacturing sites	<p>SYNGENTA CROP PROTECTION AG CH-1870 MONTHEY Switzerland</p> <p>JIANGSU YANGNONG CHEMICAL GROUP CO., LTD WENFENG ROAD YANGZHOU 225009,P.R. JIANGSU China</p> <p>JIANGSU SEVENCONTINENT GREEN CHEMICAL CO., LTD NORTH AREA OF DONGSHA CHEM-ZONE ZHANJIAGANG 215600, P.R. JIANGSU China</p>

## 2. PRODUCT COMPOSITION AND FORMULATION

### 2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis,trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		active substance	52315-07-8	257-842-9	0,17
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	active substance	107534-96-3	403-640-2	0,14
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)		active substance	60207-90-1	262-104-4	0,13

### 2.2. Type(s) of formulation

EW (emulsion oil in water, ready to use)

---

### 3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H410: Very toxic to aquatic life with long lasting effects. EUH208: Contains <name of sensitising substance>. May produce an allergic reaction. EUH210: Safety data sheet available on request.
Precautionary statements	P102: Keep out of reach of children. P103: Read carefully and follow all instructions. P273: Avoid release to the environment. P501: Dispose of {0:....:contents container} to {1:....}.

## 4. AUTHORISED USE(S)

### 4.1. Use description

**Table 1. Preventive treatment for wood of use - class 1 and 2**

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Preventive treatment for wood - class 1 and 2
Target organism(s) (including development stage)	<p>Scientific name: - autre Common name: wood rotting fungi Development stage: (brown rot and white rot)</p> <p>Scientific name: <i>Hylotrupes bajulus</i> Common name: house longhorn beetle Development stage: -</p> <p>Scientific name: <i>Anobium punctatum</i> Common name: - Common furniture beetle Development stage: -</p> <p>Scientific name: <i>Lyctus brunneus</i> Common name: powder post beetles Development stage: -</p> <p>Scientific name: <i>Reticulitermes</i> spp. Common name: termites Development stage: -</p> <p>Scientific name: <i>Heterotermes</i> spp. Common name: termites Development stage: -</p>
Field(s) of use	<p>indoor use</p> <p>Preventive treatment for wood on use classe 1 Preventive treatment for wood on use classe 2</p>
Application method(s)	<p>Method: open system: brush treatment</p> <p>Detailed description: Superficial application / brush Method: spraying</p> <p>Detailed description: superficial application / spray</p>
Application rate(s) and frequency	<p>Application Rate: CU1 et 2 : 200 g product / m<sup>2</sup> wood</p> <p>Dilution (%): 0</p> <p>Number and timing of application: The produit is ready to use. The application is performed by brushing or spraying. The application rate is : - CU1 and 2 : 200 g of product / m<sup>2</sup> of wood Application Rate: CU1 et 2 : 200 g product / m<sup>2</sup> wood</p> <p>Dilution (%): 0</p> <p>Number and timing of application: The produit is ready to use.</p>

	The application is performed by brushing or spraying. The application rate is : - CU1 and 2 : 200 g of product / m <sup>2</sup> of wood
Category(ies) of users	professional
Pack sizes and packaging material	The product is packed in - can in steel with polyethylene closure of 0.5L, 0.75L and 1L - can in steel with polyethylene closure of 2.5L, 5L, 6L and 20L - tin in steel with polyethylene closure of 25L, 30L and 60L. - tanks in steel of 215L. All cans are coated inside with an epoxy pigmented varnish.

#### 4.1.1. Use-specific instructions for use

-

#### 4.1.2. Use-specific risk mitigation measures

-

#### 4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

#### 4.2. Use description

**Table 2. Preventive treatment for wood of use - class 3**

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Preventive treatment for wood on use class 3
Target organism(s) (including development stage)	<p>Scientific name: - autre Common name: wood rotting fungi Development stage: (brown rot and white rot)</p> <p>Scientific name: Hylotrupes bajulus Common name: house longhorn beetle Development stage: -</p> <p>Scientific name: Anobium punctatum Common name: common furniture beetle Development stage: -</p> <p>Scientific name: Lyctus brunneus Common name: powder post beetles Development stage: -</p> <p>Scientific name: Reticulitermes sp. Common name: termites</p>

	<p>Development stage: -</p> <p>Scientific name: Heterotermes spp.</p> <p>Common name: termites</p> <p>Development stage: -</p>
Field(s) of use	<p>outdoor use</p> <p>Preventive treatment for wood - class 3.</p>
Application method(s)	<p>Method: open system: brush treatment</p> <p>Detailed description: Superficial application / brush Method: open system: spray treatment</p> <p>Detailed description: superficial application / spray</p>
Application rate(s) and frequency	<p>Application Rate: CU3: 200 g of product / m<sup>2</sup> of wood (with a top coat)</p> <p>Dilution (%): 0</p> <p>Number and timing of application: The product is ready to use. The application is performed by brushing or spraying. The application rate is : - CU3: 200 g of product / m<sup>2</sup> of wood (with a top coat)</p> <p>Application Rate: CU3: 200 g of product / m<sup>2</sup> of wood (with a top coat)</p> <p>Dilution (%): 0</p> <p>Number and timing of application: The product is ready to use. The application is performed by brushing or spraying. The application rate is : - CU3: 200 g of product / m<sup>2</sup> of wood (with a top coat)</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>The product is packed in</p> <ul style="list-style-type: none"> <li>- can in steel with polyethylene closure of 0.5L, 0.75L and 1L</li> <li>- can in steel with polyethylene closure of 2.5L, 5L, 6L and 20L</li> <li>- tin in steel with polyethylene closure of 25L, 30L and 60L.</li> <li>- tanks in steel of 215L.</li> </ul> <p>All cans are coated inside with an epoxy pigmented varnish.</p>

#### 4.2.1. Use-specific instructions for use

- For preventive superficial application on wood for use class 3, a top coat has to be applied.

#### 4.2.2. Use-specific risk mitigation measures

- The outdoor use of treated wood is allowed only if wood preservation is followed by the application of a top-coat which does not contain biocides. This top-coat has to be stable under the standard EN 927-2 in order to limit biocide leaching all along the service-life of wood.
- Do not apply where the product can reach surface water during outdoor application.
- For outdoor treatment, cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.
- For outdoor treatment, do not apply under rainfall or when rainfall is expected during the next 24 hours.

#### 4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

**4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**4.3. Use description**

**Table 3. Curative treatment for wood in service**

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Curative treatment for wood in service
Target organism(s) (including development stage)	<p>Scientific name: <i>Hylotrupes bajulus</i>  Common name: house longhorn beetle  Development stage: -</p> <p>Scientific name: <i>Anobium punctatum</i>  Common name: common furniture beetle  Development stage: -</p> <p>Scientific name: <i>Lyctus brunneus</i>  Common name: powder post beetles  Development stage: -</p> <p>Scientific name: <i>Reticulitermes</i> spp.  Common name: termites  Development stage: -</p> <p>Scientific name: <i>Heterotermes</i> spp.  Common name: termites  Development stage: -</p>
Field(s) of use	<p>indoor use  outdoor use</p> <p>Curative treatment for wood in service (except for wood in permanent contact with soil or submerged)</p>
Application method(s)	<p>Method: open system: brush treatment</p> <p>Detailed description: superficial application / brushing Method: spraying</p> <p>Detailed description: superficial application / spray Method: Injection</p> <p>Detailed description: Injection (combined with a superficial application)</p>
Application rate(s) and frequency	<p>Application Rate: 300 g product / m<sup>2</sup> wood</p> <p>Dilution (%): 0</p> <p>Number and timing of application:  The application is performed by brushing or spraying.  The application rate is :</p>

	<p>- 300 g of product / m<sup>2</sup> of wood Application Rate: 300 g of product / m<sup>2</sup> of wood</p> <p>Dilution (%): 0</p> <p>Number and timing of application: The application is performed by brushing or spraying. The application rate is : - 300 g of product / m<sup>2</sup> of wood Application Rate: 150 g product / m<sup>2</sup> wood</p> <p>Dilution (%): 0</p> <p>Number and timing of application: When the application is performed by injection (combined with superficial application), the application rate is : - 150 g of product / m<sup>2</sup> of wood (+ 300 g of product / m<sup>2</sup> of wood)</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>The product is packed in</p> <ul style="list-style-type: none"> <li>- can in steel with polyethylene closure of 0.5L, 0.75L and 1L</li> <li>- can in steel with polyethylene closure of 2.5L, 5L, 6L and 20L</li> <li>- tin in steel with polyethylene closure of 25L, 30L and 60L.</li> <li>- tanks in steel of 215L.</li> </ul> <p>All cans are coated inside with an epoxy pigmented varnish.</p>

#### **4.3.1. Use-specific instructions for use**

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

#### **4.3.2. Use-specific risk mitigation measures**

- Curative treatments by brushing or spraying, combined with treatment by injection, should only be applied to timber inaccessible to children.
- The outdoor use of treated wood is allowed only if wood preservation is followed by the application of a top-coat which does not contain biocides. This top-coat has to be stable under the standard EN 927-2 in order to limit biocide leaching all along the service-life of wood.
- Do not apply where the product can reach surface water during outdoor application.
- For outdoor treatment, cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.
- For outdoor treatment, do not apply under rainfall or when rainfall is expected during the next 24 hours.

#### **4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

#### **4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

#### **4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE<sup>1</sup>**

### **5.1. Instructions for use**

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

### **5.2. Risk mitigation measures**

- Wear protective chemical resistant gloves (glove material to be specified by the authorization holder within the product information) protective and a coverall type VI during handling of the product for spray application.
- Keep out of reach of children.
- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- Skin contact: remove contaminated clothing and shoes. Wash contaminated skin with water. Seek medical advice or call a poison control centre if symptoms occur.
- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse with warm water for at least 15 minutes. Get medical attention if irritation or vision impairment occurs.
- Ingestion: Wash out mouth with water. Seek medical advice immediately or call a poison control centre.
- Inhalation of spray mist: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately or call a poison control centre if symptoms occur.
- Do not drink or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available.

### **5.4. Instructions for safe disposal of the product and its packaging**

- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- Shelf life: 3 years

---

<sup>1</sup>Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

---

## **6. OTHER INFORMATION**

- The presence of propiconazole, MIT and BIT, skin sensitizer that may produce an allergic reaction, must be reported on the label.
- Treated wood should not be intended for uses involving contact with food, feed or livestock.